

SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: JACKIE HOWARD Examiner #: 60299 Date: 09/05/03
 Art Unit: 1764 Phone Number 30 8-2574 Serial Number: 10 1067978
 Mail Box and Bldg/Room Location: CP3-10 B36 Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover-sheet, pertinent claims, and abstract.

Title of Invention: Lubricant Compositions Containing Phosphorus, Molybdenum and Hydroxy-substituted Dithiocarbamate
 Inventors (please provide full names): Vincent J. Gatto

Earliest Priority Filing Date: 08 Feb 2002

For Sequence Searches Only Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.

- ① A lubricant composition comprising a molybdenum source, a hydroxy-substituted dithiocarbamate and optionally, a phosphorus source.
- ② The compound of ^{claims} 38-49 (copy enclosed)
- ③ The product of Claim 29 (copy enclosed)


STAFF USE ONLY		Type of Search	Vendors and cost where applicable
Searcher:	<u>Ed</u>	NA Sequence (#)	STN <u>\$ 391.02</u>
Searcher Phone #:		AA Sequence (#)	Dialog
Searcher Location:		Structure (#)	<u>(3)</u> Qwestel/Orbit
Date Searcher Picked Up:		Bibliographic	<u>(end)</u> SciLink
Date Completed:	<u>9-9-03</u>	Litigation	Lexis/Nexis
Searcher Prep & Review Time:	<u>10</u>	Fulltext	Sequence Systems
Clerical Prep Time:		Patent Family	WWW/Internet
Online Time:	<u>105</u>	Other	Other (specify)

WHAT IS CLAIMED IS:

1. A lubricant composition comprising a molybdenum source, a hydroxy-substituted dithiocarbamate, and optionally, a phosphorous source.

5

2. The composition of claim 1, wherein the hydroxy-substituted dithiocarbamate has the formula:



wherein R and R' may be independently hydrogen or alkyl with the requirement that at least 15 one of R or R' is C₁ to C₂₂ alkyl, R'' is hydrogen, C₁ to C₂₂ alkyl, R'''XCH₂, R'''O(C=O)CH₂XCH₂, or R'''O(C=O)CH₂CH₂XCH₂ where R''' is C₁ to C₂₂ alkyl, and X is oxygen (O) or sulfur (S).

3. The composition of claim 2, wherein R and R' are alkyl.

20

4. The composition of claim 2, wherein R'' is hydrogen.

viscosity, and a minor amount of a composition of claim 1.

27. The lubricating oil of claim 26, wherein the composition of claim 1 is present in an amount of from about 0.25 to about 2.5 percent by weight of the lubricating oil.

5

28. The composition of claim 1, wherein the hydroxy-substituted dithiocarbamate is present in an amount of from about 0.05 to about 1.5 weight percent, and the molybdenum source is present in an amount to deliver from about 25 to about 1500 ppm molybdenum.

10 29. A reaction product produced by combining in substantially equimolar proportions an epoxide, a primary or secondary amine, and carbon disulfide, said process being carried out in the absense of a reaction solvent.

15 30. The reaction product of claim 29, wherein the reactants are combined in substantially equimolar proportions, and combining being carried out in the absence of a reaction solvent.

31. The reaction product of claim 29, wherein the epoxide is selected from the group consisting of ethylene oxide, propylene oxide, 1,2-butylene oxide, 1,2-epoxypentane, 1,2-epoxyhexane, 1,2-epoxyheptane, 1,2-epoxyoctane, 1,2-epoxynonane, 1,2-epoxydecane, 1,2-epoxyundecane, 1,2-epoxydodecane, 1,2-epoxytridecane, 1,2-epoxytetradecane, 1,2-epoxypentadecane, 1,2-epoxyhexadecane, 1,2-epoxyheptadecane, 1,2-epoxyoctadecane, methyl

oxide polymers, esters of dicarboxylic acids, esters of polyols, esters of phosphorus-containing acids, polymeric tetrahydrofurans, silicon-based oils, and mixtures thereof.


38. The compound 3-(2-ethylhexyloxy)-2-hydroxypropyl bis(2-ethylhexyl)

5 carbamodithioate.

39. The compound 3-(2-ethylhexyloxy)-2-hydroxypropyl dibutylcarbamodithioate.

40. A compound with the following chemical formula:


10



15

41. A lubricating composition comprising a compound with the following chemical formula:

20




wherein R, R' and R'' are alkyl groups, and wherein the sum of the number of carbon atoms

of R and R' is 8 or more, and R" is hydrogen or alkyl.


42. A lubricating composition comprising a compound with the following chemical formula:

5




- 10 43. A lubricating composition comprising a compound with the following chemical formula:

15




44. A lubricating composition comprising a compound with the following chemical formula:

20




45. A lubricating composition comprising a compound with the following chemical formula:

5




46. A lubricating composition comprising a compound with the following chemical formula:

10




15 47. A lubricating composition comprising a compound with the following chemical formula:

20




48. A lubricating composition comprising a compound with the following chemical formula:

5



10 49. A lubricating composition comprising a compound with the following chemical formula:

15



wherein R, R' and R'' are alkyl groups, and wherein the sum of the number of carbon atoms of R and R' is 8 or more, and R'' is R'''XCH₂, where R''' is alkyl and X is oxygen.

=> file reg

FILE 'REGISTRY' ENTERED AT 20:36:37 ON 09 SEP 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

=> display history full 11-

FILE 'REGISTRY' ENTERED AT 19:41:59 ON 09 SEP 2003

L1 251462 SEA OC2/ESS OR OC2/ES
L2 102276 SEA L1 AND (C(L)H(L)O)/ELS AND 3/ELC.SUB
L3 77243 SEA L2 NOT PMS/CI
E CARBON DISULFIDE/CN
L4 1 SEA "CARBON DISULFIDE"/CN

FILE 'HCA' ENTERED AT 19:46:03 ON 09 SEP 2003

L5 125511 SEA L3
L6 256775 SEA EPOXID? OR POLYEPOX? OR EPOXY OR EPOXIES
L7 QUE ?AMINO? OR ?AMINE?
L8 46473 SEA L4 OR CARBON#(A)(DISULFIDE# OR DISULPHIDE#) OR CS2
L9 261 SEA L5 AND L7 AND L8
L10 166 SEA L6 AND L7 AND L8
L11 5798 SEA L4 (L) RCT/RL
L12 78 SEA L9 AND L11
L13 39 SEA L10 AND L11
L14 38550 SEA (PRIMARY OR SEC OR SECONDARY) (3A) (AMINE# OR DIAMINE#
OR TRIAMINE#)
L15 3 SEA (L12 OR L13) AND L14
L16 11 SEA (L9 OR L10) AND L14
L17 295246 SEA (LUBRIC? OR LUBE# OR GREAS? OR ANTIFRIC? OR ANTIWEAR?
OR ANTICORRO? OR ANTIRUST? OR ANTIOXID? OR ANTI(W) (FRIC?
OR WEAR? OR CORRO? OR RUST? OR OXID?) OR SLICK? OR
SLIPP? OR OLEAGINOUS?) /BI,AB
L18 23007 SEA ((GEAR? OR ENGINE# OR CRANKCASE? OR MOTOR# OR
TRANSMISSION? OR HYDRAUL? OR MACHINE? OR (2 OR 4 OR TWO
OR FOUR) (W) (CYCLE# OR STROKE#)) (2A) (FLUID# OR OIL#)) /BI,A
B
L19 41 SEA (L9 OR L10) AND (L17 OR L18)
L20 15 SEA (L12 OR L13) AND (L17 OR L18)

FILE 'REGISTRY' ENTERED AT 19:56:19 ON 09 SEP 2003

L21 8703 SEA L3 AND 1/O
L22 13531 SEA (C(L)H(L)N)/ELS AND 3/ELC.SUB AND 1/N AND NO RSD/FA
L23 10350 SEA L22 NOT (?CYANO? OR ?NITRIL?) /CNS

FILE 'HCA' ENTERED AT 19:58:07 ON 09 SEP 2003

L24 48449 SEA L21
L25 130103 SEA L23
L26 131 SEA L24 AND L25 AND L8
L27 19 SEA L26 AND (L17 OR L18)
L28 22 SEA L26 AND L11

L29 16624 SEA L21 (L) RCT/RL
 L30 55293 SEA L23 (L) RCT/RL
 L31 24 SEA L26 AND L29
 L32 25 SEA L26 AND L30
 L33 19 SEA L28 AND L31 AND L32
 L34 6 SEA L33 AND (L17 OR L18)
 L35 9 SEA L15 OR L34
 L36 8 SEA L16 NOT L35
 L37 13 SEA L33 NOT (L35 OR L36)
 L38 20 SEA (L20 OR L27) NOT (L35 OR L36 OR L37)

FILE 'LREGISTRY' ENTERED AT 20:07:34 ON 09 SEP 2003

L39 STR

FILE 'REGISTRY' ENTERED AT 20:10:23 ON 09 SEP 2003

L40 20 SEA SSS SAM L39
 L41 283 SEA SSS FUL L39
 SAV L41 HOW978/A
 L42 99 SEA L41 AND NO RSD/FA
 L43 222 SEA L41 AND 5/ELC.SUB
 L44 73 SEA L43 AND 1/N AND 2/S AND 1-2/O
 L45 34 SEA L44 AND L42

FILE 'HCA' ENTERED AT 20:18:19 ON 09 SEP 2003

L46 38 SEA L45
 L47 113 SEA L41
 L48 9 SEA L47 AND (L17 OR L18)

FILE 'REGISTRY' ENTERED AT 20:21:00 ON 09 SEP 2003


L49 255795 SEA MO/ELS

FILE 'HCA' ENTERED AT 20:21:23 ON 09 SEP 2003

L50 628428 SEA L49 OR MO OR MOLYBDENUM#
 L51 2 SEA L47 AND L50
 L52 31 SEA L47 AND (P OR ?PHOSPH?)
 L53 4 SEA L52 AND (L17 OR L18)
 L54 11 SEA L48 OR L51 OR L51
 L55 32 SEA L46 NOT L54

FILE LREGISTRY

=> d 141 que stat
 L39 STR



NODE ATTRIBUTES:

NSPEC IS RC AT 5
 NSPEC IS RC AT 6
 CONNECT IS E2 RC AT 3
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 8

STEREO ATTRIBUTES: NONE

L41 283 SEA FILE=REGISTRY SSS FUL L39

100.0% PROCESSED 3815 ITERATIONS
 SEARCH TIME: 00.00.01


283 ANSWERS

=> file hca
 FILE 'HCA' ENTERED AT 20:37:05 ON 09 SEP 2003
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

=> d 135 1-9 cbib abs hitstr hitind

L35 ANSWER 1 OF 9 HCA COPYRIGHT 2003 ACS on STN
 138:222335 One-component moisture-curable **epoxy** resin
 compositions with good curability at low temperature, and their
 cured products. Saito, Hideaki; Motofuji, Fumiaki (Sanyo Chemical
 Industries, Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2003073455 A2
 20030312, 13 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP
 2001-263289 20010831.


GI




AB The compns. comprise (A) **epoxy** resins, (B) latent curing agents Z(N:CR₁R₂)₂ (Z = residue of C₃-60-alicyclic **amines** having 2-6 **primary amino** groups; R₁, R₂ = H,

C1-6-alkyl, C1-6-alkenyl, C6-10-aryl, C7-20-aralkyl, C7-20-alkylaryl; R1 = R2 .noteq. H), and (C) heterocyclic compds. I (Q1, U1, V1 = O, S; R3 = residue of cyclic ethers; R4 = C2-10-hydrocarbon group). Thus, a storage-stable compn. comprising **norbornanediamine** Me iso-Pr ketone diketimine, the heterocyclic compd. (manufd. from CS2 and 2-ethylhexyl glycidyl ether), resorcin diglycidyl ether (Denacol EX 201), and bisphenol F **epoxy** resin (Epikote 807) was applied on a substrate and cured at 0.degree. to give a test coating showing curing time 24 h, pencil hardness H, and no whitening.

- IT 75-15-0, **Carbon disulfide**, reactions
 2461-15-6, 2-Ethylhexyl glycidyl ether
 (heterocyclic crosslinkers for one-component moisture-curable **epoxy** compns. with good cold curability)
- RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



- RN 2461-15-6 HCA
 CN Oxirane, [[(2-ethylhexyl)oxy]methyl]- (9CI) (CA INDEX NAME)



- IC ICM C08G059-50
 ICS C08K005-103; C08K005-20; C08K005-46; C08L063-00; C08L071-02;
 C08L083-12
- CC 37-6 (Plastics Manufacture and Processing)
 ST moisture curable **epoxy** ketimine latent crosslinker;
 heterocyclic sulfur hardener moisture curable **epoxy**;
 storage stability oxathietanethione **epoxy** one component
- IT Crosslinking agents
 (heterocyclic compds.; heterocyclic crosslinkers for
 one-component moisture-curable **epoxy** compns. with good
 cold curability)
- IT **Epoxy** resins, preparation
 (heterocyclic crosslinkers for one-component moisture-curable
epoxy compns. with good cold curability)
- IT Crosslinking agents
 (latent, diketimine; heterocyclic crosslinkers for one-component
 moisture-curable **epoxy** compns. with good cold
 curability)
- IT Coating materials
 (moisture-curable; heterocyclic crosslinkers for one-component
 moisture-curable **epoxy** compns. with good cold
 curability)
- IT Surfactants

(nonionic, compns. contg.; heterocyclic crosslinkers for one-component moisture-curable **epoxy** compns. with good cold curability)

IT Coating materials

(storage-stable; heterocyclic crosslinkers for one-component moisture-curable **epoxy** compns. with good cold curability)

IT Heterocyclic compounds

(sulfur, crosslinking agent; heterocyclic crosslinkers for one-component moisture-curable **epoxy** compns. with good cold curability)

IT 29563-13-1, Denacol EX 201 58421-55-9, Epikote 807

(crosslinked with diketimines and heterocyclic compds.; heterocyclic crosslinkers for one-component moisture-curable **epoxy** compns. with good cold curability)

IT 500715-70-8P

(crosslinking agent; heterocyclic crosslinkers for one-component moisture-curable **epoxy** compns. with good cold curability)

IT 75-15-0, Carbon disulfide, reactions

563-80-4, Methyl isopropyl ketone 2461-15-6, 2-Ethylhexyl glycidyl ether 232600-99-6, Bicyclo[2.2.1]heptanediamine (heterocyclic crosslinkers for one-component moisture-curable **epoxy** compns. with good cold curability)

IT 9016-45-9, Nonipol 100

(nonionic surfactant, compns. contg.; heterocyclic crosslinkers for one-component moisture-curable **epoxy** compns. with good cold curability)


L35 ANSWER 2 OF 9 HCA COPYRIGHT 2003 ACS on STN

134:31109 Mineral gear oils and transmission fluids. Cain, Robert W.

(Lubrizol Corporation, USA). PCT Int. Appl. WO 2000071646 A1
 20001130, 78 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ,
 BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ; DE, DK, DM, DZ, EE, ES,
 FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR,
 KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO,
 NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA,
 UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT,
 BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR,
 IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG. (English).
 CODEN: PIXXD2. APPLICATION: WO 2000-US14379 20000524. PRIORITY: US
 1999-PV135484 19990524.

AB This invention relates to mineral oil based gear oils and transmission fluids which comprise a major amt. of a mineral oil having an iodine no. of <9 and where at least 55 % of the sats. are aliph., and gear oil or transmission fluid additives. In one embodiment, the invention relates to a gear oil or transmission fluid compn. comprising a major amt. of lubricant basestock and at least one functional additive wherein a major amt. of the lubricant basestock comprises a mineral oil having an iodine no. of <9 and comprising at least 45 % by wt. of aliph. sats. These gear oils and transmission fluids have good viscosity and oxidn. properties.

IT 75-56-9D, Propylene oxide, reaction products with
tert-dodecyl mercaptan
(mineral gear oils and transmission fluids)
RN 75-56-9 HCA
CN Oxirane, methyl- (9CI) (CA INDEX NAME)



IT 75-15-0, Carbon disulfide, reactions
(mineral gear oils and transmission fluids)
RN 75-15-0 HCA
CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



IC ICM C10M101-02
CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
IT Amines, reactions
(primary; mineral gear oils and transmission fluids)
IT Amines, uses
(tallow alkyl, ethoxylated; mineral gear oils and transmission fluids)
IT 50-00-0D, Formaldehyde, reaction products with dimercaptothiadiazole and heptylphenol, uses 75-56-9D, Propylene oxide, reaction products with tert-dodecyl mercaptan 98-11-3D, Benzenesulfonic acid, alkyl derivs., calcium or magnesium salts, overbased, borated, uses 101-02-0, Triphenyl phosphite 108-30-5D, Succinic anhydride, butenyl derivs. 122-39-4D, Diphenylamine, reaction products with nonenes, alkylated 301-02-0, Oleylamide 1072-71-5, Dimercaptothiadiazole 1809-19-4, Dibutyl hydrogen phosphite 7664-38-2, Phosphoric acid, uses 18760-44-6 25103-58-6D, tert-Dodecyl mercaptan, reaction products with propylene oxide 25496-72-4, Glycerol monooleate 26997-02-4D, Heptylphenol, reaction products with dimercaptothiadiazole and formaldehyde 27215-95-8D, Nonene, reaction products with diphenylamine, alkylated 36878-20-3, Dinonyldiphenylamine 311773-46-3, Alkylate A 230 311783-74-1, Chevron UCBO 311786-41-1, LZ 7720C 311786-42-2, Garbacryl 6335 311786-59-1, Motiva Tex HVI 311786-91-1, Acryloid 3008 (mineral gear oils and transmission fluids)
IT 75-15-0, Carbon disulfide, reactions
115-11-7, Isobutene, reactions 1314-56-3, Phosphorus pentoxide, reactions 7704-34-9, Sulfur, reactions 7783-06-4, Hydrogen sulfide, reactions 10043-35-3, Boric acid, reactions 25088-57-7, Dioleyl phosphite 311342-84-4 (mineral gear oils and transmission fluids)

L35 ANSWER 3 OF 9 HCA COPYRIGHT 2003 ACS on STN
 133:351613 **Epoxy** caulk for repairing cracked and damaged concrete and method of injection. Ando, Takeshi; Adachi, Taki (Sanyo Chemical Industries, Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2000313874 A2 20001114, 11 pp. (Japanese). CODEN: JKXXAF.

APPLICATION: JP 1999-121018 19990428.

AB The caulk with good workability at low temp. are obtained from a compn. contg. **polyepoxy** compds., a heterocyclic thioketone compd. as crosslinking accelerator and **primary** or/and **secondary amine** as curing agent. Thus, mixing CS₂ 90 with LiBr 5 in THF 120 and 2-ethylhexyl glycidyl ether 58 parts gave a heterocyclic thioketone, 5 parts of which was combined with 35 parts **m-xylylenediamine** and 190 parts Epikote 828 to give a caulking compn. with time for drying to the touch 120 min, viscosity 8500 mPa.cntdot.s and adhesion strength 25 kg/cm².


IT 75-15-0, **Carbon disulfide**, reactions
 2461-15-6, 2-Ethylhexyl glycidyl ether 3454-29-3,
 Trimethylolpropane triglycidyl ether
 (reactant; **epoxy** caulk for repairing cracked and damaged concrete and method of injection).

RN 75-15-0 HCA


CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



RN 2461-15-6 HCA
 CN Oxirane, [(2-ethylhexyl)oxy]methyl - (9CI) (CA INDEX NAME)



RN 3454-29-3 HCA
 CN Oxirane, 2,2'-(2-ethyl-2-[(oxiranylmethoxy)methyl]-1,3-propanediyl)bis(oxymethylene) (9CI) (CA INDEX NAME)



- IC ICM C09K003-10
ICS C09K003-10; C08G059-50; C09K017-18; E04G023-02; C09K103-00
CC 42-11 (Coatings, Inks, and Related Products)
ST concrete caulking **epoxy** resin crosslinking accelerator;
heterocyclic thioketone crosslinking accelerator **epoxy**
caulking compn
IT Crosslinking catalysts
(accelerator; **epoxy** caulk for repairing cracked and
damaged concrete and method of injection)
IT Heterocyclic compounds
(curing accelerator; **epoxy** caulk for repairing cracked
and damaged concrete and method of injection)
IT Caulking compositions
Concrete
(**epoxy** caulk for repairing cracked and damaged
concrete and method of injection)
IT **Epoxy** resins, uses
(**epoxy** caulk for repairing cracked and damaged
concrete and method of injection)
IT Ketones, uses
Ketones, uses
Thiocarbonyl compounds
Thiocarbonyl compounds
(thiones, curing accelerator; **epoxy** caulk for
repairing cracked and damaged concrete and method of injection)
IT 203722-96-7, 1,3-Oxathiolane-2-thione, 5-[(2-ethylhexyl)oxymethyl]-
(curing accelerator; **epoxy** caulk for repairing cracked
and damaged concrete and method of injection)
IT 21033-22-7P, 5,5-Dimethyl-1,3-oxathiolane-2-thione 306769-82-4P
(curing accelerator; **epoxy** caulk for repairing cracked
and damaged concrete and method of injection)
IT 113930-69-1P, Bisphenol A-epichlorohydrin-m-**xylylenediamine**
copolymer
(**epoxy** caulk for repairing cracked and damaged
concrete and method of injection)
IT 75-15-0, Carbon disulfide, reactions

503-30-0, Trimethylene oxide **2461-15-6**, 2-Ethylhexyl glycidyl ether **3454-29-3**, Trimethylolpropane triglycidyl ether

(reactant; **epoxy** caulks for repairing cracked and damaged concrete and method of injection)

L35 ANSWER 4 OF 9 HCA COPYRIGHT 2003 ACS on STN

129:318559 The mixed polysulfides and the **lubricants** and the **hydraulic fluids** containing them. Manka, John S.; Abraham, William D.; Roby, Stephen H.; Supp, James A.; Yodice, Richard (Lubrizol Corp., USA). Jpn. Kokai Tokkyo Koho JP 10265792 A2 19981006 Heisei; 41 pp. (Japanese). CODEN: JKXXAF.

APPLICATION: JP 1998-74697 19980323. PRIORITY: US 1997-823467 19970324.

AB Lubricants and hydraulic fluids with improved antiwear properties contain .gtoreq.1 of polysulfides selected from the compds. having the general formulas (1) T1T2P(X1)(S)nSC(X2)L1, (2) T3T4P(X3)(S)nS(DMTD)SJ, (3) L2C(X4)(S)nS(DMTD)SG, and (4) .gtoreq.2 of mixts. of compds. of (1), (2) and (3), where DMTD = thiadiazole nucleus; J = H, SR, SP(X5)T5T6 or SC(X6)L3; G = H, SR or SC(X7)L4; T1-6 = R, SR or OR, independently; L1-4 = R, SR, OR or NRR, independently; X1-7 = O or S independently; each R = hydrocarbyl group; and n = 1-4.

IT 75-15-0, Carbon disulfide, reactions

75-56-9, Propylene oxide, reactions 111-92-2,

Di-n-butylamine

(in prepn. of mixed polysulfides and lubricants and hydraulic fluids contg. them)


RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



RN 75-56-9 HCA

CN Oxirane, methyl- (9CI) (CA INDEX NAME)



RN 111-92-2 HCA

CN 1-Butanamine, N-butyl- (9CI) (CA INDEX NAME)




IC ICM C10M137-10

ICS C07D285-06; C07D285-08; C07D285-10; C07D285-125; C10M135-36; C10N030-06; C10N040-08; C10N040-25

- CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
ST polysulfide mixed **lubricant hydraulic fluid**
- IT Amines, reactions
(aliph.; in prepn. of mixed polysulfides and **lubricants and hydraulic fluids** contg. them)
- IT Lubricating oils
(crankcase; prepn. of mixed polysulfides and **lubricants and hydraulic fluids** contg. them)
- IT Lubricating oils
(gear oils; prepn. of mixed polysulfides and **lubricants and hydraulic fluids** contg. them)
- IT Polyamines
(polyethylene-, reaction products, bottoms; in prepn. of mixed polysulfides and **lubricants and hydraulic fluids** contg. them)
- IT Hydraulic fluids
Lubricants
Lubricating greases
Lubricating oils
(prep. of mixed polysulfides and **lubricants and hydraulic fluids** contg. them)
- IT Disulfides
Polysulfides
(prep. of mixed polysulfides and **lubricants and hydraulic fluids** contg. them)
- IT 67-63-0, 2-Propanol, reactions 75-15-0, Carbon disulfide, reactions 75-56-9, Propylene oxide, reactions 96-33-3, Methyl acrylate 101-02-0, Triphenyl phosphite 108-11-2, 4-Methyl-2-pentanol 109-79-5, 1-Butanethiol 111-40-0, Diethylenetriamine 111-92-2, Di-n-butylamine 112-55-0, Dodecylmercaptan 149-57-5, 2-Ethylhexanoic acid 1072-71-5, 2,5-Dimercapto-1,3,4-thiadiazole 1314-80-3, Phosphorus pentasulfide 2253-52-3, O,O'-Diisobutyl dithiophosphate 5810-88-8, Bis(2-ethylhexyl) dithiophosphate 6028-47-3, 7664-41-7, Ammonia, reactions 7783-06-4, Hydrogen sulfide, reactions 54972-97-3
(in prepn. of mixed polysulfides and **lubricants and hydraulic fluids** contg. them)
- IT 108-30-5DP, Succinic anhydride, polyisobutylene derivs., reaction products with polyethylene bottoms and diethylenetriamine 15834-33-0DP, Phosphorodithioic acid, mixed iso-Pr and 4-methyl-sec-amyl esters, reaction products with phosphorus pentasulfide and 2,5-dimercapto-1,3,4-thiadiazole, uses 32750-89-3P 203722-97-8
(prep. of mixed polysulfides and **lubricants and hydraulic fluids** contg. them)

combustion engines. Roby, Stephen H.; Supp, James A.; Manka, John S.; Abraham, William D. (Lubrizol Corp., USA). U.S. US 5726132 A 19980310, 26 pp. (English). CODEN: USXXAM. APPLICATION: US 1997-808698 19970228.

GI



AB This invention relates to compns. for improving fuel efficiency in internal combustion engines. The compn. comprises a **lubricant** having an oil of **lubricating** viscosity and (A) a compd. I wherein in Formula (A-I), R1, R2, R3 and R4 are independently hydrocarbyl groups, X1 and X2 are independently O or S, and n is zero to 3; and (B) an acylated nitrogen-contg. compd. having a substituent of at least 10 aliph. carbon atoms. In one embodiment, the inventive compn. further comprises (C) a 2nd phosphorus compd. other than (A), said 2nd phosphorus compd. being a phosphorus acid, phosphorus acid ester, phosphorus acid salt, or deriv. thereof. In one embodiment, the inventive compn. further comprises (D) an alkali or alk. earth metal salt of an org. sulfur acid, carboxylic acid or phenol. In one embodiment, the inventive compn. further comprises (E) a thiocarbamate. These compns. are useful in providing **lubricating** compns. and functional fluids with enhanced fuel efficiency properties.

IT 75-15-0, Carbon disulfide, reactions

75-56-9, reactions 111-92-2, Di-n-butylamine

112-90-3, Oleylamine

(oil compn. for improving fuel economy in internal combustion engines based on phosphorus contg. sulfides, acylated nitrogen-contg. compds., phosphorus acids, alkali or alk. earth salts and sulfur contg. compds.)


RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S=C=S

RN 75-56-9 HCA

CN Oxirane, methyl- (9CI) (CA INDEX NAME)




RN 111-92-2 HCA
 CN 1-Butanamine, N-butyl- (9CI) (CA INDEX NAME)

n-Bu—NH—Bu-n

RN 112-90-3 HCA
 CN 9-Octadecen-1-amine, (9Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



IC ICM C10M141-10
 NCL 508287000
 CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 Section cross-reference(s): 38
 IT Lubricating oils
 (base oils; oil compn. for improving fuel economy in internal combustion engines based on phosphorus contg. sulfides, acylated nitrogen-contg. compds., phosphorus acids, alkali or alk. earth salts and sulfur contg. compds.)
 IT Lubricating oils
 (crankcase; oil compn. for improving fuel economy in internal combustion engines based on phosphorus contg. sulfides, acylated nitrogen-contg. compds., phosphorus acids, alkali or alk. earth salts and sulfur contg. compds.)
 IT 67-63-0, Isopropyl alcohol, reactions 75-15-0,
 Carbon disulfide, reactions 75-56-9,
 reactions 96-33-3 101-02-0, Triphenyl phosphite 108-11-2,
 4-Methyl-2-pentanol 111-88-6, 1-Octanethiol 111-92-2,
 Di-n-butylamine 112-55-0, Dodecyl mercaptan 112-90-3,
 Oleylamine 149-57-5, 2-Ethylhexanoic acid 1305-62-0, Calcium hydroxide, reactions 1309-37-1, Ferric oxide, reactions 1310-58-3, Potassium hydroxide, reactions 1310-73-2, Sodium hydroxide, reactions 1314-13-2, Zinc oxide (ZnO), reactions 1314-80-3, Phosphorus sulfide (P₂S₅) 2253-52-3 7664-41-7, Ammonia, reactions 7722-84-1, Hydrogen peroxide (H₂O₂), reactions 10545-99-0, Sulfur dichloride 25134-38-7, Diisopropyl dithiophosphoric acid 26952-21-6, Isooctanol 26999-29-1 27157-94-4 54972-97-3 204580-61-0
 (oil compn. for improving fuel economy in internal combustion

engines based on phosphorus contg. sulfides, acylated nitrogen-contg. compds., phosphorus acids, alkali or alk. earth salts and sulfur contg. compds.)

L35 ANSWER 6 OF 9 HCA COPYRIGHT 2003 ACS on STN

128:206655 Compositions containing thiocarbonates and acylated nitrogen-containing compounds. Supp, James A.; Manka, John S.; Abraham, William D.; Roby, Stephen H. (Lubrizol Corp., USA). Eur. Pat. Appl. EP 825247 A2 19980225, 39 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI. (English). CODEN: EPXXDW. APPLICATION: EP 1997-306374 19970821.

PRIORITY: US 1996-701303 19960821.

AB This invention relates to a compn., comprising: (A) a compd. represented by the formula of $R_1XC(:S)S(CR_2R_3)^nT$, in which R_1 , R_2 and R_3 are independently H or hydrocarbyl; X is O or S; n is zero, 1 or 2; and T is a hydrocarbyl, a hetero group, a hydroxyhydrocarbyl group, or an activating group; with the proviso that when n is zero, T can be a metal, and when n is 2, each R_2 and R_3 can be the same or different; and (B) an acylated nitrogen-contg. compd. having a substituent of at least apprx. 10 carbon atoms. The compn. may also contain (C) a phosphorus compd., (D) an org. sulfide, (E) a heterocyclic compd., and/or (F) a thiocarbamate. The components (A) and (B) are mixed with an oil of **lubricating** viscosity, and, optionally, one or more of (C), (D), (E) and/or (F) are added. The inventive compns. are useful in formulating **lubricating** compns. and functional fluids characterized by enhanced antiwear properties.

IT 75-15-0, Carbon disulfide, reactions


75-56-9, Propylene oxide, reactions 111-92-2,

Di-n-butylamine 2855-19-8, 1,2-Epoxydodecane

(**lubricating** oil compns. contg. thiocarbonates and acylated nitrogen-contg. compds.)


RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



RN 75-56-9 HCA

CN Oxirane, methyl- (9CI) (CA INDEX NAME)




RN 111-92-2 HCA

CN 1-Butanamine, N-butyl- (9CI) (CA INDEX NAME)

n-Bu-NH-Bu-n

RN 2855-19-8 HCA
 CN Oxirane, decyl- (9CI) (CA INDEX NAME)



IC ICM C10M141-08
 ICS C10M141-10
 ICI C10M141-08, C10M133-52, C10M135-14, C10M135-18, C10M135-20,
 C10M135-36; C10M141-10, C10M133-52, C10M135-14, C10M135-18,
 C10M135-20, C10M135-36, C10M137-10; C10N030-06
 CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 ST lubricating oil thiocarbamate acylated nitrogen
 IT Lubricating oil additives
 (lubricating oil compns. contg. thiocarbonates and
 acylated nitrogen-contg. compds.)
 IT 67-63-0, Isopropyl alcohol, reactions 71-36-3, 1-Butanol,
 reactions 75-15-0, Carbon disulfide,
 reactions 75-56-9, Propylene oxide, reactions 79-10-7,
 Acrylic acid, reactions 96-33-3, Methylacrylate 101-02-0,
 Triphenyl phosphite 108-11-2, 4-Methyl-2-pentanol 108-30-5D,
 Succinic anhydride, polyisobutylene derivs. 108-88-3, Toluene,
 reactions 109-99-9, Tetrahydrofuran, reactions 111-40-0,
 Diethylenetriamine 111-92-2, Di-n-butylamine 115-77-5D,
 Pentaerythritol, Me derivs. 149-57-5, 2-Ethylhexanoic acid
 818-61-1, 2-Hydroxyethylacrylate 1310-73-2, Sodium hydroxide,
 reactions 1314-13-2, Zinc oxide, reactions 1314-80-3, Phosphorus
 pentasulfide 2855-19-8, 1,2-Epoxydodecane 2917-26-2,
 Hexadecyl mercaptan 7550-35-8, Lithium bromide 7647-01-0,
 Hydrochloric acid, reactions 7722-84-1, Hydrogen peroxide,
 reactions 7783-06-4, Hydrogen sulfide, reactions 9002-98-6
 15834-33-0, Phosphorodithioic acid, reactions 25103-58-6,
 tert-Dodecyl mercaptan
 (lubricating oil compns. contg. thiocarbonates and
 acylated nitrogen-contg. compds.)


L35 ANSWER 7 OF 9 HCA COPYRIGHT 2003 ACS on STN
 128:194573 Lubricants and functional fluids containing
 heterocyclic compounds. Supp, James A.; Manka, John S.; Fahmy,
 Mohamed G. (Lubrizol Corp., USA). Eur. Pat. Appl. EP 825246 A2
 19980225, 32 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR,
 GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI. (English). CODEN:
 EPXXDW. APPLICATION: EP 1997-306384 19970821. PRIORITY: US
 1996-700975 19960821.

AB This invention relates to a lubricating compn. comprising
 a major amt. of an oil of lubricating viscosity and a
 minor amt. of (A) a 5-member heterocyclic compd. represented by the
 formula wherein in Formula (A-I): X₁, X₂ and X₃ are independently O

or S, and X2 and X3 can be NR1 wherein R1 is hydrogen or hydrocarbyl; and G1, G2, G3 and G4 are independently R2, OR2 or R3OR2, wherein R2 is hydrogen or hydrocarbyl and R3 is hydrocarbylene or hydrocarbylidene. In one embodiment, the inventive compn. further comprises (B) an acylated nitrogen-contg. compd. having a substituent of at least .apprx.10 aliph. carbon atoms. In one embodiment, the inventive compn. further comprises (C) a phosphorus compd. In one embodiment, the inventive compn. further comprises (D) a thiocarbamate. In one embodiment, the inventive compn. further comprises (E) a org. sulfide. In one embodiment, the invention relates to a process comprising mixing the foregoing component (A) with an oil of **lubricating** viscosity, and, optionally, one or more of the foregoing components (B), (C), (D) and/or (E).


IT 75-15-0DP, **Carbon disulfide**, reaction products with epoxidized soybean oil, uses (prepn. of heterocyclic compds. as **lubricating** oil additives)

RN 75-15-0 HCA
CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)




IT 75-15-0, **Carbon disulfide**, reactions 2855-19-8, 1,2-Epoxydodecane 3234-28-4, 1,2-Epoxytetradecane (prepn. of heterocyclic compds. as **lubricating** oil additives)


RN 75-15-0 HCA
CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



RN 2855-19-8 HCA
CN Oxirane, decyl- (9CI) (CA INDEX NAME)



RN 3234-28-4 HCA
CN Oxirane, dodecyl- (9CI) (CA INDEX NAME)




IT 75-56-9, reactions

(prepn. of phosphorus-contg. compds. as additives for
lubricating oil formulation contg. heterocyclic compds.)

RN 75-56-9 HCA

CN Oxirane, methyl- (9CI) (CA INDEX NAME)



IT 111-92-2, Di-n-butylamine

(prepn. of thiocarbamates as additives for **lubricating**
oil formulation contg. heterocyclic compds.)

RN 111-92-2 HCA

CN 1-Butanamine, N-butyl- (9CI) (CA INDEX NAME)

n-Bu-NH-Bu-n

IC ICM C10M135-36

ICS C10M141-08; C10M141-10

ICI C10M141-08, C10M133-52, C10M135-12, C10M135-14, C10M135-18,
C10M135-36; C10M141-10, C10M133-52, C10M135-12, C10M135-14,
C10M135-18, C10M135-36; C10N030-06

CC 51-8 (Fossil Fuels, Derivatives, and Related Products)

ST heterocyclic compd **lubricating** oil additiveIT **Lubricating** oil additives(dispersants, ashless; prepn. of acylated nitrogen-contg. compds.
with aliph. substituent of 10 or more C atoms as ashless
dispersants in **lubricating** oil formulation contg.
heterocyclic compds.)

IT Soybean oil

(epoxidized; prepn. of heterocyclic compds. as
lubricating oil additives)IT **Lubricating** oil additives(**lubricants** and functional fluids contg. heterocyclic
compds.)

IT Heterocyclic compounds

(**lubricants** and functional fluids contg. heterocyclic
compds.)

IT Amines, reactions

(prepn. of phosphorus-contg. compds. as additives for
lubricating oil formulation contg. heterocyclic compds.)

IT 9002-98-6


(bottoms; prepn. of acylated nitrogen-contg. compds. with aliph.
substituent of 10 or more C atoms as ashless dispersants in
lubricating oil formulation contg. heterocyclic compds.)IT 108-30-5D, isobutylene derivs. 111-40-0, Diethylenetriamine
115-11-7D, succinic anhydride derivs. 115-77-5D, Me derivs.

(prepn. of acylated nitrogen-contg. compds. with aliph. substituent of 10 or more C atoms as ashless dispersants in lubricating oil formulation contg. heterocyclic compds.)

- IT 75-15-0DP, Carbon disulfide, reaction products with epoxidized soybean oil, uses 96738-46-4P, 5-Decyl-1,3-oxathiolane-2-thione 203722-96-7P 203722-98-9P (prepn. of heterocyclic compds. as lubricating oil additives)
- IT 109-99-9, uses (prepn. of heterocyclic compds. as lubricating oil additives)
- IT 75-15-0, Carbon disulfide, reactions 2461-15-6, 2-Ethylhexyl glycidyl ether 2855-19-8, 1,2-Epoxydodecane 3234-28-4, 1,2-Epoxytetradecane 7550-35-8, Lithium bromide (LiBr) (prepn. of heterocyclic compds. as lubricating oil additives)
- IT 111-88-6, 1-Octanethiol 112-55-0, Dodecyl mercaptan 54972-97-3, Methylpentanol (prepn. of org. sulfides as additives for lubricating oil formulation contg. heterocyclic compds.)
- IT 1634-02-2P, Bis(dibutylthiocarbamoyl) disulfide (prepn. of org. sulfides as additives for lubricating oil formulation contg. heterocyclic compds.)
- IT 7783-06-4P, Hydrogen sulfide (H₂S), preparation (prepn. of phosphorus-contg. compds. as additives for lubricating oil formulation contg. heterocyclic compds.)
- IT 67-63-0, 2-Propanol, reactions 75-56-9, reactions 101-02-0, Triphenyl phosphite 104-76-7 108-11-2, 4-Methyl-2-pentanol 149-57-5, 2-Ethylhexanoic acid 565-67-3 1314-13-2, Zinc oxide (ZnO), reactions 1314-56-3, Phosphorus pentoxide, reactions 1314-80-3, Phosphorus pentasulfide 1336-21-6, Ammonium hydroxide ((NH₄)(OH)) 2253-52-3 5810-88-8 7664-41-7, Ammonia, reactions 7722-84-1, Hydrogen peroxide (H₂O₂), reactions (prepn. of phosphorus-contg. compds. as additives for lubricating oil formulation contg. heterocyclic compds.)
- IT 15834-33-0DP, Phosphorodithioic acid, 2-ethylhexanol derivs., preparation 58369-51-0P (prepn. of phosphorus-contg. compds. as additives for lubricating oil formulation contg. heterocyclic compds.)
- IT 203722-97-8P (prepn. of phosphorus-contg. compds. as additives for lubricating oil formulation contg. heterocyclic compds.)
- IT 96-33-3 111-92-2, Di-n-butylamine (prepn. of thiocarbamates as additives for lubricating oil formulation contg. heterocyclic compds.)

USA). U.S. US 5712230 A 19980127, 24 pp. (English). CODEN:
USXXAM. APPLICATION: US 1997-812897 19970310.

GI




AB This invention relates to a compn., comprising: (A) reaction products of compds. represented by the formula I and compds. selected to reduce the polysulfide components of I; and I wherein R1, R2, R3 and R4 are independently hydrocarbyl groups, X1 and X2 are independently O or S, and n is zero to 3; and wherein said reaction products have a lower copper reactivity than I; and (B) an acylated nitrogen-contg. compd. having a substituent of at least 10 aliph. carbon atoms. In one embodiment, the inventive compn. further comprises (C) a second phosphorus compd. other than I, said second phosphorus compd. being a phosphorus acid, phosphorus acid ester, phosphorus acid salt, or deriv. thereof. In one embodiment, the inventive compn. further comprises (D) an alkali or alk. earth metal salt of an org. sulfur acid, carboxylic acid or phenol. In one embodiment, the inventive compn. further comprises (E) a thiocarbamate. In one embodiment the inventive compn. further comprises (F), a non-phosphorous organodisulfide. These compns. are useful in providing **lubricating** compns. and functional fluids with enhanced **antiwear** properties.

IT 75-15-0, Carbon disulfide, reactions
 75-56-9, Propylene oxide, reactions 111-92-2,
 Di-n-butylamine 112-90-3, Oleylamine
 (additive compns. having reduced sulfur contents for
lubricants and functional fluids)

RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S=C=S

RN 75-56-9 HCA
 CN Oxirane, methyl- (9CI) (CA INDEX NAME)




RN 111-92-2 HCA
 CN 1-Butanamine, N-butyl- (9CI) (CA INDEX NAME)

n-Bu—NH—Bu-n

RN 112-90-3 HCA
 CN 9-Octadecen-1-amine, (9Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



IC ICM C10M141-10
 NCL 508232000
 CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 ST lubricating oil additive antiwear
 IT Antifoaming agents
 (additive compns. having reduced sulfur contents for
 lubricants and functional fluids)
 IT Kerosene
 Lime (chemical)
 (additive compns. having reduced sulfur contents for
 lubricants and functional fluids)
 IT Lubricating oil additives
 (antiwear; additive compns. having reduced sulfur
 contents for **lubricants** and functional fluids)
 IT 141977-72-2P
 (additive compns. having reduced sulfur contents for
 lubricants and functional fluids)
 IT 50-00-0, Formaldehyde, reactions 67-56-1, Methyl alcohol,
 reactions 67-63-0, Isopropyl alcohol, reactions 71-41-0, Amyl
 alcohol, reactions 75-15-0, Carbon
 disulfide, reactions 75-56-9, Propylene oxide,
 reactions 77-86-1, Trishydroxymethyl aminomethane 78-83-1,
 Isobutyl alcohol, reactions 96-33-3, Methyl acrylate 98-11-3D,
 Benzenesulfonic acid, monoalkyl derivs., reactions 108-11-2,
 4-Methyl-2-pentanol 108-30-5D, Succinic anhydride, polyisobutenyl
 derivs. 108-95-2D, Phenol, C12 alkyl derivs., reactions
 111-40-0, Diethylenetriamine 111-88-6, 1-Octanethiol
 111-92-2, Di-n-butylamine 112-55-0, Dodecyl mercaptan
 112-90-3, Oleylamine 137-32-6, 2-Methyl-1-butanol

1305-62-0, Calcium hydroxide, reactions 1309-37-1, Ferric oxide, reactions 1310-58-3, Potassium hydroxide, reactions 1310-73-2, Sodium hydroxide, reactions 1314-13-2, Zinc oxide (ZnO), reactions 1314-80-3, Phosphorus pentasulfide 2253-52-3 5810-88-8 7722-84-1, Hydrogen peroxide, reactions 9002-98-6 10043-52-4, Calcium chloride (CaCl₂), reactions 10545-99-0, Sulfur dichloride 25134-38-7, Diisopropyl dithiophosphoric acid 26952-21-6, Iso-octanol 26997-02-4, Heptylphenol 26999-29-1 27157-94-4 55502-62-0 58369-51-0 143637-18-7, Polyamine HPA-X (additive compns. having reduced sulfur contents for lubricants and functional fluids)

L35 ANSWER 9 OF 9 HCA COPYRIGHT 2003 ACS on STN

125:301238 Production of organic silicon-phosphorus containing compositions for use as flame retardants, **hydraulic fluid**, building components, coating agents, adhesives, etc.. Blount, David H. (USA). U.S. US 5563285 A 19961008, 9 pp. (English). CODEN: USXXAM. APPLICATION: US 1993-160176 19931202.

AB A mixt. of Si and P is reacted with halides to produce Si tetrahalide, Si-P halides and P trihalide compn. This compn. is reacted with any suitable org. or inorg.-org. compd. which has an active H, halide and/or a metal radical to produce org. Si-P halides compns. which will react with inorg., inorg.-org. and org. compd. to produce an org. Si-P product. For example, equal parts by wt. of powd. Si and P are mixed, then the mixt. is heated until the P is melted, then heated to just below the P b.p., in a closed vessel; then dry Cl₂ is passed over the hot Si and P mixt. until a mixt. of SiCl₄, PCl₃ and Si-P chlorides is produced; 50 parts by wt. of MeOH is reacted with 20 parts of the previously-prepd. mixt. to give unknown products. Other examples comprise substituting many org. compds. for MeOH, e.g. alcs., epoxides, unsatd. compds., polycarboxylic acid anhydrides. These products may be used (no data given on effectiveness) as flame-retardants, **hydraulic fluid**, building components, coating agents, adhesives and many other uses. The claims comprise mixing and reacting SiCl₄, PCl₃, and a Grignard reagent such that halogen atoms are left on the Si and/or P radicals.

IT 75-15-0, **Carbon disulfide**

75-21-8, Oxirane 75-56-9 106-88-7


107-10-8, 1-Propanamine 121-44-8 2404-44-6

4436-24-2 35898-62-5

(prodn. of org. silicon-phosphorus contg. compns. flame retardants and **hydraulic fluid** and building components and coating agents and adhesives)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)




RN 75-21-8 HCA


CN Oxirane (9CI) (CA INDEX NAME)




RN 75-56-9 HCA
CN Oxirane, methyl- (9CI) (CA INDEX NAME)




RN 106-88-7 HCA
CN Oxirane, ethyl- (9CI) (CA INDEX NAME)




RN 107-10-8 HCA
CN 1-Propanamine (9CI) (CA INDEX NAME)




RN 121-44-8 HCA
CN Ethanamine, N,N-diethyl- (9CI) (CA INDEX NAME)




RN 2404-44-6 HCA
CN Oxirane, octyl- (9CI) (CA INDEX NAME)



RN 4436-24-2 HCA
CN Oxirane, (phenylmethyl)- (9CI) (CA INDEX NAME)



RN 35898-62-5 HCA
CN Oxirane, 2-decyl-3-(5-methylhexyl)- (9CI) (CA INDEX NAME)



IC ICM C07F007-08
NCL 556404000
CC 29-7 (Organometallic and Organometalloidal Compounds)
Section cross-reference(s): 37, 42, 78
ST phosphorus silicon org compn prepn; flame retardant phosphorus
silicon org compn; **hydraulic fluid** phosphorus
silicon org compn; building component phosphorus silicon org compn;
coating agent phosphorus silicon org compn; adhesive phosphorus
silicon org compn; carboxylic acid
IT Adhesives
Coating materials
Construction materials
Fireproofing agents
Hydraulic fluids
(prodn. of org. silicon-phosphorus contg. compns. as potential)
IT Creosote
(prodn. of org. silicon-phosphorus contg. compns. flame
retardants and **hydraulic fluid** and building
components and coating agents adhesives)
IT Castor oil
Epoxy resins
Linseed oil
(prodn. of org. silicon-phosphorus contg. compns. flame
retardants and **hydraulic fluid** and building
components and coating agents and adhesives)
IT Polyesters
(unsatd., prodn. of org. silicon-phosphorus contg. compns. flame
retardants and **hydraulic fluid** and building
components and coating agents and adhesives)
IT 9005-32-7, Alginic acid
(prodn. of org. silicon-phosphorus contg. compns. flame
retardants and **hydraulic fluid** and building
components and coating agent and adhesives)
IT 67-56-1, Methanol 67-63-0, 2-Propanol 67-64-1, 2-Propanone
71-23-8, 1-Propanol 71-36-3, 1-Butanol 74-86-2, Ethyne 74-87-3
74-93-1, Methanethiol 75-07-0, Acetaldehyde 75-12-7, Formamide

75-15-0, Carbon disulfide

75-21-8, Oxirane 75-56-9 75-87-6 78-51-3
78-79-5 78-83-1 78-90-0, 1,2-Propanediamine 79-09-4, Propanoic acid 79-10-7, 2-Propenoic acid 79-41-4 85-44-9,
1,3-Isobenzofurandione 88-12-0 88-99-3, 1,2-Benzenedicarboxylic acid 96-24-2 98-00-0, 2-Furanmethanol 98-01-1, 2-Furancarboxaldehyde 100-52-7, Benzaldehyde 105-60-2
106-88-7 106-89-8 106-92-3 106-99-0, 1,3-Butadiene 107-02-8, 2-Propenal 107-10-8, 1-Propanamine 107-13-1, 2-Propenenitrile 107-18-6, 2-Propen-1-ol 107-19-7, 2-Propyn-1-ol 107-21-1, 1,2-Ethanediol 108-05-4, Acetic acid ethenyl ester 108-30-5 108-31-6, 2,5-Furandione 108-78-1, 1,3,5-Triazine-2,4,6-triamine 108-95-2, Phenol 109-53-5 110-15-6, Butanedioic acid 110-16-7, 2-Butenedioic acid (2Z)- 110-17-8, 2-Butenedioic acid (2E)- 110-63-4, 1,4-Butanediol 111-20-6, Decanedioic acid 111-40-0 111-46-6 **121-44-8 122-60-1 123-72-8, Butanal 123-99-9, Nonanedioic acid 124-04-9, Hexanedioic acid 124-09-4, 1,6-Hexanediamine 126-99-8 461-58-5 503-09-3 593-74-8 676-58-4 868-85-9 930-27-8 1321-11-5 1344-08-7, Sodium sulfide (Na₂(Sx)) 1762-95-4 2224-15-9 **2404-44-6** 3068-00-6, 1,2,4-Butanetriol 3132-64-7 3586-58-1 4170-30-3, 2-Butenal **4436-24-2** 5329-14-6, Sulfamic acid 7439-95-4, Magnesium 7440-21-3, Silicon 7440-66-6, Zinc 7664-38-2, Phosphoric acid 7719-12-2, Phosphorous trichloride 7723-14-0, Phosphorus 7782-50-5, Chlorine 9002-89-5 9004-34-6, Cellulose 10025-87-3, Phosphoric trichloride 10026-04-7 10043-22-8 15347-57-6 25068-38-6 25322-69-4 26471-62-5 26545-55-1, Propanediamine 26764-44-3 30525-89-4, Paraformaldehyde 30899-19-5, Pentanol **35898-62-5** 91717-85-0, 1,2,10-Decanetriol
 (prodn. of org. silicon-phosphorus contg. compns. flame retardants and **hydraulic fluid** and building components and coating agents and adhesives)**

IT 50-00-0, Formaldehyde 50-81-7, L-Ascorbic acid 56-40-6, Glycine 56-81-5, 1,2,3-Propanetriol 57-13-6, Urea 57-55-6, 1,2-Propanediol 60-33-3, 9,12-Octadecadienoic acid (9Z,12Z)-62-53-3, Benzenamine 62-56-6, Thiourea 64-17-5, Ethanol 64-19-7, Acetic acid 65-85-0, Benzoic acid
 (prodn. of org. silicon-phosphorus contg. compns. for flame retardants and **hydraulic fluid** and building components and coating agents and adhesives)

=> d 136 1-8 cbib abs hitstr hitind

L36 ANSWER 1 OF 8 HCA COPYRIGHT 2003 ACS on STN
 134:297283 Primers for road marking materials. Ando, Takeshi; Adachi, Ryu (Sanyo Chemical Industries, Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2001106966 A2 20010417, 10 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1999-287760 19991008.


AB Primers contain heterocyclic compds. such as the reaction products of cyclic ethers with CS₂, **polyepoxides** having

.gtoreq.2 **epoxy** groups/mol., and **amino** compds.
having >2 active H's from **primary** and/or **secondary**
amines. Thus, a self-extinguishing primer contained a
reaction product of 2-ethylhexyl glycidyl ether with **CS2**
15, m-xylylenediamine 13, and Epikote 828 72 parts.

IT 75-15-0DP, Carbon disulfide, reaction
products with cyclic ethers, uses 2461-15-6DP,
2-Ethylhexyl glycidyl ether, reaction products with **carbon**
disulfide 3454-29-3DP, Trimethylolpropane
triglycidyl ether, reaction products with **carbon**
disulfide
(self-extinguishing **epoxy** resin primers contg.
heterocyclic compds. and **amines** for road marking
materials)


RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)




RN 2461-15-6 HCA

CN Oxirane, [(2-ethylhexyl)oxy]methyl- (9CI) (CA INDEX NAME)



RN 3454-29-3 HCA

CN Oxirane, 2,2'-[[2-ethyl-2-[(oxiranylmethoxy)methyl]-1,3-propanediyl]bis(oxymethylene)]bis- (9CI) (CA INDEX NAME)



IC ICM C09D163-00

ICS C09D005-00

CC 42-10 (Coatings, Inks, and Related Products)

ST **epoxy** primer traffic marking self extinguishing;

- carbon disulfide epoxide reaction
product
- IT Ethers, uses
 (cyclic, reaction products with **carbon disulfide**; self-extinguishing **epoxy resin** primers contg. heterocyclic compds. and **amines** for road marking materials)
- IT Amines, uses
 (**polyamines**, aliph., nonpolymeric; self-extinguishing **epoxy resin** primers contg. heterocyclic compds. and **amines** for road marking materials)
- IT Amines, uses
 (**primary**; self-extinguishing **epoxy resin** primers contg. heterocyclic compds. and **amines** for road marking materials)
- IT Epoxides
 (reaction products with **carbon disulfide**; self-extinguishing **epoxy resin** primers contg. heterocyclic compds. and **amines** for road marking materials)
- IT Epoxy resins, uses
 (reaction products with **xylylenediamine**; self-extinguishing **epoxy resin** primers contg. heterocyclic compds. and **amines** for road marking materials)
- IT Amines, uses
 (**secondary**; self-extinguishing **epoxy resin** primers contg. heterocyclic compds. and **amines** for road marking materials)
- IT Crosslinking agents
Fire-resistant materials
Marking
Primers (paints)
 (self-extinguishing **epoxy resin** primers contg. heterocyclic compds. and **amines** for road marking materials)
- IT Heterocyclic compounds
 (self-extinguishing **epoxy resin** primers contg. heterocyclic compds. and **amines** for road marking materials)
- IT Coating materials
 (traffic-marking; self-extinguishing **epoxy resin** primers contg. heterocyclic compds. and **amines** for road marking materials)
- IT 75-15-0DP, **Carbon disulfide**, reaction products with cyclic ethers, uses 503-30-0DP, Trimethylene oxide, reaction products with **carbon disulfide** 2461-15-6DP, 2-Ethylhexyl glycidyl ether, reaction products with **carbon disulfide** 3454-29-3DP, Trimethylolpropane triglycidyl ether, reaction products with **carbon disulfide**
 (self-extinguishing **epoxy resin** primers contg.

heterocyclic compds. and **amines** for road marking materials)

IT 124933-76-2P, Bisphenol A-epichlorohydrin-2-ethylhexyl glycidyl ether-m-**xylylenediamine** copolymer 334871-08-8P, Bisphenol A-epichlorohydrin-trimethylolpropane triglycidyl ether-m-**xylylenediamine** copolymer 334871-09-9P, Bisphenol A-epichlorohydrin-trimethylene oxide-m-**xylylenediamine** copolymer
 (self-extinguishing **epoxy** resin primers contg. heterocyclic compds. and **amines** for road marking materials)

L36 ANSWER 2 OF 8 HCA COPYRIGHT 2003 ACS on STN

122:269891 Lubricating compositions, greases, and aqueous fluids containing the combination of a dithiocarbamate compound and an organic polysulfide.. Vinci, James N.; Butke, Betsy J.; Schwind, James J. (Lubrizol Corp., USA). Eur. Pat. Appl. EP 638631 A1 19950215, 20 pp. DESIGNATED STATES: R: BE, DE, ES, FR, GB, IT, SE. (English). CODEN: EPXXDW. APPLICATION: EP 1994-305742 19940803.

PRIORITY: US 1993-101878 19930804.

AB A lubricating compn. (esp. oils or greases) contains: (1) at least one dithiocarbamate, (2) (optionally) at least one org. polysulfide, (3) a phosphorus- or boron-contg. antiwear or extreme-pressure additive, and (4) a base fluid selected from a base oil, water and a surfactant and thickener, or a base oil and a thickener. Component 1 is a reaction product of (1) a dithiocarbamic acid or salt (itself typically prep'd. from a **secondary amine** and CS₂), and (2) an unsatd. amide, acid, anhydride, ester, or ether, esp. an acrylic ester of formula R₆R₇C:C(R₈)CO₂R₉ (each R₆,R₇, and R₈ is independently H or hydrocarbyl, and R₉ is H or C₁-24-hydrocarbyl). Component 2 is derived from an oil, a fatty acid or ester, an olefin, or a polyolefin, esp. an olefin of formula R₁R₂C:CR₃R₄, in which each of R₁,R₂, R₃, and R₄ are independently H, hydrocarbyl, or an addnl. functionality (e.g., alkyl, carboxylate ester, amide, metal carboxylate, halogen, oxygen or divalent sulfur moiety, aryl or C₁-C₁₂-aryl, or ring up to C₁₂). The combination also imparts improved oxidn. resistance and thermal stability.

IT 75-15-0D, **Carbon disulfide**, reaction products with dialkyl **amines** and Me acrylate (lubricant compns. contg. dithiocarbamates, org. polysulfide, and phosphorus- and boron-based compds.)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S=C=S

IC ICM C10M135-00
 ICS C10M141-10; C10M141-12; C10M163-00

ICI C10M135-00, C10M135-02, C10M135-04, C10M135-18; C10M141-10, C10M135-02, C10M135-04, C10M135-18, C10M137-02, C10M137-04,

C10M137-10; C10M141-12, C10M135-02, C10M135-04, C10M135-18,
C10M139-00

CC 51-8 (Fossil Fuels, Derivatives, and Related Products)

IT **Amines, uses**

Epoxides

Phospholipids, uses

(borated, lubricants contg.; lubricant compns. contg.
dithiocarbamates, org. polysulfide, and phosphorus- and
boron-based compds.)

IT **Polyamines**

(polyalkylene-, reaction products with polybutenylsuccinic
anhydride; lubricant compns. contg. dithiocarbamates, org.
polysulfide, and phosphorus- and boron-based compds.)

IT 75-15-0D, **Carbon disulfide**, reaction

products with dialkyl **amines** and Me acrylate 79-06-1D,
2-Propenamide, reaction products with **carbon**

disulfide and diamyl **amine** 80-62-6 96-33-3D,
reaction products with dithiocarbamates 97-63-2 97-88-1, Butyl
methacrylate 100-37-8D, reaction products with polybutenylsuccinic
anhydride 108-30-5D, Succinic anhydride, polybutenyl derivs.,
reaction products with polyalkylene **Polyamines**

111-92-2D, Dibutyl **amine**, reaction products with
carbon disulfide and Me acrylate 128-39-2,

2,6-Di-tert-butylphenol 140-88-5 141-32-2 142-09-6

594-07-0D, Dithiocarbamic acid, N,N-dialkyl derivs., reaction
products with acrylate and methacrylate esters 1330-78-5,

Tricresyl phosphate 2050-92-2D, Diamyl **amine**, reaction
products with **carbon disulfide** and acrylamide

2499-95-8, Hexyl acrylate 2849-98-1, Pentyl methacrylate

2998-23-4, Pentyl acrylate 7664-38-2D, Phosphoric acid, esters,
reaction products with **epoxides** 10043-35-3D, Boric acid,
derivs. 13598-36-2D, Phosphonic acid, derivs., reaction products

with phosphoric acid esters and **epoxides** 15834-33-0D,
Dithiophosphoric acid, derivs., reaction products with
epoxides 29385-43-1, Tolytriazole

(lubricant compns. contg. dithiocarbamates, org. polysulfide, and
phosphorus- and boron-based compds.)

L36 ANSWER 3 OF 8 HCA COPYRIGHT 2003 ACS on STN

113:211727 1-[[[(Triphenylphosphoroylidene)]**amino**

]methyl]benzotriazole (BETMIP) a novel +CH₂N: synthetic equivalent:
its application to the synthesis of carbodiimides, imines,
isothiocyanates, aziridines, and **secondary amines**

. Katritzky, Alan R.; Jiang, Jinlong; Urogdi, Laszlo (Dep. Chem.,
Univ. Florida, Gainesville, FL, 32611, USA). Synthesis (7), 565-7
(English) 1990. CODEN: SYNTBF. ISSN: 0039-7881. OTHER SOURCES:
CASREACT 113:211727.


AB One carbon homologation was achieved in reactions of the title
compd. (I) as +CH₂N: equiv. with isocyanates, aldehydes, CS₂
, 2-phenyloxirane, or alkyl iodides to give carbodiimides, Schiff
bases, isothiocyanates, ethylphenylaziridine, or **secondary**
amines, resp.

IT 96-09-3

(reaction of, with [(triphenylphosphorylidene)amino]methylbenzotriazole in presence of Grignard reagent, ethylphenylaziridine from)

RN 96-09-3 HCA

CN Oxirane, phenyl- (9CI) (CA INDEX NAME)



CC 27-4 (Heterocyclic Compounds (One Hetero Atom))

Section cross-reference(s): 25

ST phosphazene equiv **phosphorylideneaminomethylbenzotriazole**; carbodiimide; Schiff base; imine; isothio cyanate; **amine secondary**; aziridine

IT Schiff bases

(prepn. of, in sequential reaction of [(triphenylphosphorylidene)amino]methylbenzotriazole with Grignard reagent and aldehydes)

IT Carbodiimides

(prepn. of, in sequential reaction of [(triphenylphosphorylidene)amino]methylbenzotriazole with Grignard reagent and isocyanates)

IT Aldehydes, reactions

(reaction of, with [(triphenylphosphorylidene)amino]methylbenzotriazole in presence of Grignard reagent, Schiff bases from)

IT Epoxides

(reaction of, with [(triphenylphosphorylidene)amino]methylbenzotriazole in presence of Grignard reagent, aziridines from)

IT Cyanates

(reaction of, with [(triphenylphosphorylidene)amino]methylbenzotriazole in presence of Grignard reagent, carbodiimides from)

IT Alkyl iodides

(reaction of, with [(triphenylphosphorylidene)amino]methylbenzotriazole in presence of Grignard reagent, **secondary amines** from)

IT Phosphonitrile compounds

(phosphazenes, formation of, by reaction of [(triphenylphosphorylidene)amino]methylbenzotriazole with Grignard reagent and sequential reactions of)

IT Amines, preparation

(**secondary**, prepn. of, in sequential reaction of [(triphenylphosphorylidene)amino]methylbenzotriazole with Grignard reagent and alkyl iodides)

IT 116753-04-9P, Benzotriazole magnesium salt 126864-13-9P
126864-19-5P 130412-97-4P 130412-98-5P

(formation of, in reaction of [(triphenylphosphorylidene)amino]methyl]benzotriazole in presence of Grignard reagent)

- IT 124316-00-3P
 (prepn. and conversion to phosphazene equiv. and sequential reactions of, with aldehydes, isocyanates, carbon disulfide, oxirane, or alkyl halides)
- IT 3129-90-6DP, Isothiocyanic acid, esters
 (prepn. of, in sequential reaction of [(triphenylphosphorylidene)amino]methyl]benzotriazole with Grignard reagent and carbon disulfide)
- IT 96-09-3
 (reaction o, with [(triphenylphosphorylidene)amino]methyl]benzotriazole in presence of Grignard reagent, ethylphenylaziridine from)
- IT 78-84-2 100-52-7, Benzaldehyde, reactions
 (reaction of, with [(triphenylphosphorylidene)amino]methyl]benzotriazole in presence of Grignard reagent, Schiff base from)
- IT 86-84-0 103-71-9, reactions 1609-86-5, 1,1-Dimethylethyl isocyanate
 (reaction of, with [(triphenylphosphorylidene)amino]methyl]benzotriazole in presence of Grignard reagent, carbodiimide from)

L36 ANSWER 4 OF 8 HCA COPYRIGHT 2003 ACS on STN

109:169842 Vinyl ethers containing an epoxy group. XV.

Reactions with a primary amine-carbon

disulfide system. Nedolya, N. A.; Komel'kova, V. I.; Trofimov, B. A. (Irkutsk. Inst. Org. Khim., Irkutsk, USSR). Zhurnal Organicheskoi Khimii, 24(2), 286-91 (Russian) 1988. CODEN: ZORKAE. ISSN: 0514-7492. OTHER SOURCES: CASREACT 109:169842.

AB Glycidol 2-(vinyloxy)ethyl ether (I) (1 or 2 mol, resp.) reacted neat with CH₂:CHOCH₂CH₂NH₂ and CS₂ to give nearly quant. CH₂:CHOCH₂CH₂OCH₂CH(OH)CH₂S₂CNRCH₂CH₂OCH:CH₂ [R = H, CH₂:CHOCH₂CH₂OCH₂CH(OH)CH₂]. I and diamines gave quant. [CH₂:CHOCH₂CH₂OCH₂CH(OH)CH₂S₂CNH]₂Z [Z = (CH₂)₂, p-xylylene, m-phenylene].

IT 16801-19-7
 (reaction of, with primary amines)

RN 16801-19-7 HCA

CN Oxirane, [[2-(ethenylloxy)ethoxy]methyl]- (9CI) (CA INDEX NAME)



CC 23-20 (Aliphatic Compounds)

IT Amines, reactions

(reaction of, with carbon disulfide and

IT glycidol (vinyloxy)ethyl ether)
 IT 7336-29-0, 2-(Vinyloxy)ethylamine
 (reaction of, with carbon disulfide and
 primary amines)
 IT 16801-19-7
 (reaction of, with primary amines)


L36 ANSWER 5 OF 8 HCA COPYRIGHT 2003 ACS on STN
 88:90548 Poly(ether ureides). Schulze, Heinz (Texaco Development Corp.,
 USA). Ger. Offen. DE 2726929 19780105, 30 pp. (German). CODEN:
 GWXXBX. APPLICATION: DE 1977-2726929 19770615.

AB The title compds., useful as **epoxy** resin hardeners and
 starting materials for **aminoplasts**, are prep'd. by treating
Polyetherpolyamines with ureide-forming compds. such as urea
 or isocyanates. Thus, 891 g **Polyoxypolylenepolyamine** of
 mol. wt. 2000 and **primary amine** content 1.01
 mequiv/g was treated with 109 g PhNCO in 45 min at 55.degree. and
 then stirred 2 h at 60.degree., giving a N-phenylureido-terminated
 polyether (I). A mixt. of bisphenol A diglycidyl ether [
 1675-54-3] 100, **Polyoxypolylenepolyamine** hardener
 30, piperazine-**alkanolamine** accelerator mixt. 10, and I 10
 parts was used to adhere Al plates, giving a bond with tensile shear
 strength 238 kg/cm², compared with 185 kg/cm² for a control adhesive
 contg. no I.

IT 1675-54-3
 (hardeners for, polyoxypolylenoureide derivs. as)

RN 1675-54-3 HCA

CN Oxirane, 2,2'-(1-methylethylidene)bis(4,1-
 phenyleneoxymethylene)bis- (9CI) (CA INDEX NAME)



IT 75-15-0DP, reaction products with
Polyoxypolylenepolyamines
 (manuf. of, for **aminoplast** monomers and **epoxy**
 resin hardeners)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S=C=S

IC C07C127-15
 CC 36-6 (Plastics Manufacture and Processing)
 ST polyether ureide **epoxy** hardener;
 Polyoxypolylenepolyamine isocyanate adduct

IT **Epoxy resins, uses and miscellaneous**
 (hardeners for, polyoxypropyleneureide derivs. as)

IT **Crosslinking catalysts**
 (polyoxypropyleneureide derivs., for **epoxy** resins)

IT **Aminoplasts**
 (polyoxypropyleneureide-based, manuf. of)

IT **1675-54-3**
 (hardeners for, polyoxypropyleneureide derivs. as)

IT 57-13-6DP, reaction products with **polyoxypropylenepolyamines**
 75-15-0DP, reaction products with
 polyoxypropylenepolyamines 103-71-9DP, reaction products
 with **polyoxypropylenepolyamines** 25214-70-4DP,
 phosgenated, reaction products with **polyoxypropylenepolyamines***
 ** 25322-69-4DP, ureido derivs.
 (manuf. of, for ***aminoplast monomers and **epoxy**
 resin hardeners)


L36 ANSWER 6 OF 8 HCA COPYRIGHT 2003 ACS on STN

84:166185 Flame-retardant cellulosics containing graft copolymerized
 acrylic esters of amides. Edelson, Nathan A.; Faessinger, Robert W.
 (Scott Paper Co., USA). U.S. US 3926872 19751216, 6 pp. (English).
 CODEN: USXXAM. APPLICATION: US 1974-508724 19740923.

AB Graft-polymn. of cellulosic fibers with aq. mixts. of
 CH₂:CR₁COZZ₁Z₂P(:O)(NR₂)₂ (R₁ = Me or H; R = Me or MeCH₂; Z, Z₂ = O
 or NH; Z₁ = CH₂CH₂, CH₂CH₂CHCl, or CH₂) gave fireproofed fibers.
 Thus, 10 g knitted rayon fabric was immersed in 250 ml of an aq.
 emulsion contg. 1% NaOH, 0.96% CS₂, and polyethylene
 glycol alkylaryl ether for 15 min, washed, immersed in 200 ml of an
 aq. mixt. contg. 0.004% Mohr's salt for few min, and washed. The
 dithiocarbonated fibers were immersed in a mixt. contg. 3 ml 30%
 H₂O₂, 5 g 2-(methacryloyloxy)ethyl tetramethylphosphorodiamidate
 [54641-24-6] [prepd. by mixing 500 ml diethyl ether with POCl₃
 [10025-87-3] 76.5, **triethylamine** (I) 50.5, and
 2-hydroxyethyl methacrylate [868-77-9] 68 g, stirring for 72 hr at
 room temp., adding 101 g I and 45 g **dimethylamine**
 [124-40-3], and stirring for 72 hr at room temp.], and 500 ml H₂O
 for 2.5 hr at 55-57.degree., washed, and dried to give a fabric with
 fireproofing rating (ASTM D-626-551) 2 (after 50 cycles of washing).

IT **106-90-1**
 (reaction of, with **dimethylamine** and phosphorus
 oxychloride)

RN 106-90-1 HCA
 CN 2-Propenoic acid, oxiranylmethyl ester (9CI) (CA INDEX NAME)



IC C08L; D06M
 NCL 260017400GC

CC 39-10 (Textiles)
 IT 2-Propenamide, N-[2-[[bis(dimethylamino)phosphinyl]amino]ethyl]-, polymers with cellulosic fibers
 2-Propenoic acid, chloro-3-[[bis(dimethylamino)phosphinyl]oxy]propyl ester, polymers with cellulosic fibers
 2-Propenoic acid, 2-methyl-, 2-[[bis(diethylamino)phosphinyl]oxy]ethyl ester, polymers with cellulosic fibers
 2-Propenoic acid, 2-methyl-, 2-[[bis(dimethylamino)phosphinyl]oxy]ethyl ester, polymers with cellulosic fibers
 Phosphorodiamidic acid, tetramethyl-, [(1-oxo-2-propenyl)amino]methyl ester, polymers with cellulosic fibers
 (graft, fire-resistant)
 IT 10025-87-3
 (reaction of, with acrylic compds. and **secondary amines**)
 IT 106-90-1 54641-27-9
 (reaction of, with **dimethylamine** and phosphorus oxychloride)
 IT 868-77-9
 (reaction of, with phosphorus oxychloride and **secondary amines**)

L36 ANSWER 7 OF 8 HCA COPYRIGHT 2003 ACS on STN
 54:99719 Original Reference No. 54:18931a-c Asphaltic coatings and laminates from coal products and **polyepoxides**. (N. V. de Bataafsche Petroleum Maatschappij). GB 819107 19590826 (Unavailable). APPLICATION: GB .

AB The coal products used include coal tars, refined coal tars, and coal-tar pitches which have a softening point of <90.degree. and a solv. in CS₂ of at least 50%. The **polyepoxides** are org. materials having >1 **epoxy** group/mol. Products with high heat resistance and flexibility are obtained when the **polyepoxide** is present in an amt. of 15-75% by wt. of the mixt. Superior adhesion and solvent resistance are obtained when at least 30% **polyepoxide** is used. The compns. are cured by the action of **epoxy** curing agents, the amt. of agent being 0.5-200% by wt. of the **polyepoxide**. The **secondary** and **primary amines**, acids, and anhydrides are preferably used in at least stoichiometric proportions. Heat-activated curing agents can also be used. A nonskid coating is made by incorporating small inert particles in a proportion of at least 50% by wt. of the mixt. This coating is suitable for forming or restoring wearing surfaces of roads, aircraft runways, floors, etc.

CC 20 (Cement, Concrete, and Other Building Materials)
 IT Airports
 (asphaltic-**epoxy** resin coatings for runways of)
 IT Floors
 (coatings for, asphaltic-**epoxy** resin)
 IT Paving
 (coatings for, **epoxy** resin)
 IT Pitch

(coatings from **epoxy** resins and, for floors, roads or runways)

IT Coating(s)
(for floors, roads or runways, asphaltic, from coal products and **epoxy** resins)

L36 ANSWER 8 OF 8 HCA COPYRIGHT 2003 ACS on STN

51:90659 Original Reference No. 51:16433b-i,16434a-e The reaction of carbonyl chloride with 1,2-**epoxides**. Jones, J. Idris (Chem. Research Lab., Teddington, UK). J. Chem. Soc. 2735-43 (Unavailable) 1957.

AB COCl₂ (I) (1 mole) was found to add to 1 mole of an **epoxide** to form the corresponding 2-chlorosubstituted chloroformate. With 2 moles **epoxide** to 1 mole I, the product was the bis(2-chloroalkyl) carbonate. I (65.8 g.) was passed during 1.25 hrs. into 35.5 g. epoxyethane contg. 3 drops pyridine at -10.degree., the mixt. allowed to warm to room temp., dry air blown through the product until the wt. was const., then distd. to give 83 g. 2-chloroethyl chloroformate (II), b. 153.degree., b15 50.degree., nD₂₀ 1.4460, and 11 g. bis(2-chloroethyl) carbonate (III), b. 241.degree., b12 125.degree., nD₂₀ 1.4600. III was the sole product when 100 g. epoxyethane was treated with 101 g. I. Pyrolysis of II at 450.degree. gave ethylene dichloride; III remained unchanged under these conditions. Other attempts to prepare divinyl carbonate were also unsuccessful. I with 1,2-epoxycyclohexane gave 2-chlorocyclohexyl chloroformate (IV), b13 110-11.degree., nD₂₅ 1.4775, and 2 isomers of bis(2-chlorocyclohexyl) carbonate, m. 111.degree. and 65-6.degree.. That Walden inversion occurred on ring opening to give the trans form of IV was shown by converting trans-chlorocyclohexanol to the chlorohydrin, m. 25.degree., nD₂₀ 1.4891, then adding I to give a product identical with IV. 1,2-Epoxypropane reacted with I to give 2-chloro-1-methylethyl chloroformate, b16 59-60.degree., nD₂₀ 1.4420, identical to the product from 1-chloropropan-2-ol and I. 1,2-Epoxypropane (2 moles) and 1 mole I yielded 97.5% bis(2-chloro-1-methylethyl) carbonate, b16 133.degree., nD₂₀ 1.4522, which after several months partially crystd. and m. 50.degree. (from ligroine, b. 60-80.degree.). Similarly, I with 3-chloro-1,2-epoxypropane gave 2-chloro-1-(chloromethyl)ethyl chloroformate (V), b20 93.degree., nD₂₀ 1.4740, and bis(2-chloro-1-chloromethylethyl) carbonate, m. 47.5.degree., b22 185.degree.. Epoxyethane passed into V gave 87% 2-chloroethyl 2-chloro-1-(chloromethyl)ethyl carbonate, b13 152.degree., nD₂₀ 1.4798. I reacted with trans-2,3-epoxybutane to yield (.+.-)erythro-2-chloro-1-methylpropyl chloroformate, b15 62.5-3.5.degree., nD₂₅ 1.4400 (identical with an authentic specimen), and bis(2-chloro-1-methylpropyl) carbonate, b10 134-5.degree.. I and styrene oxide gave (.+.-)-2-chloro-1-phenylethyl chloroformate, b15 109.degree., and bis(2-chloro-1-phenylethyl) carbonate, one stereoisomeric form m. 51.degree. [from ligroine (b. 60-80.degree.)-CHCl₃]. No chloroformate could be isolated from the reaction of I and 1,2-**epoxy**-2,4,4-trimethylpentane. Decompn. occurred and only

1-chloro-2,4,4-trimethylpentan-2-ol and 1-chloro-2,4,4-trimethylpent-2-ene were identified. A series of 2-chloro-substituted carbamates and N-substituted carbamates have been prep'd. from the appropriate chloroformate (1 mole) with NH₃, **primary**, or **secondary amines** (2 moles), usually in C₆H₆. The hydrochlorides were filtered off and the carbamates distd. or crystd. from ligroine (b. 60-80.degree.)CHCl₃. Compds. of structure ClCH₂CH₂OCOX were prep'd. where X = NH₂, 97%, m. 77.degree.; NHMe, 90%, m. 19.degree., b₁₃ 111.degree.; NHET, 88%, m. 23.degree., b₁₉ 115-18.degree.; NHBu, 80%, b₁₆ 142-5.degree.; NHC₅H₁₁, 76%, b_{0.25} 87-8.degree.; NHC₆H₁₃, 77%, m. 21.5.degree., b_{0.25} 102-3.degree.; NHC₇H₁₅, 70%, m. 19.degree., b_{0.35} 120.degree.; NHC₈H₁₇, 52%, m. 27.5, b_{0.15} 135-6.degree.; NHPh, 91%, m. 52.degree., b₁ 148-50.degree.; NHC₆H₄Me-p, 88%, m. 62.degree., b₁ 168-70.degree.; NHC₆H₄Me-o, 73%, m. 49.degree.; NHC₆H₄Cl-o, 92%, m. 58.5.degree.; NHC₆H₄Cl-m, 83.degree., m. 50.degree.; NHC₆H₄Cl-p, 95%, m. 72.degree., NHC₁₀H₇-alpha., 77%, m. 105.degree.; NHC₁₀H₇-beta., 77%, m. 103.5.degree.; NET₂, 87%, b₁₅ 109-10.degree.; NPh₂, 75%, m. 77.degree.; NPhMe, 82%, b_{0.1} 112-15.degree.; N(CH₂)₅, 84%, b_{0.1} 101-2.degree.. With structure ClCH₂CHMeOCOX, where X = NH₂, 95%, m. 63.degree.; NHMe, 92%, b₁₅ 116.degree.; NHBu, 83%, b₁₅ 145.degree.; NHC₅H₁₁, 72%, b_{0.15}, 97-9.degree.; NHC₆H₁₃, 85%, m. 1.degree., b_{0.2} 112-14.degree.; NHC₇H₁₅, 50%, m. 5.degree., b_{0.3} 130-5.degree.; NHC₈H₁₇ 64%, m. 9.degree., b_{0.15} 120-1.degree.; NHPh, 95%, m. 37.degree., b_{0.1} 145.degree.; NHC₆H₄Me-o, 81%, m. 53.degree.; NHC₆H₄Me-p, 97%, m. 55.degree.; NHC₆H₄Cl-o, 92%, b_{0.25}, 122.degree.; NHC₆H₄Cl-m, 83%, b_{0.1} 150-5.degree.; NHC₆H₄Cl-p, 93%, m. 65.5.degree.; NHC₁₀H₇-alpha., 72%, m. 71.degree.; NHC₁₀H₇-beta., 89%, m. 102.5.degree.; NET₂, 73%, b₁₆, 110-11.degree.. With structure (ClCH₂)₂CHOCOX, where X = NH₂, 80%, m. 84.degree.; NHMe, 89%, m. 20.degree., b_{0.2} 105-7.degree.; NHPh, 89%, m. 78.degree.; NHC₆H₄Me-o, 87%, m. 72.degree.; NHC₆H₄Cl-o, 86%, m. 63.degree.; NHC₆H₄Cl-m, 92%, m. 72.5.degree.; NHC₆H₄Cl-p, 77%, m. 111.degree.; NHC₁₀H₇-alpha., 91%, m. 121.degree.; NHC₁₀H₇-beta., 90%, m. 104.5.degree.; NMe₂, 97%, b_{0.15} 102-4.degree.; NET₂, 63%, b_{0.15}, 112-15.degree.. With structure ClCH₂CHPhOCOX, where X = NH₂, 98%, m. 71.degree.; NHMe, 84%, m. 53.degree.; NHET, 80%, b_{0.15}, 141-2.degree.; NHPh, 99%, m. 94.5.degree.; NHC₆H₄Cl-p, 96%, m. 96.degree.; NMe₂, 90%, b_{0.15} 138-9.degree.. With structure (.-.-)-erythro-CHClMeCHMeOCOX, where X = NH₂, 96%, m. 67.5.degree.; NHMe, 65%, b₁₆ 120.degree.; NHPh, 77%, m. 66.degree.. With structure trans-C₆H₁₀ClOCOX, where X = NH₂, 92%, m. 150.degree.; NHMe, 92%, m. 56.degree., b₁₆ 161.degree.. NH₃ was passed into a soln. of 2-chloro-1-phenylethyl chloroformate in dry C₆H₆. NH₄Cl ppt'd. and from the C₆H₆ soln. was obtained 2-chloro-1-phenylethyl carbamate (VI), m. 71.degree. (from ligroine (b. 60-80.degree.)-CHCl₃), which treated with boiling H₂O gave phenylethylene carbonate, m. 54-6.degree.. Crystn. of VI from MeOH also gave the carbonate. A convenient synthesis of N-substituted oxazolid-2-ones has been evolved based on the removal of HCl from N-substituted carbamates. A 10% EtOH soln. of KOH was added to the carbamate in 10% EtOH and heated a few min. at 100.degree.. The KCl

was removed by hot filtration and the oxazolidones recovered from the filtrate. The following 3,5-R'R'' substituted oxazolid-2-ones were made (R', R'', % yield, m.p. given): Ph, Ph, 97, 129.degree.; Ph, CH₂Cl, 95, 108.degree.; .beta.-C₁₀H₇, Me, 95, 134.degree.; p-C₆H₄Me, Me, 93, 67.5.degree.; p-C₆H₄Cl, CH₂Cl, 93, 126.5.degree.; p-C₆H₄Cl, Ph, 96, 131.degree.; p-C₆H₄Cl, Me, 94, 114.degree.; p-C₆H₄Cl, H, 92, 122.5.degree.; m-C₆H₄Cl, H, 95, 55.degree.. The reaction of epoxyethane and thiocarbonyl chloride did not proceed readily at room temp., the initially formed 2-chloroethyl chlorothioformate decompg. to ethylene dichloride and CS₂. The infrared spectrum suggests the presence of a mixt. of isomeric bis(2-chloroethyl) thion- and thiolcarbonates.

CC 10 (Organic Chemistry)
IT 75-44-5, Phosgene 463-71-8, Thiophosgene
(reactions of, with epoxides)

=> d 137 1-13 cbib abs hitstr hitind


L37 ANSWER 1 OF 13 HCA COPYRIGHT 2003 ACS on STN
139:89246 Speciation of volatile organic compound emissions for regional air quality modeling of particulate matter and ozone. Makar, P. A.; Moran, M. D.; Scholtz, M. T.; Taylor, A. (Modelling and Integration Division, Air Quality Research Branch, Meteorological Service of Canada, Toronto, ON, Can.). Journal of Geophysical Research, [Atmospheres], 108(D2), ACH 2/1-ACH 2/51 (English) 2003. CODEN: JGRDE3. ISSN: 0148-0227. Publisher: American Geophysical Union.

AB A new classification scheme for speciation of org. compd. emissions for use in air quality models is described. This scheme uses 81 org. compd. classes to preserve net gas-phase reactivity and particulate matter (PM) formation potential. Chem. structure, vapor pressure, OH- reactivity, f.p./b.p., and solv. data were used to create the 81 compd. classes. Volatile, semi-volatile, and non-volatile org. compds. are included. This classification scheme was used in conjunction with the Canadian Emissions Processing System (CEPS) to process 1990 gas- and particle-phase org. compd. emissions data for summer and winter for a domain covering much of eastern North America. A simple post-processing model analyzed speciated org. emissions in terms of gas-phase reactivity and potential to form org. PM. Previously unresolved compd. classes which may significantly affect O₃ formation included biogenic high-reactivity esters and internal C₆-8 alkene-alcs. and anthropogenic ethanol and propanol. Org. radical prodn. assoccd. with anthropogenic org. compd. emissions may be .gtoreq.1 orders of magnitude more important than biogenic-assoccd. prodn. in northern USA and Canadian cities, and a factor of 3 more important in southern US cities. Previously unresolved org. compd. classes, e.g., low vapor pressure polycyclic arom. hydrocarbons (PAH), anthropogenic diacids, dialkyl phthalates, and high C no. alkanes, may have a significant impact on org. particle formation. Primary org. particles (poorly characterized in national emissions databases) dominate total org. particle concns., followed by

secondary formation and primary gas-particle partitioning. The effect of the assumed initial aerosol water concn. on subsequent thermodn. calcns. suggested hydrophobic and hydrophilic compds. may form external mixts., and that sep. treatment for these groups may be required in future air quality model simulations. The post-processing model used overestimated org. particle formation relative to measurements, lacked the complexity of a regional air quality model, and was not intended as an alternative to the latter. However, post-processing model results do provide guidance for treating org. gases and particles in future air quality modeling work. Future air quality model simulations should attempt to speciate primary particulate org. compds. and include more detailed org. compd. classes. Future emissions profile measurements should speciate gaseous high mol. mass org. compds. and primary orgs. emitted in particulate form (primary particle emissions are only available as a total particulate mass in currently available missions data).

IT 74-89-5, Methylamine, reactions 75-04-7,
 Ethylamine, reactions 75-15-0, Carbon
 disulfide, reactions 75-21-8, Ethylene oxide,
 reactions 75-50-3, Trimethylamine, reactions
 75-56-9, Propylene oxide, reactions 109-89-7,
 Diethylamine, reactions 121-44-8, Triethylamine, reactions
 124-40-3, Dimethylamine, reactions
 (volatile org. compd. emission speciation for modeling regional
 air quality and particulate matter and ozone formation)


RN 74-89-5 HCA
 CN Methanamine (9CI) (CA INDEX NAME)



RN 75-04-7 HCA
 CN Ethanamine (9CI) (CA INDEX NAME)



RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)




RN 75-21-8 HCA
 CN Oxirane (9CI) (CA INDEX NAME)




RN 75-50-3 HCA

CN Methanamine, N,N-dimethyl- (9CI) (CA INDEX NAME)



RN 75-56-9 HCA

CN Oxirane, methyl- (9CI) (CA INDEX NAME)




RN 109-89-7 HCA

CN Ethanamine, N-ethyl- (9CI) (CA INDEX NAME)




RN 121-44-8 HCA

CN Ethanamine, N,N-diethyl- (9CI) (CA INDEX NAME)



RN 124-40-3 HCA

CN Methanamine, N-methyl- (9CI) (CA INDEX NAME)



CC 59-2 (Air Pollution and Industrial Hygiene)

Section cross-reference(s): 53


IT 50-00-0, Formaldehyde, reactions 50-32-8, Benzo(a)pyrene, reactions 53-70-3, Dibenz[a,h]anthracene 56-23-5, Carbon tetrachloride, reactions 56-55-3, Benzo(a)anthracene 56-55-3D, Benzanthracene, alkyl derivs. 56-81-5, Glycerol, reactions 57-10-3, Palmitic acid, reactions 57-55-6, Propylene glycol, reactions 60-29-7, Ethylether, reactions 62-53-3, Aniline, reactions 64-17-5, Ethyl alcohol, reactions 64-18-6, Formic acid, reactions 64-19-7, Acetic acid, reactions 65-85-0, Benzoic acid, reactions 66-25-1, Hexanal 67-56-1, Methyl alcohol, reactions 67-63-0, Isopropylalcohol, reactions 67-64-1, Acetone, reactions 67-66-3, Chloroform, reactions 68-12-2, Dimethyl formamide, reactions 71-23-8, n-Propylalcohol, reactions 71-36-3, n-Butylalcohol, reactions 71-41-0, Pentanol, reactions 71-43-2, Benzene, reactions 71-43-2D, Benzene, alkyl derivs.

71-55-6, 1,1,1-Trichloroethane 74-82-8, Methane, reactions
74-84-0, Ethane, reactions 74-85-1, Ethylene, reactions 74-86-2,
Acetylene, reactions 74-89-5, Methylamine, reactions
74-95-3, Methylene bromide 74-98-6, Propane, reactions 74-99-7,
Methylacetylene 75-00-3, Ethyl chloride 75-01-4, Vinyl chloride,
reactions 75-04-7, Ethylamine, reactions 75-05-8,
Acetonitrile, reactions 75-07-0, Acetaldehyde, reactions
75-08-1, Ethyl mercaptan 75-09-2, Methylene chloride, reactions
75-15-0, Carbon disulfide, reactions
75-21-8, Ethylene oxide, reactions 75-28-5, Isobutane
75-34-3, 1,1-Dichloroethane 75-35-4, 1,1-Dichloroethene, reactions
75-45-6, Chlorodifluoromethane 75-46-7, Trifluoromethane
75-50-3, Trimethylamine, reactions 75-56-9,
Propylene oxide, reactions 75-65-0, tert-Butylalcohol, reactions
75-69-4, Trichlorofluoromethane 75-71-8, Dichlorodifluoromethane
75-72-9, Chlorotrifluoromethane 75-73-0, Tetrafluoromethane
75-76-3, Tetramethylsilane 75-83-2, 2,2-Dimethylbutane 76-13-1
76-14-2 76-15-3 76-16-4, Hexafluoroethane 78-78-4, Isopentane
78-79-5, Isoprene, reactions 78-83-1, Isobutylalcohol, reactions
78-84-2, Isobutyraldehyde 78-87-5, Propylene dichloride 78-92-2,
sec-Butylalcohol 78-93-3, Methyl ethyl ketone, reactions
78-98-8, Methylglyoxal 79-00-5, 1,1,2-Trichloroethane 79-01-6,
Trichloroethylene, reactions 79-09-4, Propionic acid, reactions
79-10-7, Acrylic acid, reactions 79-20-9, Methylacetate 79-29-8,
2,3-Dimethylbutane 79-92-5, Camphene 80-46-6 80-56-8,
.alpha.-Pinene 80-62-6, Methylmethacrylate 83-32-9, Acenaphthene
84-65-1, Anthraquinone 84-74-2, Dibutylphthalate 85-01-8,
Phenanthrene, reactions 85-01-8D, Phenanthrene, alkyl derivs.
85-44-9, Phthalic anhydride 85-68-7, Butylbenzylphthalate
86-73-7, Fluorene 87-44-5, Caryophyllene 88-99-3D, Phthalic
acid, dialkyl esters 91-20-3, Naphthalene, reactions 91-20-3D,
Naphthalene, alkyl derivs. 92-52-4, Biphenyl, reactions 95-13-6,
Indene 95-16-9, Benzothiazole 95-47-6, o-Xylene, reactions
95-48-7, o-Cresol, reactions 95-50-1, o-Dichlorobenzene 95-63-6,
1,2,4-Trimethylbenzene 96-14-0, 3-Methylpentane 96-33-3,
Methylacrylate 96-37-7, Methylcyclopentane 97-85-8,
Isobutylisobutyrate 98-00-0, Furfuryl alcohol 98-01-1,
2-Furfural, reactions 98-06-6, tert-Butylbenzene 98-55-5,
.alpha.-Terpineol 98-82-8, Cumene 98-95-3, Nitrobenzene,
reactions 99-30-9 99-49-0, Carvone 99-82-1 99-94-5
100-21-0, Terephthalic acid, reactions 100-41-4, Ethylbenzene,
reactions 100-42-5, Styrene, reactions 100-42-5D, Styrene, alkyl
derivs. 100-44-7, Benzyl chloride, reactions 100-51-6, Benzyl
alcohol, reactions 100-52-7, Benzaldehyde, reactions 100-80-1
101-68-8 101-77-9 103-29-7 103-65-1, Propylbenzene 103-71-9,
Phenyl isocyanate, reactions 104-51-8, Butylbenzene 104-76-7,
2-Ethylhexanol 105-37-3 105-57-7, Acetal 105-60-2,
Caprolactam, reactions 106-42-3, p-Xylene, reactions 106-46-7,
p-Dichlorobenzene 106-49-0, 4-Methylaniline, reactions 106-63-8,
Isobutylacrylate 106-65-0, Dimethylbutanedioate 106-89-8,
Epichlorohydrin, reactions 106-93-4, Ethylene dibromide
106-97-8, n-Butane, reactions 106-99-0, 1,3-Butadiene, reactions


107-00-6, 1-Butyne 107-02-8, Acrolein, reactions 107-06-2,
Ethylene dichloride, reactions 107-13-1, Acrylonitrile, reactions
107-21-1, 1,2-Ethanediol, reactions 107-22-2, Glyoxal 107-31-3,
Methylformate 107-39-1, 2,4,4-Trimethyl-1-pentene 107-40-4,
2,4,4-Trimethyl-2-pentene 107-41-5, Hexylene glycol 107-83-5,
2-Methylpentane 107-88-0, 1,3-Butanediol 108-05-4, Vinyl
acetate, reactions 108-08-7, 2,4-Dimethylpentane 108-10-1,
Methylisobutyl ketone 108-21-4, Isopropyl acetate 108-24-7,
Acetic anhydride 108-31-6, Maleic anhydride, reactions 108-38-3,
m-Xylene, reactions 108-67-8, 1,3,5-Trimethylbenzene, reactions
108-84-9 108-87-2, Methylcyclohexane 108-88-3, Toluene,
reactions 108-90-7, Chlorobenzene, reactions 108-93-0,
Cyclohexanol, reactions 108-94-1, Cyclohexanone, reactions
108-95-2, Phenol, reactions 108-95-2D, Phenol, alkyl derivs.
109-60-4, n-Propylacetate 109-66-0, Pentane, reactions 109-67-1,
1-Pentene 109-69-3, 1-Chlorobutane 109-86-4, Methyl cellosolve
109-87-5, Methylal 109-89-7, Diethylamine, reactions
109-99-9, Tetrahydrofuran, reactions 110-19-0, Isobutylacetate
110-43-0, Methylamyl ketone 110-54-3, Hexane, reactions
110-63-4, 1,4-Butanediol, reactions 110-80-5, Cellosolve
110-82-7, Cyclohexane, reactions 110-83-8, Cyclohexene, reactions
110-86-1, Pyridine, reactions 111-15-9, Cellosolve acetate
111-46-6, reactions 111-65-9, Octane, reactions 111-66-0,
1-Octene 111-70-6, 1-Heptanol 111-76-2, Butyl cellosolve
111-77-3, Methylcarbitol 111-82-0, Methyl dodecanoate 111-84-2,
Nonane 111-84-2D, Nonane, Me derivs. 111-87-5, Octanol,
reactions 111-90-0, Carbitol 112-27-6, Triethylene glycol
112-30-1, Decanol 112-34-5, Butylcarbitol 112-39-0,
Methylpalmitate 112-40-3, Dodecane 112-41-4, 1-Dodecene
112-61-8, Methyl stearate 112-95-8, Eicosane 115-07-1, Propene,
reactions 115-10-6, Dimethylether 115-11-7, Isobutylene,
reactions 120-12-7, Anthracene, reactions 120-12-7D, Anthracene,
alkyl derivs. 120-12-7D, Anthracene, cyclopenta derivs.
120-61-6, Dimethylterephthalate 121-44-8, Triethylamine,
reactions 122-00-9 122-39-4, n-Phenylaniline, reactions
123-04-6, 3-(Chloromethyl)heptane 123-35-3, Myrcene 123-38-6,
Propionaldehyde, reactions 123-42-2, Diacetone alcohol 123-51-3,
Isoamylalcohol 123-66-0, Ethylhexanoate 123-72-8, Butyraldehyde
123-86-4, n-Butylacetate 124-04-9, Adipic acid, reactions
124-09-4, Hexamethylenediamine, reactions 124-10-7, Methyl
myristate 124-11-8, 1-Nonene 124-17-4 124-18-5, Decane
124-18-5D, Decane, Me derivs. 124-40-3, Dimethylamine,
reactions 126-99-8, Chloroprene 127-18-4, Perchloroethylene,
reactions 127-91-3, .beta.-Pinene 129-00-0, Pyrene, reactions
131-11-3, Dimethylphthalate 131-16-8, Dipropylphthalate
135-01-3, 1,2-Diethylbenzene 135-98-8, sec-Butylbenzene
136-60-7, Butylbenzoate 138-86-3, Limonene 140-66-9
(volatile org. compd. emission speciation for modeling regional
air quality and particulate matter and ozone formation)

azetidin-2-ones. Krishnaswamy, D.; Govande, V. V.; Gumaste, V. K.; Bhawal, B. M.; Deshmukh, A. R. A. S. (Division of Organic Chemistry (Synthesis), National Chemical Laboratory, Pune, 411 008, India). Tetrahedron, 58(11), 2215-2225 (English) 2002. CODEN: TETRAB. ISSN: 0040-4020. OTHER SOURCES: CASREACT 137:78780. Publisher: Elsevier Science Ltd..

GI



- AB An efficient use of triphosgene, as an acid activator, for the synthesis of substituted azetidin-2-ones, e.g. I (R1 = PhO; R2 = Ph, p-methoxyphenyl; R3 = Ph, p-methoxyphenyl, styryl), via ketene-imine cycloaddn. reaction using various acids and imines have been described.
- IT 75-15-0, Carbon disulfide, reactions
107-10-8, Propylamine, reactions
(use of triphosgene as an acid activator for the synthesis of azetidin-2-ones via ketene-imine cycloaddn. reaction)
- RN 75-15-0 HCA
- CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)




- RN 107-10-8 HCA
- CN 1-Propanamine (9CI) (CA INDEX NAME)




- IT 936-91-4P
(use of triphosgene as an acid activator for the synthesis of azetidin-2-ones via ketene-imine cycloaddn. reaction)
- RN 936-91-4 HCA
- CN 4-Oxatricyclo[5.1.0.03,5]octane, 3,8,8-trimethyl-, (1S,3S,5R,7R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



- CC 26-5 (Biomolecules and Their Synthetic Analogs)
 IT 62-53-3, Aniline, reactions 75-15-0, Carbon
disulfide, reactions 79-11-8, Chloroacetic acid, reactions
 94-75-7, reactions 100-46-9, Benzylamine, reactions 104-94-9,
 4-Methoxyaniline 107-10-8, Propylamine, reactions
 109-80-8, 1,3-Propanedithiol 122-59-8 459-73-4 498-15-7,
 (+)-3-Carene 563-96-2 616-34-2 625-45-6 1613-90-7
 1613-96-3 1624-46-0 1750-36-3 4702-13-0 7625-53-8
 67065-62-7 71809-65-9 88315-63-3 99333-54-7 176702-13-9
 184716-90-3 247244-38-8
 (use of triphosgene as an acid activator for the synthesis of
 azetidin-2-ones via ketene-imine cycloaddn. reaction)
 IT 936-91-4P 18805-23-7P 20461-89-6P, 1,3-Dithiane-2-
 carboxylic acid 33692-63-6P 54985-61-4P 54985-63-6P
 58091-08-0P 99341-68-1P 105417-41-2P 142311-88-4P
 312298-39-8P
 (use of triphosgene as an acid activator for the synthesis of
 azetidin-2-ones via ketene-imine cycloaddn. reaction)


L37 ANSWER 3 OF 13 HCA COPYRIGHT 2003 ACS on STN
 133:120323 Preparation of 2-aryliminothiazolidines and related compds.
 progesterone receptor binding agents. Dixon, Brian R.; Bagi, Cedo
 M.; Brennan, Catherine R.; Brittelli, David R.; Bullock, William H.;
 Chen, Jinshan; Collibee, William L.; Dally, Robert; Johnson, Jeffrey
 S.; Kluender, Harold C. E.; Lathrop, William F.; Liu, Peiying; Mase,
 Carol Ann; Redman, Aniko M.; Scott, William J.; Urbahns, Klaus;
 Wolanin, John J. (Bayer Corporation, USA). PCT Int. Appl. WO
 2000042031 A2 20000720, 274 pp. DESIGNATED STATES: W: AE, AL, AM,
 AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM,
 EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG,
 KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,
 NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ,
 UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW:
 AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB,
 GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG. (English).
 CODEN: PIXXD2. APPLICATION: WO 1999-US29601 19991214. PRIORITY: US
 1999-231906 19990114.




AB Title compds. (I; T = alkyl, alkoxy, aryl, CO₂H, alkenyl, alkynyl, CHO, OH, NO₂, cyano, halo, OCF₃, etc.; R = aryl, heteroaryl; R₁ = alkyl, cycloalkyl, heterocycloalkyl, alkenyl, cycloalkenyl, alkynyl; R₂-R₄ = H, alkyl, cycloalkyl, alkenyl, cycloalkenyl, aryl, heteroaryl, halo, O, etc.; X = O, S, SO, SO₂; G = halo, OH, O, alkyl, alkenyl, cycloalkyl, heterocycloalkyl, cycloalkenyl, aryl, heteroaryl, etc.; m = 1-5; p, q = 0-4; Z = C_nH_{2n-r}; n = 2-5; r = sum of non-H substituents R₂, R₃, R₄; with provisos), were prep'd. Thus, title compd. (II), prep'd. from 2-chloroethylammonium chloride, 2-methyl-4-nitrophenyl isothiocyanate, and iso-Bu bromide, at 200 nM gave 80-100% inhibition of 3H-progesterone to the progesterone receptor.

IT 74-89-5, Methylamine, reactions 75-15-0,
Carbon disulfide, reactions 75-21-8,
 Oxirane, reactions 78-81-9, Isobutylamine 96-15-1
 , 2-Methyl-1-butylamine 617-79-8 4436-24-2
13952-84-6, sec-Butylamine 34985-37-0
 (prepn. of 2-aryliminothiazolidines and related compds.
 progesterone receptor binding agents)

RN 74-89-5 HCA
 CN Methanamine (9CI) (CA INDEX NAME)




RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)




RN 75-21-8 HCA
 CN Oxirane (9CI) (CA INDEX NAME)




RN 78-81-9 HCA
 CN 1-Propanamine, 2-methyl- (9CI) (CA INDEX NAME)




RN 96-15-1 HCA
 CN 1-Butanamine, 2-methyl- (9CI) (CA INDEX NAME)




RN 617-79-8 HCA
 CN 1-Butanamine, 2-ethyl- (9CI) (CA INDEX NAME)



RN 4436-24-2 HCA
 CN Oxirane, (phenylmethyl)- (9CI) (CA INDEX NAME)




RN 13952-84-6 HCA
 CN 2-Butanamine (9CI) (CA INDEX NAME)



RN 34985-37-0 HCA
 CN 1-Butanamine, 2-methyl-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



IC ICM C07D277-18
 ICS C07D277-54; C07D277-60; C07D263-28; C07D263-52; C07D279-06;
 C07D281-02; C07D417-12; A61K031-421; A61K031-423; A61K031-426;
 A61K031-428; A61K031-54; A61K031-55; A61P009-00; A61P015-00;

A61P015-04; A61P015-08; A61P015-16; A61P019-10
CC 28-7 (Heterocyclic Compounds (More Than One Hetero Atom))
Section cross-reference(s): 1
IT 52-52-8, 1-Aminocyclopentanecarboxylic acid 61-90-5, L-Leucine,
reactions 74-89-5, Methylamine, reactions 75-05-8,
Acetonitrile, reactions 75-15-0, Carbon
disulfide, reactions 75-21-8, Oxirane, reactions
75-52-5, Nitromethane, reactions 78-77-3, Isobutyl bromide
78-81-9, Isobutylamine 78-84-2, Isobutyraldehyde
79-03-8, Propionyl chloride 79-11-8, Chloroacetic acid, reactions
87-59-2, 2,3-Dimethylaniline 96-15-1, 2-Methyl-1-
butylamine 96-34-4, Methyl chloroacetate 99-52-5 100-46-9,
Benzylamine, reactions 108-94-1, Cyclohexanone, reactions
109-77-3, Malononitrile 120-92-3, Cyclopentanone 124-68-5,
2-Amino-2-methyl-1-propanol 137-43-9, Cyclopentyl bromide
141-43-5, reactions 156-87-6, 3-Aminopropanol 598-78-7,
.alpha.-Chloropropionic acid 616-27-3, 1-Chloro-2-butanone
617-79-8 624-65-7, 3-Chloro-1-propyne 627-15-6,
1,3-Dibromopropene 629-04-9, 1-Heptyl bromide 630-17-1,
2,2-Dimethylpropyl bromide 693-58-3, 1-Nonyl bromide 769-27-7,
6-Amino-3-cyano-2,4-dimethylpyridine 867-13-0, Triethyl
phosphonoacetate 870-24-6 874-78-2 921-48-2,
2-Chloro-3-methylpentanoic acid 1066-54-2, Trimethylsilylacetylene
1067-71-6, Diethyl 2-oxopropylphosphonate 1458-98-6,
3-Bromo-2-methylpropene 1809-10-5, 3-Bromopentane 1821-39-2,
2-Propylaniline 2131-61-5, 4-Nitrophenyl isothiocyanate
2404-35-5, Cycloheptyl bromide 2550-36-9, Bromomethylcyclohexane
2554-93-0 2567-14-8, 1,1,3-Trichloro-1-propene 2695-48-9,
8-Bromo-1-octene 2719-32-6, 4-Cyanophenyl isothiocyanate
2756-85-6, 1-Aminocyclohexane-1-carboxylic acid 2854-16-2
3182-87-4 3355-28-0, 1-Bromo-2-butyne 3814-34-4, 2-Ethylbutyl
bromide 3884-71-7, 5-Bromo-2-pentanone 4399-47-7, Cyclobutyl
bromide 4424-17-3 4436-24-2 4755-72-0 4897-84-1,
Methyl 4-bromobutanoate 5044-50-8 5162-44-7, 4-Bromo-1-butene
5744-27-4 5874-57-7 5913-13-3 5973-11-5, 2-Methylbutyl bromide
6288-63-7 6590-95-0, 2,6-Dichlorophenyl isothiocyanate
6590-96-1, 2,4-Dichlorophenyl isothiocyanate 6590-97-2,
2,3-Dichlorophenyl isothiocyanate 7051-34-5, Cyclopropylmethyl
bromide 7515-68-6 7527-65-3 10061-02-6, (E)-1,3-
Dichloropropene 13547-70-1, 1-Chloro-3,3-dimethyl-2-butanone
13734-41-3 13952-84-6, sec-Butylamine 16966-07-7
17016-12-5 17247-58-4 17430-98-7 18448-47-0, Methyl
cyclohex-1-enecarboxylate 21635-10-9 22133-98-8 22134-07-2,
2,4,6-Trichlorophenyl isothiocyanate 22507-54-6 23510-06-7
29671-29-2, 2-Chloro-4-methylpentanoic acid 30613-77-5
31294-93-6, 4-Iodoheptane 33884-43-4, 2-(2-Bromoethyl)-1,3-dioxane
34723-82-5 34985-37-0 35075-82-2 54423-01-7
55474-31-2 55474-91-4 83890-31-7 85771-09-1 86317-36-4
96784-54-2, 3-Methyl-4-nitrobenzonitrile 99195-86-5 101654-29-9
109029-20-1 111652-20-1 135805-96-8 138001-48-6 156212-59-8
170230-87-2, 4-Amino-3-ethylbenzonitrile 190774-55-1,
2-Methoxy-4-nitrophenyl isothiocyanate 285124-67-6 285124-68-7

285124-69-8	285124-70-1	285124-71-2	285124-72-3	285124-73-4
285124-74-5	285124-75-6	285124-80-3	285124-81-4	285124-82-5
285124-83-6	285124-84-7	285124-85-8	285124-86-9	285124-87-0
285124-88-1	285124-89-2	285124-90-5	285124-91-6	285124-92-7
285124-93-8	285124-94-9	285124-95-0	285124-96-1	285124-97-2
285124-98-3	285124-99-4	285125-00-0	285125-01-1	285125-02-2
285125-03-3	285125-04-4	285125-05-5	285125-06-6	285125-07-7
285125-08-8	285125-09-9	285125-10-2	285125-11-3	285125-12-4
285125-13-5	285125-14-6	285125-15-7	285125-16-8	285125-17-9
285125-18-0	285125-19-1	285125-20-4	285125-21-5	285125-22-6
285125-23-7	285125-24-8	285125-25-9	285125-26-0	285125-27-1
285125-28-2	285125-29-3	285125-30-6	285125-31-7	285125-32-8
285125-33-9	285125-34-0	285125-35-1	285125-36-2	285125-37-3
285125-38-4	285125-39-5	285125-40-8	285125-41-9	285125-42-0
285125-43-1	285125-44-2	285125-45-3	285125-46-4	285125-47-5
285125-48-6	285125-49-7	285125-50-0	285125-51-1	285125-52-2
285125-53-3	285125-54-4	285125-55-5	285125-56-6	285125-57-7
285125-58-8	285125-59-9	285125-60-2	285125-61-3	285125-62-4
285125-63-5	285125-64-6	285125-65-7	285125-66-8	285125-67-9
285125-68-0	285125-69-1	285125-70-4	285125-71-5	285125-72-6
285125-73-7	285125-74-8	285125-75-9	285125-76-0	285125-77-1
285125-78-2	285125-79-3	285125-80-6	285125-81-7	285125-82-8
285125-83-9				

(prepn. of 2-aryliminothiazolidines and related compds.
progesterone receptor binding agents)

L37 ANSWER 4 OF 13 HCA COPYRIGHT 2003 ACS on STN

124:18104 Rv-Dependent interstellar photodestruction rates.

Cecchi-Pestellini, Cesare; Aiello, Santi; Barsella, Bruno
(Mathematics Dep., Univ. of Manchester Inst. of Science and
Technology, Manchester, M60 1QD, UK). Astrophysical Journal,
Supplement Series, 100(1), 187-212 (English) 1995. CODEN: APJSA2.
ISSN: 0067-0049. Publisher: University of Chicago Press.


AB The photodestruction of mols. is an important process in
interstellar chem. There are substantial differences in the UV
extinction properties that correlate quite strongly to the value of
Rv, the ratio of total to selective extinction. Since interstellar
photodestruction rates depend on the level of extinction, we carried
out Rv-dependent rate calcns. Dust scattering parameters were
environmentally characterized by deriving grain size distributions
as a function of the level of the extinction. Since the interior of
dark clouds can be much better illuminated at UV wavelengths than
their nominal optical depth would suggest, photodestruction
processes proceed at much faster rates than a direct use of the mean
interstellar extinction curve might lead us to predict.

IT 74-89-5, Methanamine, reactions 75-15-0,
Carbon disulfide, reactions 157-18-6,
Oxirene 2053-29-4, Methanimine


(interstellar photodestruction rates of mols.)

RN 74-89-5 HCA

CN Methanamine (9CI) (CA INDEX NAME)




RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



RN 157-18-6 HCA
 CN Oxirene (8CI, 9CI) (CA INDEX NAME)



RN 2053-29-4 HCA
 CN Methanimine (9CI) (CA INDEX NAME)



CC 74-1 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
 Section cross-reference(s): 73
 IT 50-00-0, Formaldehyde, reactions 64-17-5, Ethanol, reactions
 64-18-6, Formic acid, reactions 67-56-1, Methanol, reactions
 67-64-1, Acetone, reactions 74-82-8, Methane, reactions 74-85-1,
 Ethene, reactions 74-86-2, Ethyne, reactions 74-89-5,
 Methanamine, reactions 74-90-8, Hydrogen cyanide, reactions
 74-99-7, Propyne 75-05-8, Acetonitrile, reactions 75-07-0,
 Acetaldehyde, reactions 75-13-8, Isocyanic acid 75-15-0,
Carbon disulfide, reactions 124-38-9, Carbon
 dioxide, reactions 157-18-6, Oxirene 460-12-8,
 1,3-Butadiyne 463-58-1, Carbonyl sulfide 1070-71-9,
 2-Propynenitrile 2053-29-4, Methanimine 2074-87-5,
 Cyanogen 2597-44-6, Formyl 3315-37-5, Methylidyne 3352-57-6,
 Hydroxyl, reactions 7446-09-5, Sulfur oxide (SO₂), reactions
 7647-01-0, Hydrogen chloride, reactions 7664-41-7, Ammonia,
 reactions 7722-84-1, Hydrogen peroxide, reactions 7732-18-5,
 Water, reactions 7782-44-7, Oxygen, reactions 7783-06-4,
 Hydrogen sulfide (H₂S), reactions 10102-43-9, Nitric oxide,
 reactions 10102-44-0, Nitrogen dioxide, reactions 11127-17-6,
 Tricarbon monoxide 12070-15-4, Carbon cluster (C₂) 12075-35-3,
 Carbon cluster (C₃) 13770-40-6, Amino 24361-82-8,
 Methylumylidene
 (interstellar photodestruction rates of mols.)

L37 ANSWER 5 OF 13 HCA COPYRIGHT 2003 ACS on STN
 123:111509 Kinetic racemate-cleavage of saturated three-ring
 heterocycles. Keim, Wilhelm; Brunner, Melanie; Musmann, Lothar;
 Vogt, Dieter (Hoechst A.-G., Germany). Ger. Offen. DE 4333686 A1

19950406, 12 pp. (German). CODEN: GWXXBX. APPLICATION: DE
1993-4333686 19931002.

AB In the title process, a monosubstituted, satd., 3-ring heterocycle (e.g., n-butyloxirane) is reacted with a complex comprising a chiral alc. or amino alc. complex with a Lewis acid compd. of Ti or Zr, and stereoselective nucleophilic substitution is conducted by the addn. of a nucleophile (e.g., Et₂NH, thiols, etc.), producing a chiral product (e.g., D- or L-2-amino-1-hexanol). A kinetic diagram of the reaction is presented.


IT 96-09-3, (.-.-)-Styrene oxide 1436-34-6,

(.-.-)-Butyloxirane

(effect of kinetic racemate-cleavage of satd. three-ring heterocycles upon)


RN 96-09-3 HCA

CN Oxirane, phenyl- (9CI) (CA INDEX NAME)



RN 1436-34-6 HCA

CN Oxirane, butyl- (9CI) (CA INDEX NAME)




IT 75-15-0, Carbon disulfide, reactions

109-89-7, reactions

(effect of kinetic racemate-cleavage of satd. three-ring heterocycles upon nucleophilic substitution reactions using)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



RN 109-89-7 HCA

CN Ethanamine, N-ethyl- (9CI) (CA INDEX NAME)



IC ICM C07B057-00

ICS C07C213-02; B01J031-22; C07D303-04; C07D303-12; C07D303-34;
C07D331-02; C07D203-06; A61K031-47; A61K031-40; A61K031-34

ICA C07C069-70; C07C043-10; C07C039-12; C07C035-22; C07C031-20;
C07C031-22; C07C215-04; C07C215-08; C07C215-46

- CC 22-3 (Physical Organic Chemistry)
 Section cross-reference(s): 21, 23, 67
- IT 96-09-3, (.-+.)-Styrene oxide 106-89-8,
 (.-+.)-Epichlorohydrin, reactions 1436-34-6,
 (.-+.)-Butyloxirane
 (effect of kinetic racemate-cleavage of satd. three-ring heterocycles upon)
- IT 75-15-0, Carbon disulfide, reactions
 109-89-7, reactions 124-38-9, Carbon dioxide, reactions
 463-58-1, Carbon oxysulfide
 (effect of kinetic racemate-cleavage of satd. three-ring heterocycles upon nucleophilic substitution reactions using)
- L37 ANSWER 6 OF 13 HCA COPYRIGHT 2003 ACS on STN
 116:87369 A generalization of laminar burning velocities and volumetric heat release rates. Bradley, D.; El-Din Habik, S.; El-Sherif, S. A. (Dep. Mech. Eng., Univ. Leeds, Leeds, LS2 9JT, UK). Combustion and Flame, 87(3-4), 336-46 (English) 1991. CODEN: CBFMAO. ISSN: 0010-2180.
- AB The max. measured values of combustion velocities of liq. fuels with air are surveyed. A degree of generalization of these values was suggested in terms of the chem. structure of the fuel. For lean mixts. and different classes of gaseous and liq. fuels, the combustion velocity varies approx. linearly with the heat of reaction of a mole of the premixt. The classical expression for laminar combustion velocity helps to explain relationships obsd. between both the integral of the normalized computed volumetric heat release rate with respect to fractional temp. increase and the position of the centroid of this integral, .theta.c, and the product of the molar heat of reaction and the combustion velocity. A generalized correlation is shown to exist between the combustion velocity eigenvalue and .theta.c. Finally, an algebraic expression is suggested, in terms of two variables, for the profile of normalized heat release rate against fractional temp. increase.
- IT 75-04-7, Ethylamine, reactions 75-15-0,
 Carbondisulfide, reactions 75-21-8, Ethyleneoxide, reactions 75-31-0, Isopropylamine, reactions 75-50-3, reactions 75-56-9, Propyleneoxide, reactions
 (combustion of, velocity and volumetric heat release rates of, mol. structure in relation to)
- RN 75-04-7 HCA
- CN Ethanamine (9CI) (CA INDEX NAME)




- RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S=C=S


RN 75-21-8 HCA
 CN Oxirane (9CI) (CA INDEX NAME)




RN 75-31-0 HCA
 CN 2-Propanamine (9CI) (CA INDEX NAME)



RN 75-50-3 HCA
 CN Methanamine, N,N-dimethyl- (9CI) (CA INDEX NAME)



RN 75-56-9 HCA
 CN Oxirane, methyl- (9CI) (CA INDEX NAME)




CC 51-12 (Fossil Fuels, Derivatives, and Related Products)
 Section cross-reference(s): 50
 IT 60-29-7, Diethylether, reactions 64-17-5, Ethanol, reactions
 67-56-1, Methanol, reactions 67-63-0, Isopropylalcohol, reactions
 67-64-1, Acetone, reactions 71-43-2, Benzene, reactions
 75-04-7, Ethylamine, reactions 75-07-0, Acetaldehyde,
 reactions 75-15-0, Carbondisulfide, reactions 75-18-3
 75-21-8, Ethyleneoxide, reactions 75-29-6,
 Isopropylchloride 75-31-0, Isopropylamine, reactions
 75-33-2, 2-Propanethiol 75-50-3, reactions 75-56-9
 , Propyleneoxide, reactions 75-76-3, Tetramethylsilane 75-83-2,
 2,2-Dimethylbutane 78-78-4, 2-Methylbutane 78-79-5,
 2-Methylbuta-1,3-diene, reactions 78-93-3, 2-Butanone, reactions
 79-29-8, 2,3-Dimethylbutane 95-47-6, 1,2-Dimethylbenzene,
 reactions 95-63-6 96-14-0, 3-Methylpentane 96-37-7,
 Methylcyclopentane 98-06-6, tert-Butylbenzene 101-81-5,
 Diphenylmethane 104-51-8, Butylbenzene 107-02-8, 2-Propenal,
 reactions 107-05-1, Allylchloride 107-40-4, 2,2,4-Trimethylpent-
 3-ene 107-83-5, 2-Methylpentane 108-05-4, Acetic acid ethenyl

ester, reactions 108-08-7, 2,4-Dimethylpentane 108-20-3,
 Diisopropylether 108-87-2, Methylcyclohexane 108-88-3, Toluene,
 reactions 109-66-0, Pentane, reactions 109-67-1, 1-Pentene
 109-69-3, Butylchloride 109-87-5, Dimethoxymethane 109-99-9,
 reactions 110-00-9, Furan 110-05-4, tert-Butylperoxide
 110-54-3, Hexane, reactions 110-82-7, Cyclohexane, reactions
 110-83-8, Cyclohexene, reactions 119-64-2, Tetralin 123-38-6,
 Propionaldehyde, reactions 124-18-5, Decane 141-78-6,
 Ethylacetate, reactions 142-29-0, Cyclopentene 142-68-7,
 Tetrahydropyran 142-82-5, Heptane, reactions 287-92-3,
 Cyclopentane 463-82-1, 2,2-Dimethylpropane 464-06-2,
 2,2,3-Trimethylbutane 496-15-1 513-81-5 540-54-5,
 Propylchloride 540-84-1, 2,2,4-Trimethylpentane 544-76-3,
 Hexadecane 563-45-1, 3-Methylbut-1-ene 563-46-2 564-02-3,
 2,2,3-Trimethylpentane 565-59-3, 2,3-Dimethylpentane 590-19-2,
 Buta-1,2-diene 591-93-5, Penta-1,4-diene 591-95-7,
 Penta-1,2-diene 591-96-8, Penta-2,3-diene 592-41-6, 1-Hexene,
 reactions 592-42-7, 1,5-Hexadiene 598-61-8, Methylcyclobutane
 627-19-0, 1-Pentyne 628-71-7, 1-Heptyne 691-37-2,
 4-Methylpent-1-ene 693-02-7, 1-Hexyne 763-29-1,
 2-Methylpent-1-ene 872-05-9, 1-Decene 917-92-0,
 3,3-Dimethyl-1-butyne 1120-56-5, Methylenecyclobutane 1574-41-0
 1825-62-3, Trimethylethoxysilane 2004-70-8 3638-35-5
 4663-22-3, 2-Cyclopropylpropene 5750-02-7 7154-75-8,
 4-Methyl-1-pentyne 25377-72-4, Pentene 25512-65-6, Dihydropyran
 (combustion of, velocity and volumetric heat release rates of,
 mol. structure in relation to)

L37 ANSWER 7 OF 13 HCA COPYRIGHT 2003 ACS on STN

112:179519 Preparation of .alpha.-tocopherol homolog. Sato, Kikumasa;
 Inoue, Seiichi; Momotari, Tsutomu (Eisai Co., Ltd., Japan). Jpn.
 Kokai Tokkyo Koho JP 01233276 A2 19890919 Heisei, 9 pp. (Japanese).
 CODEN: JKXXAF. APPLICATION: JP 1988-57987 19880311.

GI



AB The title compd. I (R = Me, R1 = R2 = H) (II) is prep'd. by desulfurization of I (R = CH₂SCSNMe₂, R1 = H, R2 = SCHMe₂) (III). Cyclization of diastereomer mixts. of 2-(2-acetoxy-1-isopropylthio-2,6,10,14-tetramethylpentadecyl)-3,6-dimethylhydroquinone 4-acetate (prep'd. from 2,5-dimethylhydroquinone monoacetate and


2-acetoxy-2,6,10,14-tetramethylpentadecyl iso-Pr sulfide) in CH₂Cl₂ in presence of HCl at room temp. for 20 h gave 81% I (R = H, R₁ = Ac, R₂ = SCHMe₂), which was hydrolyzed to give 88% I (R = R₁ = H, R₂ = SCHMe₂) (IV). IV was stirred with CS₂, formalin, and Me₂NH at room temp. for 1 h and under reflux for 13 h to give 94% III, which was stirred in EtOH in presence of Raney Ni to give 76% II.

IT 69371-89-7P

(prepn. and reaction of, in synthesis of .alpha.-tocopherol homolog)

RN 69371-89-7 HCA

CN Oxirane, 2-methyl-2-(4,8,12-trimethyltridecyl)- (9CI) (CA INDEX NAME)




IT 75-15-0, Carbon disulfide, reactions

(reaction of, with benzofuran and dimethylamine and formalin, in synthesis of .alpha.-tocopherol homolog)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



IT 124-40-3, Dimethylamine, reactions

(reaction of, with carbon disulfide and formalin and benzofuran, in synthesis of .alpha.-tocopherol homolog)

RN 124-40-3 HCA

CN Methanamine, N-methyl- (9CI) (CA INDEX NAME)



IC ICM C07D307-82

ICA C07D307-79

CC 30-20 (Terpenes and Terpenoids)

IT 709-17-1P 69371-89-7P 126248-99-5P

(prepn. and reaction of, in synthesis of .alpha.-tocopherol homolog)

IT 126249-02-3P

(prepn. and reaction of, with carbon disulfide and formalin and dimethylamine)



IT 50-00-0, Formaldehyde, reactions

(reaction of, with benzofuran and carbon disulfide and dimethylamine, in synthesis of

- .alpha.-tocopherol homolog)
 IT 75-15-0, Carbon disulfide, reactions
 (reaction of, with benzofuran and dimethylamine and formalin, in synthesis of .alpha.-tocopherol homolog)
 IT 124-40-3, Dimethylamine, reactions
 (reaction of, with carbon disulfide and formalin and benzofuran, in synthesis of .alpha.-tocopherol homolog)

L37 ANSWER 8 OF 13 HCA COPYRIGHT 2003 ACS on STN
 109:37821 Preparation of 4-[(bicyclic heterocyclyl)methyl]piperidines and analogs as antihistaminics. Janssens, Frans E.; Kennis, Ludo E. J.; Hens, Jozef F.; Torremans, Joseph L. G.; Diels, Gaston S. M. (Janssen Pharmaceutica N. V., Belg.). U.S. US 4695575 A 19870922, 59 pp. Cont.-in-part of U.S. Ser. No. 571,135, abandoned. (English). CODEN: USXXAM. APPLICATION: US 1985-747754 19850624. PRIORITY: US 1984-569369 19840109; US 1984-671135 19841113.

GI




- AB The title compds. [I; 3 of A1-A4 = (un)substituted CH, the 4th = N, (un)substituted CH; B = CH₂, O, SO, SO₂; R = substituted C1-6 alkyl, alkoxy, alkylthio, amino, pyrrolidinyl, piperidinyl, hexahydroazepinyl, etc.]; R₁ = H, alkyl, cycloalkyl, (un)substituted aryl, heteroaryl, (hetero)aralkyl; R₂ = H, alkyl] and their stereoisomers and acid salts were prep'd. as antihistaminics and serotonin antagonists. 1-[(4-Fluorophenyl)methyl]-2-(4-piperidinylmethyl)-1H-benzimidazol-5-ol and PhSCH₂CH₂Br were refluxed 2 h in Me₂CHCH₂COMe contg. Na₂CO₃ to give 27.8% benzimidazole deriv. (II). I inhibited compd. 48/80-induced lethality in rats, caused by histamine release, with ED₅₀ of 0.005-0.16 mg/kg s.c. or orally. I also inhibited gastric lesions

IT caused by simultaneous release of serotonin.
75-21-8, Oxirane, reactions
 (N-alkylation by, or piperidine deriv.)
 RN 75-21-8 HCA
 CN Oxirane (9CI) (CA INDEX NAME)




IT **75-31-0**, 2-Propanamine, reactions
 (amidation by, of bromopropionyl chloride)
 RN 75-31-0 HCA
 CN 2-Propanamine (9CI) (CA INDEX NAME)



IT **124-40-3**, reactions
 (condensation of, with urea deriv. and N-(aminoethyl)piperidine deriv.)
 RN 124-40-3 HCA
 CN Methanamine, N-methyl- (9CI) (CA INDEX NAME)



IT **75-15-0**, Carbon disulfide, reactions
 (cyclocondensation of, with pyrimidinediamine deriv.)
 RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)





IC ICM A61K031-445
 ICS C07D401-12
 NCL 514322000
 CC 28-9 (Heterocyclic Compounds (More Than One Hetero Atom))
 Section cross-reference(s): 1
 IT **75-21-8**, Oxirane, reactions 100-69-6 107-14-2 144-48-9
 1716-42-3 61380-07-2 62780-89-6 86487-54-9 86721-12-2
 91125-08-5
 (N-alkylation by, or piperidine deriv.)
 IT **75-31-0**, 2-Propanamine, reactions
 (amidation by, of bromopropionyl chloride)
 IT 99959-94-1
 (condensation of, with carbon disulfide)
 IT **124-40-3**, reactions
 (condensation of, with urea deriv. and N-(aminoethyl)piperidine

IT deriv.)
 IT 99960-12-0
 (cyclocondensation of, with carbon disulfide)
 IT 57-13-6, Urea, reactions 75-15-0, Carbon
 disulfide, reactions 78-39-7
 (cyclocondensation of, with pyrimidinediamine deriv.)

L37 ANSWER 9 OF 13 HCA COPYRIGHT 2003 ACS on STN
 104:68861 (Piperidinylmethyl)- and (piperidinyloxy)benzimidazoles and
 -imidazopyridines. Janssens, Frans Eduard; Kennis, Ludo Edmond
 Josephine; Hens, Jozef Francis; Torremans, Joseph Leo G.; Diels,
 Gaston Stanislas M. (Janssen Pharmaceutica N. V., Belg.). Eur. Pat.
 Appl. EP 151826 A1 19850821, 140 pp. DESIGNATED STATES: R: AT, BE,
 CH, DE, FR, GB, IT, LI, LU, NL, SE. (English). CODEN: EPXXDW.
 APPLICATION: EP 1984-201851 19841213. PRIORITY: US 1984-569369
 19840109; US 1984-671135 19841113.


GI



AB The title compds. I (Z-Z3 = CH, or one of Z-Z3 is N and the remainder are CH; Z4 = CH2, O, S, SO, SO2; R = alkyl, aryl-, heteroaryl-, acyl-, hydroxy-, aryloxy, heteroaryloxy-, alkoxy-, arylthio-, carbonyl-, carboalkoxy-, cyano-, amino-, ureido-, thioureido-, or guanidinoalkyl, cycloalkyl, alkenyl, arylalkenyl; R1 = H, alkyl; R2 = H, alkyl, cycloalkyl, aryl, heteroaryl, aryl- or heteroarylalkyl), which were prep'd., exhibited antihistaminic activity. Thus, a mixt. of 2-(4-MeC6H4CH2NH)C6H4NH2 and Et 1-benzyl-4-piperidineacetimide hydrochloride in MeOH was refluxed and NH3 was added to give benzimidazole II.

IT 75-31-0, reactions
 (amidation by, of bromopropionyl chloride)


RN 75-31-0 HCA
 CN 2-Propanamine (9CI) (CA INDEX NAME)



IT **124-40-3**, reactions
 (condensation of, with urea deriv. and N-(aminoethyl)piperidine deriv.)
 RN 124-40-3 HCA
 CN Methanamine, N-methyl- (9CI) (CA INDEX NAME)



IT **75-15-0**, reactions
 (cyclocondensation of, with pyrimidinediamine deriv.)
 RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



IT **75-21-8**, reactions
 (N-alkylation by, of piperidine deriv.)
 RN 75-21-8 HCA
 CN Oxirane (9CI) (CA INDEX NAME)



IC ICM C07D471-04
 ICS C07D401-06; C07D401-12; C07D401-14; C07D405-14; C07D409-14;
 C07D417-14; C07D513-04; C07D519-00; C07D487-04; C07D473-00
 CC 28-9 (Heterocyclic Compounds (More Than One Hetero Atom))
 Section cross-reference(s): 1, 27, 63
 IT **75-31-0**, reactions
 (amidation by, of bromopropionyl chloride)
 IT 99959-94-1
 (condensation of, with carbon disulfide)
 IT **124-40-3**, reactions
 (condensation of, with urea deriv. and N-(aminoethyl)piperidine deriv.)
 IT 99960-12-0
 (cyclocondensation of, with carbon disulfide)
 IT 57-13-6, reactions **75-15-0**, reactions 78-39-7
 (cyclocondensation of, with pyrimidinediamine deriv.)
 IT **75-21-8**, reactions 100-69-6 107-14-2 144-48-9
 1716-42-3 61380-07-2 62780-89-6 86487-54-9 86721-12-2
 91125-08-5
 (N-alkylation by, of piperidine deriv.)

L37 ANSWER 10 OF 13 HCA COPYRIGHT 2003 ACS on STN
 103:215287 Five membered heterocyclic ring containing N-(bicyclic heterocyclyl)-4-piperidinamines. Janssens, Frans Eduard; Torremans, Joseph Leo Ghislain; Hens, Jozef Francis; Van Offenwert, Theophilus Theresia (Janssen Pharmaceutica N. V., Belg.). Eur. Pat. Appl. EP 145037 A2 19850619, 76 pp. DESIGNATED STATES: R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE. (English). CODEN: EPXXDW.
 APPLICATION: EP 1984-201326 19840914. PRIORITY: US 1983-539597 19831006; US 1984-625343 19840627.

GI For diagram(s), see printed CA Issue.

AB The title compds. [I; R = H, alkyl; R1 = H, alkyl, thieryl, halothienyl, pyrazinyl, thiazolyl, alkylthiazolyl, imidazolyl, alkylimidazolyl, (un)substituted Ph, alkyl substituted by 1 or 2 of these arom. groups; R2 = H, alkyl, cycloalkyl, alkanoyl, alkoxy carbonyl, (un)substituted Ph; R3 = R4(CH₂)_nZZ1, R4(CH₂)_nZZ2C(X₁)ZZ1, Q; R4 = 5-membered heterocyclyl contg. .gtoreq.1 N atoms, optionally fused to a C₆H₆ ring; X = (un)substituted CH:CHCH:CH, N:CHCH:CH, CH:NCH:CH, CH:CHN:CH, CH:CHCH:N; X₁ = O, S, O₂NCH, R5N; R5 = H, alkyl, cyano, NO₂, acyl; Z = O, S, R6 N, bond; R6 = H, alkyl, amino, acyl; Z₁ = alkylene; Z₂ = O, S, R7N, bond; R7 = H, alkyl; n = 0-6; m = 0-2] were prep'd. Thus, N-(2-nitrophenyl)-2-furanmethanamine was hydrogenated and the diamine condensed with Et 4-isothiocyanato-1-piperidinecarboxylate to give thiourea deriv. II. This was cyclized to a benzimidazole deriv. by heating with HgO and S in EtOH, decarboxylated by heating in aq. HBr, and N-alkylated with 4-(chloromethyl)-5-methyl-1H-imidazole-HCl to give benzimidazolamine III. The antihistaminic properties of I were demonstrated in rats, where I inhibited the lethality of compd. 48/80 with ED₅₀ 0.005-1.25 mg/kg s.c. or orally, and inhibit gastric lesions in rats caused by the same agent with ED₅₀ 0.04-1.25 mg/kg s.c.

IT 75-21-8, reactions

(aminolysis of, by benzimidazolamine derivs.)

RN 75-21-8 HCA

CN Oxirane (9CI) (CA INDEX NAME)



IT 74-89-5, reactions

(condensation of, with Et isothiocyanate deriv.)

RN 74-89-5 HCA

CN Methanamine (9CI) (CA INDEX NAME)

H₃C—NH₂

IT 75-15-0, reactions

(condensation of, with aminopiperidinecarboxylate)

RN 75-15-0 HCA


CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S≡C≡S

IC ICM C07D401-12
 ICS C07D471-04; C07D409-12; C07D405-12; C07D405-14; C07D405-06;
 C07D409-06; C07D401-14; C07D417-14; C07D409-14; C07D413-14
 CC 28-9 (Heterocyclic Compounds (More Than One Hetero Atom))
 Section cross-reference(s): 1, 63
 IT 75-21-8, reactions
 (aminolysis of, by benzimidazolamine derivs.)
 IT 74-89-5, reactions 689-98-5 99151-29-8
 (condensation of, with Et isothiocyanate deriv.)
 IT 75-15-0, reactions
 (condensation of, with aminopiperidinecarboxylate)
 IT 58859-46-4
 (condensation of, with carbon disulfide)

L37 ANSWER 11 OF 13 HCA COPYRIGHT 2003 ACS on STN
 98:126107 1-(1,3-Dioxolan-2-ylmethyl)-1H-1,2,4-triazoles and
 compositions. Heeres, Jan; Backx, Leo J. J.; Mostmans, Joseph H.
 (Janssen Pharmaceutica N. V., USA). U.S. US 4358449 A 19821109, 22
 pp. Cont. of U.S. Ser. No. 1,614, abandoned. (English). CODEN:
 USXXAM. APPLICATION: US 1980-351671 19800215. PRIORITY: US
 1977-764263 19770131; US 1977-853728 19771121; US 1979-1614
 19790108.

GI




AB The bactericidal and fungicidal title compds. I [R = (un)substituted phenyl; X = CH, N; X1 = CH2, O, (un)substituted imino] and their pharmaceutic salts were prep'd. Thus, acetyloyating 4-piperazinophenol-2HBr and then treating with cis-2-(2,4-dichlorophenyl)-2-(1H-imidazol-1-ylmethyl)-1,3-dioxolan-4-ylmethyl methanesulfonate followed by deacylation gave cis-I (R = 2,4-Cl2C6H4, X = CH, X1 = NH) (II). The ED50 of II against crop

IT candidosis in turkeys was 125 mg/kg of feed.
75-21-8, reactions
 (reaction of, with [(dichlorophenyl)(imidazolylmethyl)dioxolanyl methoxyphenyl]piperazine)
 RN 75-21-8 HCA
 CN Oxirane (9CI) (CA INDEX NAME)




IT **74-89-5, reactions 75-04-7, reactions**
 (reaction of, with [(dichlorophenyl)(imidazolylmethyl)dioxolanyl methoxyphenyl]piperazineacetate)
 RN 74-89-5 HCA
 CN Methanamine (9CI) (CA INDEX NAME)



RN 75-04-7 HCA
 CN Ethanamine (9CI) (CA INDEX NAME)





IT **75-15-0, reactions**
 (reaction of, with [(dichlorophenyl)(imidazoylmethyl)dioxolanyl methoxyphenyl]piperazine)
 RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



IC A61K031-535; A61K031-445; C07D413-14
 NCL 424248580
 CC 28-10 (Heterocyclic Compounds (More Than One Hetero Atom))
 Section cross-reference(s): 1, 5
 IT **75-21-8, reactions**
 (reaction of, with [(dichlorophenyl)(imidazolylmethyl)dioxolanyl methoxyphenyl]piperazine)
 IT **74-89-5, reactions 75-04-7, reactions**
 (reaction of, with [(dichlorophenyl)(imidazolylmethyl)dioxolanyl methoxyphenyl]piperazineacetate)
 IT **75-15-0, reactions 79-07-2 79-44-7 105-39-5 123-62-6**
 (reaction of, with [(dichlorophenyl)(imidazoylmethyl)dioxolanyl methoxyphenyl]piperazine)

Pharmaceutica N. V., Belg.). U.S. US 4219559 19800826, 27 pp.
 Cont.-in-part of U.S. Ser. No. 892,534, abandoned. (English).
 CODEN: USXXAM. APPLICATION: US 1979-2276 19790110.

GI



AB 1-(4-Piperidinyl)-3-(2-aminophenyl)thioureas and heteroarom. analogs underwent cyclocondensation to give title compds. I [R = alkyl, halo-, hydroxy-, cyano-, isothiocyanato-, alkoxy-, aryl-, heteroaryl-, aryloxy-, (heteroaryl)oxy-, arylthio-, (heteroaryl)thio-, arylsulfonyl-, (heteroaryl)sulfonyl-, or aminoalkyl, alkenyl, aryl- or (heteroaryl)alkenyl, cycloalkyl, cyanocycloalkyl, aryl- or (heteroaryl)cycloalkyl, a 1H-benzimidazol-2-yl group, R5CmH2m [m = 1-6; R5 = a 4,5-dihydro-5-oxo-1H-tetrazol-1-yl group, 2,3-dihydro-1,4-benzodioxin-6-yl, 2,3-dihydro-2-oxo-1H-benzimidazol-1-yl, 2,3-dihydro-3-oxo-4H-1,4-benzoxazin-4-yl, (10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-ylidene)methyl, 4-morpholinyl, 1-piperidinyl, 1-pyrrolidinyl, mono- or disubstituted amino]; R1 = H, alkyl; R2 = H, alkyl, cycloalkyl, aryl- or (heteroaryl)alkyl, alkanoyl; R3 = H, alkyl, aryl- or (heteroaryl)cycloalkyl, aryl- or (heteroaryl)alkyl, diaryl- or bis(heteroaryl)alkyl; Z = CH, N; n = 0, 1, 2; R4 = halo, alkyl, alkoxy, CF3], useful as antihistaminics (no data). A mixt. of thiourea II and MeI in EtOH was refluxed 8 h to yield I (R = CO2Et, Z = CH, n = 0, R1 = R2 = R3 = H), the latter was converted to the resp. I (R = H), and the product was N-alkylated to give I (R = PhCH2CH2, Z = CH, n = 0, R1 = R2 = R3 = H).

IT 75-04-7, reactions


(amidation of [(piperidinoethyl)phenoxy]acetate ester by)

RN 75-04-7 HCA


CN Ethanamine (9CI) (CA INDEX NAME)



IT **75-15-0**, reactions
 (condensation reaction of, with piperidinamine deriv.)
 RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)




IT **74-89-5**, reactions
 (reductive amination of piperidinone deriv. by)
 RN 74-89-5 HCA
 CN Methanamine (9CI) (CA INDEX NAME)



IT **75-21-8**, reactions **96-09-3**
 (N-alkylation of piperidine deriv. by)
 RN 75-21-8 HCA
 CN Oxirane (9CI) (CA INDEX NAME)



RN 96-09-3 HCA
 CN Oxirane, phenyl- (9CI) (CA INDEX NAME)




IC A61K031-445; C07D401-04
 NCL 424267000
 CC 27-17 (Heterocyclic Compounds (One Hetero Atom))
 Section cross-reference(s): 28
 IT **75-04-7**, reactions **7664-41-7**, reactions
 (amidation of [(piperidinoethyl)phenoxy]acetate ester by)
 IT 58859-46-4
 (condensation reaction of, with **carbon disulfide**)
 IT **75-15-0**, reactions
 (condensation reaction of, with piperidinamine deriv.)
 IT **74-89-5**, reactions
 (reductive amination of piperidinone deriv. by)
 IT **75-21-8**, reactions **96-09-3** 100-43-6 107-13-1,

reactions 2210-74-4 19152-55-7 53828-22-1
 (N-alkylation of piperidine deriv. by)

L37 ANSWER 13 OF 13 HCA COPYRIGHT 2003 ACS on STN
 85:177356 Spiro[piperidine-4,6'-thiazolo[3,2-a]pyrimidines].
 Thymoanaleptics and blood platelet aggregation inhibitors.
 Szarvasi, Etienne; Festal, Didier; Grand, Marcel; Depin, Jean C.;
 Chabert, Janine (Soc. LIPHA, Lyons, Fr.). European Journal of
 Medicinal Chemistry, 11(2), 115-24 (French) 1976. CODEN: EJMCA5.
 ISSN: 0223-5234.

GI



AB Spiropiperidinethiazolopyrimidines I ($R = Bu, octyl, CH_2Ph; R1 = Ph, 4-FC_6H_4, 2-MeOC_6H_4, 2-naphthyl, 2,5-(MeO)2CH_3, 2-furyl, 2-thienyl, 3,4-C_2Cl_2C_6H_3, R2 = H; R = Bu, R1 = Ph, R2 = Me, Ph$) and II ($R = Bu, octyl, decyl, cyclohexyl, CH_2Ph, 1-naphthylmethyl, 3,4-(MeO)2C_6H_3CH_2, 3,4-C_2Cl_2C_6H_3CH_2; R1 = Ph, 2-naphthyl, 2,5-(MeO)2C_6H_3, 2-MeOC_6H_4, 3,4-C_2Cl_2C_6H_3, 4-PhC_6H_4, 4-O_2NC_6H_4$) were prepd. by treating thiones III with R_1COCHR_2Br . III were obtained from diethanolamine in 5 steps. II ($R = arom., R1 = 3,4-C_2Cl_2C_6H_3, R2 = H$) are antidepressants, and I ($R = aliph., 2,5-(MeO)2C_6H_3$) are platelet aggregation inhibitors.

IT 75-21-8, reactions
 (reaction of, with amines)

RN 75-21-8 HCA

CN Oxirane (9CI) (CA INDEX NAME)



IT 75-15-0, reactions
 (reaction of, with bis(aminomethyl)piperidines)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S==C==S

IT 111-86-4
(reaction of, with ethylene oxide)
RN 111-86-4 HCA
CN 1-Octanamine (9CI) (CA INDEX NAME)

H₂N-(CH₂)₇-Me

CC 28-17 (Heterocyclic Compounds (More Than One Hetero Atom))
Section cross-reference(s): 1
ST spirospiperidinethiazolopyrimidine; piperidine
spirothiazolopyrimidine; thiazolopyrimidine spirospiperidine;
spirospiperidinopyrimidinethione halo ketone condensation;
aminomethylpiperidine **carbon disulfide**
cyclization
IT 52419-82-6P 52419-85-9P 52488-16-1P 60855-95-0P 60855-96-1P
60855-97-2P 60855-98-3P 60855-99-4P 60856-00-0P 60856-01-1P
60856-02-2P 60856-03-3P
(prepn. and reaction of, with **carbon disulfide**
)
IT 75-21-8, reactions
(reaction of, with amines)
IT 75-15-0, reactions
(reaction of, with bis(aminomethyl)piperidines)
IT 108-91-8 111-86-4
(reaction of, with ethylene oxide)

=> d 138 1-20 ti

L38 ANSWER 1 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Non-toxic corrosion protection pigments based on cobalt

L38 ANSWER 2 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Curable **epoxy** compositions for antislip neat coating with
good curability and proper pot life at low temperature, and their
cured products

L38 ANSWER 3 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Storage-stable low-temperature-curable resin compositions

L38 ANSWER 4 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI **Anticorrosive** coating compositions containing
polyepoxy compounds with good curability and handling

L38 ANSWER 5 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI **Lubricating** compositions

- L38 ANSWER 6 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Metal overbased fatty **amines** further derivatized to contain covalently bound sulfur and/or phosphorus useful as **antiwear/extreme pressure additives**
- L38 ANSWER 7 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Dithiocarbamoyl diols and borate esters thereof for use in **lubricant** compositions
- L38 ANSWER 8 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Low-sulfur diesel fuels containing organometallic complexes
- L38 ANSWER 9 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Diesel fuels containing organometallic complexes
- L38 ANSWER 10 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Organometallic complex-**antioxidant** combinations, and concentrates and diesel fuels containing them
- L38 ANSWER 11 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Organophosphoryl borates and **lubricants** and aqueous fluids containing them
- L38 ANSWER 12 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Low-sulfur diesel fuels containing organometallic complexes
- L38 ANSWER 13 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Thermally stable compositions and **lubricants** and functional fluids containing them
- L38 ANSWER 14 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Borated hydroxyalkyl esters of dithiocarbamic acids as multifunctional additives for **lubricant** compositions
- L38 ANSWER 15 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Performance-oriented packaging standards; changes to classification, hazard communication, packaging and handling requirements based on UN standards and agency initiative
- L38 ANSWER 16 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Compositions and **lubricants** and functional fluids containing same
- L38 ANSWER 17 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI Phosphite ester compositions, and **lubricants** and functional fluids containing same as extreme-pressure and/or friction-modifying additives
- L38 ANSWER 18 OF 20 HCA COPYRIGHT 2003 ACS on STN
TI 2-(Piperidin-4-yl)ethyl compounds as light stabilizers for polymers
- L38 ANSWER 19 OF 20 HCA COPYRIGHT 2003 ACS on STN

TI Lubricating oil load-carrying additives

L38 ANSWER 20 OF 20 HCA COPYRIGHT 2003 ACS on STN

TI Ternary aqueous systems

=> d 138 1,5,6,7,13,16,17,19 cbib abs hitstr hitind

L38 ANSWER 1 OF 20 HCA COPYRIGHT 2003 ACS on STN

139:118795 Non-toxic corrosion protection pigments based on cobalt.

Sturgill, Jeffrey Allen; Phelps, Andrew Wells; Swartzbaugh, Joseph Thomas (University of Dayton, USA). PCT Int. Appl. WO 2003060019 A1 20030724, 393 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2002-US40084 20021216. PRIORITY: US 2002-37576 20020104.

AB Corrosion-inhibiting cobalt-based pigments contain a trivalent or tetravalent cobalt/valence stabilizer complex. An inorg. or org. material is used to stabilize the trivalent or tetravalent cobalt ion to form a compd. that is sparingly sol. in water. Specific stabilizers are chosen to control the release rate of trivalent or tetravalent cobalt during exposure to water and to tailor the compatibility of the powder when used as a pigment in a chosen binder system. Stabilizers may also modify the processing and handling characteristics of the formed powders. Cobalt/valence stabilizer combinations are chosen based on the well-founded principles of cobalt coordination chem. Many cobalt-valence stabilizer combinations are presented that can equal the performance of conventional hexavalent chromium systems.

IT 75-15-0, Carbon disulfide, uses

75-56-9, Propylene oxide, uses 107-10-8, Propyl amine, uses 109-89-7, Diethyl amine, uses

(org. solvent; manuf. of non-toxic corrosion protection pigments based on cobalt)


RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S=C=S

RN 75-56-9 HCA

CN Oxirane, methyl- (9CI) (CA INDEX NAME)



RN 107-10-8 HCA
 CN 1-Propanamine (9CI) (CA INDEX NAME)



RN 109-89-7 HCA
 CN Ethanamine, N-ethyl- (9CI) (CA INDEX NAME)



IC ICM C09D005-08
 ICS C09C001-62; C23F011-18
 CC 42-6 (Coatings, Inks, and Related Products)
 Section cross-reference(s): 56, 78
 IT Coating materials
 (**anticorrosive**; manuf. of non-toxic corrosion protection pigments based on cobalt)
 IT 56-23-5, Carbon tetrachloride, uses 56-81-5, Glycerol, uses 57-55-6, Propylene glycol, uses 60-29-7, Diethyl ether, uses 62-53-3, Aniline, uses 64-17-5, Ethanol, uses 64-19-7, Acetic acid, uses 67-56-1, Methanol, uses 67-63-0, Isopropanol, uses 67-64-1, Acetone, uses 67-66-3, Chloroform, uses 67-68-5, Dimethyl sulfoxide, uses 68-12-2, Dimethylformamide, uses 71-23-8, n-Propanol, uses 71-36-3, n-Butanol, uses 71-43-2, Benzene, uses 75-05-8, Acetonitrile, uses 75-09-2, Methylene chloride, uses 75-15-0, **Carbon disulfide**, uses 75-56-9, Propylene oxide, uses 76-13-1, Freon 113, 78-83-1, Isobutanol, uses 78-92-2, sec-Butanol 78-93-3, Methyl ethyl ketone, uses 79-01-6, Trichloroethylene, uses 79-09-4, Propionic acid, uses 79-20-9, Methyl acetate 96-22-0, Diethyl ketone 96-48-0, Butyrolactone 96-49-1, Ethylene carbonate 97-64-3, Ethyl lactate 98-86-2, Acetophenone, uses 98-95-3, Nitrobenzene, uses 100-51-6, Benzyl alcohol, uses 100-52-7, Benzaldehyde, uses 105-37-3, Ethyl propionate 105-54-4, Ethyl butyrate 107-10-8, Propyl amine, uses 107-12-0, Propionitrile 107-21-1, Ethylene glycol, uses 107-31-3, Methyl formate 108-10-1, Methyl isobutyl ketone 108-20-3, Isopropyl ether 108-32-7, Propylene carbonate 108-88-3, Toluene, uses 108-90-7, Chlorobenzene, uses 108-93-0, Cyclohexanol, uses 108-94-1, Cyclohexanone, uses 109-86-4, Methyl Cellosolve 109-89-7, Diethyl amine, uses 109-94-4, Ethyl formate 109-99-9, Tetrahydrofuran, uses 110-00-9, Furan 110-54-3, Hexane, uses 110-80-5, Cellosolve 110-82-7, Cyclohexane, uses

110-86-1, Pyridine, uses 111-65-9, Octane, uses 111-84-2, Nonane
 112-34-5, Butyl Carbitol 112-40-3, Dodecane 123-91-1, Dioxane,
 uses 124-18-5, Decane 141-43-5, Ethanolamine, uses 141-78-6,
 Ethyl acetate, uses 142-68-7, Tetrahydropyran 142-82-5, Heptane,
 uses 554-12-1, Methyl propionate 623-42-7, Methyl butyrate
 680-31-9, Hexamethylphosphoric triamide, uses 1120-21-4, Undecane
 1300-21-6, Dichloroethane 1319-77-3, Cresol 1330-20-7, Xylene,
 uses 25323-89-1, Trichloroethane
 (org. solvent; manuf. of non-toxic corrosion protection pigments
 based on cobalt)

L38 ANSWER 5 OF 20 HCA COPYRIGHT 2003 ACS on STN


132:95571 **Lubricating** compositions. Stachew, Carl F.;
 Abraham, William D.; Supp, James A.; Shanklin, James R.; Lamb,
 Gordon David (The Lubrizol Corporation, USA). Eur. Pat. Appl. EP
 972820 A1 20000119, 19 pp. DESIGNATED STATES: R: AT, BE, CH, DE,
 DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI,
 RO. (English). CODEN: EPXXDW. APPLICATION: EP 1999-305655
 19990716. PRIORITY: US 1998-118280 19980717.

AB Disclosed is a **lubricating** compn. having a major amt. of
 an oil of **lubrication** viscosity and a minor amt. of (A) at
 least one thiocarbamate wherein the improvement comprises adding to
 said thiocarbamate (B) a sludge preventing and seal protecting amt.
 of at least one arom. aldehyde or an **epoxide** having at
 least one oxirane group or mixts. thereof.

IT 7320-37-8, Hexadecylene oxide
 (**lubricating** compns. for reducing sludge and degrdn. of
 elastomeric seals)

RN 7320-37-8 HCA


CN Oxirane, tetradecyl- (9CI) (CA INDEX NAME)



IT 75-15-0, Carbon disulfide, reactions
 109-89-7, Diethylamine, reactions 111-92-2
 , Dibutylamine 2050-92-2, Diamylamine
 (**lubricating** compns. for reducing sludge and degrdn. of
 elastomeric seals)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



RN 109-89-7 HCA

CN Ethanamine, N-ethyl- (9CI) (CA INDEX NAME)



RN 111-92-2 HCA
 CN 1-Butanamine, N-butyl- (9CI) (CA INDEX NAME)



RN 2050-92-2 HCA
 CN 1-Pentanamine, N-pentyl- (9CI) (CA INDEX NAME)



IC ICM C10M141-08
 ICI C10M141-08, C10M129-18, C10M129-24, C10M135-18; C10N040-25
 CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 ST **lubricating** compn thiocarbamate
 IT Seals (parts)
 (elastomeric; **lubricating** compns. for reducing sludge
 and degrdn. of elastomeric seals)
 IT Lubricating oils
 (**lubricating** compns. for reducing sludge and degrdn. of
 elastomeric seals)
 IT Rubber, miscellaneous
 (**lubricating** compns. for reducing sludge and degrdn. of
 elastomeric seals)
 IT 90-02-8, Salicylaldehyde, uses 121-33-5, Vanillin 148-53-8,
 o-Vanillin 7320-37-8, Hexadecylene oxide 19045-66-0D,
 Thiocarbamic acid, derivs. 37942-07-7, 3,5-Di-tert-
 butylsalicylaldehyde
 (**lubricating** compns. for reducing sludge and degrdn. of
 elastomeric seals)
 IT 64-17-5, Ethanol, reactions 75-15-0, Carbon
 disulfide, reactions 79-06-1, Acrylamide, reactions
 96-33-3, Methylacrylate 107-02-8, Acrolein, reactions 108-88-3,
 Toluene, reactions 109-89-7, Diethylamine,
 reactions 111-92-2, Dibutylamine 818-61-1,
 2-Hydroxyethyl acrylate 2050-92-2, Diamylamine
 (**lubricating** compns. for reducing sludge and degrdn. of
 elastomeric seals)

L38 ANSWER 6 OF 20 HCA COPYRIGHT 2003 ACS on STN
 132:24685 Metal overbased fatty **amines** further derivatized to
 contain covalently bound sulfur and/or phosphorus useful as
antiwear/extreme pressure additives. Huang, Nai Z.
 (Lubrizol Corp., USA). U.S. US 6001782 A 19991214, 12 pp.
 (English). CODEN: USXXAM. APPLICATION: US 1998-213543 19981217.
 AB An **antiwear/extreme pressure** compn. is disclosed that
 comprises a metal overbased **amine** of the structure

R₁R₂NH(MA)_x, wherein R₁ and R₂ are each independently hydrogen, or a hydrocarbyl group, amino-substituted hydrocarbyl group, hydroxy-substituted hydrocarbyl group, alkoxy-substituted hydrocarbyl group or amino groups wherein the hydrocarbyl group contains from 4 to 50 carbon atoms, provided that R and R₂ are not both hydrogen, M is a metal, A is carbonate, sulfite, sulfate, thiosulfate, phosphite, phosphate, or mixts. thereof, and x has a value of from 1.1 to 40; wherein said metal overbased amine is reacted with carbon disulfide to form a sulfur deriv. of a metal overbased amine, an epoxide followed by phosphorus pentoxide to form a phosphorus deriv. of a metal overbased amine or wherein the sulfur deriv. is further reacted with an epoxide followed by phosphorus pentoxide to form a sulfur and phosphorus deriv. of a metal overbased amine. A process for prep. antiwear/extreme pressure derivs. of overbased amines is also disclosed.

IT 75-15-0, Carbon disulfide, reactions
 (metal overbased fatty amines further derivatized to contain covalently bound sulfur and/or phosphorus useful as antiwear/extreme pressure additives)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S—C=S

IC ICM C10M137-06
 ICS C10M135-18
 NCL 508420000
 CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 ST antiwear extreme pressure additive lubricating oil


IT Lubricating oil additives
 (antiwear-extreme pressure; metal overbased fatty amines further derivatized to contain covalently bound sulfur and/or phosphorus useful as antiwear/extreme pressure additives)

IT 71-41-0, Amyl alcohol, reactions 75-15-0, Carbon disulfide, reactions 78-83-1, Isobutyl alcohol, reactions 96-33-3, Methyl acrylate 108-30-5D, Succinic anhydride, isobutylene derivs. 108-95-2D, Phenol, propylene tetramer-substituted, reactions 124-38-9, Carbon dioxide, reactions 1310-65-2, Lithium hydroxide 1310-73-2, Sodium hydroxide, reactions 1314-56-3, Phosphorus pentoxide, reactions 7173-62-8, N-Oleyl-1,3-diaminopropane 7173-62-8D, N-Oleyl-1,3-diaminopropane, sodium carbonate overbased 7439-93-2, Lithium, reactions 7439-95-4, Magnesium, reactions 7440-09-7, Potassium, reactions 7440-23-5, Sodium, reactions 7440-70-2, Calcium, reactions 10043-52-4, Calcium chloride, reactions 26249-20-7, Butylene oxide 26545-55-1D, Diaminopropane, tallow derivs. 26997-02-4D, Heptyl phenol,

methylene-coupled, calcium salt
 (metal overbased fatty **amines** further derivatized to contain covalently bound sulfur and/or phosphorus useful as **antiwear/extreme pressure additives**)

L38 ANSWER 7 OF 20 HCA COPYRIGHT 2003 ACS on STN
 125:333865 Dithiocarbamoyl diols and borate esters thereof for use in **lubricant** compositions. Chiu, I-ching (Pennzoil Products Company, USA). U.S. US 5560853 A 19961001, 8 pp., Cont. of U.S. Ser. No. 574,714, abandoned. (English). CODEN: USXXAM.
 APPLICATION: US 1992-851265 19920313. PRIORITY: US 1990-574714 19900830.


GI



- AB A borate ester having the formula I or $[(\text{R}_1\text{R}_2)\text{Y}(\text{C}:X)\text{X}(\text{CR}_3\text{R}_4)\text{n}\text{CHR}_5\text{CR}_6\text{R}_7\text{O}]_3\text{B}$, wherein Y is N, S or O; X is O or S; R₁ and R₂ are, independent of one another, selected from the group consisting of H, C1-40 hydrocarbon residues and C3-50 cycloalkyl, aryl and aralkyl, each of which may further contain N, O or S; R₃, R₄, R₅, R₆ and R₇ are independent of one another, selected from the group consisting of H and C1-8 hydrocarbon residues, and n = 0-4. An **antiwear/antioxidant/antifriction/antirust** additive comprises the borate ester of the invention when added to a **lubricating oil**.
- IT 75-15-0, **Carbon disulfide**, reactions
 556-52-5, **Oxiranemethanol**
 (in prepn. of dithiocarbamoyl diol borate esters for use in **lubricant** compns.)
- RN 75-15-0 HCA
- CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

S=C=S

RN 556-52-5 HCA
 CN Oxiranemethanol (9CI) (CA INDEX NAME)



IC ICM C10M139-00
 ICS C10M135-18
 NCL 508143000
 CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 ST dithiocarbamoyl diol borate ester **lubricating oil**;
lubricant dithiocarbamoyl diol borate multifunctional additive
 IT **Lubricating oil additives**
 (**antifriction-antioxidants-antiwear**
 -rust inhibitors; prepn. of dithiocarbamoyl diol borate esters as multifunctional additives for **engine oils**)
 IT 75-15-0, **Carbon disulfide**, reactions
 96-24-2, 3-Chloro-1,2-propanediol 106-20-7, Bis(2-ethylhexyl) amine 106-89-8, reactions 112-90-3, Oleyl amine
 556-52-5, Oxiranemethanol 1120-48-5, **Diocetylamine**
 (in prepn. of dithiocarbamoyl diol borate esters for use in **lubricant** compns.)
 IT 183503-84-6P
 (intermediate; in prepn. of dithiocarbamoyl diol borate esters for use in **lubricant** compns.)
 IT 183503-88-0
 (intermediate; in prepn. of dithiocarbamoyl diol borate esters for use in **lubricant** compns.)
 IT 183503-85-7P
 (multifunctional additive; prepn. of dithiocarbamoyl diol borate esters for use in **lubricant** compns.)
 IT 7440-50-8DP, Copper, complexes with 3-Bis(2-ethylhexyl)dithiocarbamoyl-1,2-propanediol borate ester
 183503-85-7DP, copper complexes 183503-86-8P 183503-87-9P
 183503-89-1P
 (prepn. of dithiocarbamoyl diol borate esters for use in **lubricant** compns.)

L38 ANSWER 13 OF 20 HCA COPYRIGHT 2003 ACS on STN
 118:257909 Thermally stable compositions and **lubricants** and functional fluids containing them. Vinci, James N.; Adams, Paul E. (Lubrizol Corp., USA). PCT Int. Appl. WO 9219703 A1 19921112, 69 pp. DESIGNATED STATES: W: AU, BR, CA, FI, JP, NO; RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LU, MC, NL, SE. (English). CODEN: PIXXD2. APPLICATION: WO 1992-US2824 19920407. PRIORITY: US 1991-694186 19910501.

AB A compn. comprises (A) >1 basic alkali or alk. earth metal salts of an org. acid compd., (B) >1 metal deactivators other than

dimercaptothiadiazole or its derivs., and (C) >1 hydrocarbyl phosphites, where the ratio of the equivs. of (A) based on the total base no. to the equivs. of (C) based on P atoms is >1, provided that the compn. is free of Zn dithiophosphate and that when (A) is an overbased Mg salicylate then the compn. contains (D) .ltorsim.0.40 wt.% of a S-, P- or S- and P-contg. antiwear agent. These compns. are useful as additives for **lubricants** and functional **fluids**, esp. **hydraulic fluids**


, **gear oils**, **greases**, etc. The **lubricants** and fluids having this particular combination of components have improved stability and do not contain Zn dithiophosphate. These **lubricants** and fluids are also not corrosive to the hydraulic system components.

IT 75-56-9D, reaction products with isobutyl-amyl dithiophosphate and Me acrylate

(additives contg., for **lubricants** and functional fluids, zinc dithiophosphate-free)

RN 75-56-9 HCA


CN Oxirane, methyl- (9CI) (CA INDEX NAME)



IT 75-15-0D, **Carbon disulfide**, reaction products with amines and unsatd. amides or esters 109-89-7D , Diethylamine, reaction products with **carbon disulfide** and Me acrylate 2050-92-2D, Diamylamine, reaction products with **carbon disulfide** and acrylamide (antiwear additives contg., for **lubricants** and functional fluids, zinc dithiophosphate-free)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



RN 109-89-7 HCA

CN Ethanamine, N-ethyl- (9CI) (CA INDEX NAME)



RN 2050-92-2 HCA

CN 1-Pentanamine, N-pentyl- (9CI) (CA INDEX NAME)



IC ICM C10M163-00
ICS C10M141-10
CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
ST lubricating oil thermally stable; grease
lubricating thermally stable; gear oil
compn thermally stable; hydraulic fluid compn
thermally stable
IT Hydraulic fluids
(additives for, zinc dithiophosphate-free)
IT Fatty acids, esters
(esters, sulfurized, additives contg., for lubricants
and functional fluids, zinc dithiophosphate-free)
IT Lubricating oils
(gear oils, compns. of, zinc
dithiophosphate-free)
IT Lubricating grease additives
Lubricating oil additives
(multifunctional, compns. of, zinc dithiophosphate-free)
IT Terpenes and Terpenoids, uses
(sulfides, additives contg., for lubricants and
functional fluids, zinc dithiophosphate-free)
IT Soybean oil
(sulfurized, antiwear agents, additives contg., for
lubricants and functional fluids, zinc
dithiophosphate-free)
IT Sulfides, uses
(terpenoid, additives contg., for lubricants and
functional fluids, zinc dithiophosphate-free)
IT 69-72-7D, Salicylic acid, alkali and alk. earth metal salts, basic
75-56-9D, reaction products with isobutyl-amyl
dithiophosphate and Me acrylate 101-02-0, Triphenyl phosphite
102-85-2, Tributyl phosphite 108-95-2D, Phenol, alkali and alk.
earth metal salts, basic 110-15-6D, Succinic acid, tetrapropenyl
derivs., reaction products with propylene oxide 128-39-2,
2,6-Di-tert-butylphenol 150-11-8D, reaction products with
methylacrylate 1095-04-1, Triphenyl trithiophosphite 1809-14-9,
Diocyl phosphite 3028-88-4, Trioctyl phosphite 3658-48-8,
Di-2-ethylhexyl phosphite 4712-55-4, Diphenyl phosphite
18917-89-0D, Magnesium salicylate, basic 19475-46-8D, reaction
products with methylacrylate and propylene oxide
(additives contg., for lubricants and functional
fluids, zinc dithiophosphate-free)
IT 50-00-0D, Formaldehyde, reaction products with dialkyl
dithiophosphates and acrylamide 75-15-0D, Carbon
disulfide, reaction products with amines and unsatd. amides
or esters 78-79-5D, Isoprene, Diels-Alder adducts with Bu
acrylate, sulfurized 79-06-1D, 2-Propenamide, reaction products
with dialkyl dithiophosphates and/or formaldehyde 96-33-3D,
reaction products with carbon disulfide and
diethylamine 101-02-0D, Triphenylphosphite, sulfurized
106-99-0D, 1,3-Butadiene, Diels-Alder adducts with Bu acrylate,
sulfurized 109-89-7D, Diethylamine, reaction products with

carbon disulfide and Me acrylate 115-11-7D,
 Isobutene, sulfurized 141-32-2D, Diels-Alder reaction products
 with isoprene or butadiene, sulfurized 1330-78-5, Tricresyl
 phosphate 2050-92-2D, Diamylamine, reaction products with
carbon disulfide and acrylamide 6028-47-3D,
 reaction products with acrylamide 10025-67-9D, Sulfur
 monochloride, reaction products with isobutylene 10254-57-6
 26999-29-1D, reaction products with acrylamide and formaldehyde
 (antiwear additives contg., for lubricants

and functional fluids, zinc dithiophosphate-free)

IT 95-14-7, 1H-Benzotriazole 21252-69-7 29385-43-1, Tolyltriazole
 (metal deactivator, additives contg., for lubricants
 and functional fluids, zinc dithiophosphate-free)

L38 ANSWER 16 OF 20 HCA COPYRIGHT 2003 ACS on STN
 111:100179 Compositions and **lubricants** and functional fluids
 containing same. Adams, Paul E.; Vinci, James Noel (Lubrizol Corp.,
 USA). PCT Int. Appl. WO 8904358 A2 19890518, 121 pp. DESIGNATED
 STATES: W: AU, BR, DK, FI, JP, NO; RW: AT, BE, CH, DE, FR, GB, IT,
 LU, NL, SE. (English). CODEN: PIXXD2. APPLICATION: WO 1988-US3723
 19881021. PRIORITY: US 1987-117254 19871105.


AB A compn., useful as additives for **lubricants** and
 functional fluids, esp. **hydraulic fluids**
 , **gear oils**, **greases**, etc., comprises
 (a) >1 neutral or basic metal salt or B-contg. neutral or basic
 metal salt of >1 acidic org. compds., the metal in the salt being
 selected from alkali metals, alk. earth metals, Zn, Cu, Al or a
 mixt. of .gtoreq.2 of the metals; (b) >1 metal deactivators; and (c)
 >1 compds. selected from (C-1) P-contg. amide, (C-2) P-contg. ester,
 (C-3) S-coupled dithiocarbamate, (C-4) S-contg. compd. of general
 formula G1(CR1R2)Sx(CR3R4)G2, where R1,R2,R3 and R4 are each
 independently H or hydrocarbyl groups; R1 and/or R3 may be G1 or G2;
 R1 and R2 and/or R3 and R4 together may be C4-7 alkylene groups, G1
 and G2 are each independently CXR, CO2R, CN, R5CNR6, CON(R)2 or NO2,
 and G1 also may be CH2OH, where X = O or S, each of R and R5 are
 independently H or a hydrocarbyl group, R6 is H or a hydrocarbyl
 group; when both G1 and G2 are R5CNR6, the 2 R6 groups together may
 be a hydrocarbylene group linking the 2 N atoms; when G1 = CH2OH and
 G2 = COOR, a lactone may be formed by intramol. condensation of G1
 and G2; and x = 1-8 integers, and (C-5) mixt. of .gtoreq.2 of (C-1)
 to (C-4). An example of the S-contg. compd. is prep'd. from S2Cl2
 and isobutyraldehyde.

IT 75-15-0D, **Carbon disulfide**, reaction
 products with butylamine and Me acrylate 75-56-9D,
 Propylene oxide, reaction products with dialkyl phosphorodithioic
 acid and Me acrylate 109-73-9D, Butylamine, reaction
 products with **carbon disulfide** and Me acrylate
 2050-92-2D, Diamylamine, reaction products with
carbon disulfide, sodium hydroxide and methylene
 chloride
 (antiwear agents, for lubricants and
 functional fluids)

RN 75-15-0 HCA
 CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)



RN 75-56-9 HCA
 CN Oxirane, methyl- (9CI) (CA INDEX NAME)



RN 109-73-9 HCA
 CN 1-Butanamine (9CI) (CA INDEX NAME)



RN 2050-92-2 HCA
 CN 1-Pentanamine, N-pentyl- (9CI) (CA INDEX NAME)



IC ICM C10M141-08
 ICS C10M141-10; C10M163-00
 CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 ST lubricant additive sulfur monochloride isobutyraldehyde;
 antiwear hydraulic fluid compn additive;
 gear oil compn additive
 IT Hydraulic fluids
 (antiwear additives for, sulfur-contg. compds. as)
 IT Lubricating grease additives
 Lubricating oil additives
 (antiwear, sulfur-contg. compds.)
 IT 50-00-0D, Formaldehyde, reaction products with diisooctyl
 phosphorodithioic acid and acrylamide 75-09-2D, Methylene
 chloride, reaction products with diamylamine, carbon
 disulfide and sodium hydroxide 75-15-0D,
 Carbon disulfide, reaction products with
 butylamine and Me acrylate 75-56-9D, Propylene oxide,
 reaction products with dialkyl phosphorodithioic acid and Me
 acrylate 78-84-2D, Isobutyraldehyde, reaction products with
 isobutyraldehyde 79-06-1D, Acrylamide, reaction products with
 diisooctyl phosphorodithioic acid and formaldehyde 96-33-3D,
 Methyl acrylate, reaction products with dialkyl phosphorodithioic
 acid and propylene oxide 109-73-9D, Butylamine, reaction
 products with carbon disulfide and Me acrylate
 1310-73-2D, Sodium hydroxide, reaction products with diamylamine,

carbon disulfide and methylene chloride
2050-92-2D, Diamylamine, reaction products with
carbon disulfide, sodium hydroxide and methylene
chloride **10025-67-9D**, Sulfur monochloride, reaction products with
isobutyraldehyde **15834-33-0D**, Phosphorodithioic acid,
isobutyl-amyl esters, reaction products with Me acrylate and
propylene oxide **26999-29-1D**, reaction products with acrylamide and
formaldehyde

(antiwear agents, for **lubricants** and
functional fluids)

- IT 69-72-7D, Salicylic acid, magnesium salts **108-95-2D**, Phenol,
calcium salts
(detergents, for **lubricants** and functional fluids)
- IT 7704-34-9
(**lubricating grease** additives,
antiwear, sulfur-contg. compds.)
- IT 95-14-7, Benzotriazole **37306-44-8D**, Triazole, alkylated
(metal deactivator, for **lubricants** and functional
fluids)

L38 ANSWER 17 OF 20 HCA COPYRIGHT 2003 ACS on STN

109:233982 Phosphite ester compositions, and **lubricants** and
functional fluids containing same as extreme-pressure and/or
friction-modifying additives. Scharf, Curtis R.; Di Biase, Stephen
A.; Tritt, William C. (Lubrizol Corp., USA). PCT Int. Appl. WO
8804313 A2 19880616, 104 pp. DESIGNATED STATES: RW: AT, BE, CH, DE,
FR, GB, IT, LU, NL, SE. (English). CODEN: PIXXD2. APPLICATION: WO
1987-US3211 19871204. PRIORITY: US 1986-940693 19861211.


AB Lubricating oil and **grease**, functional fluid,
and aq. system compns. comprise an extreme-pressure and/or
friction-modifying amt. of (A) >1 phosphite ester characterized by
the formula (R₁O)(R₂O)P(O)H (R₁ = C₅H₁₂ straight-chain hydrocarbyl,
R₂ = C₁-C₁₂ branched-chain hydrocarbyl), and or (B) >1 S-contg.
compn. selected from (1) >1 sulfurized olefin, (2) hydroxythioether,
(3) N- and S-contg. compns. obtained by the reaction of >1 amino
compd., CS₂, and either hydrocarbon-substituted carboxylic
acids or halogenated aliph. hydrocarbons, and (4) sulfurized and/or
CS₂ reacted Mannich condensation products. Thus, a
lubricating oil compn. contains a mixed phosphite (reaction
products of 2-ethylhexanol, Alfol 810, and di-Me phosphite) 0.80, a
hydroxythioether (propylene oxide-tert-dodecyl mercaptan reaction
products) 0.75, C₉ mono- and di-p-alkylated diphenylamine 0.35,
basic Na petroleum sulfonate 0.25, basic Ca petroleum sulfonate 0.40
wt. part, 70 ppm silicone antifoam agent, and remainder a base oil.

IT 75-15-0D, **Carbon disulfide**, reaction
products with polyisobutetyl succinic anhydride or chloride and
polyalkylene polyamines **75-21-8D**, Ethylene oxide, reaction
products with tert-dodecyl mercaptan **75-56-9D**, Propylene
oxide, reaction products with (poly)mercaptans **96-09-3D**,
Styrene oxide, reaction products with tert-dodecyl mercaptan
2050-92-2D, Diamylamine, reaction products with
polyisobutetyl and **carbon disulfide** chloride

(extreme-pressure and/or friction-modifying additives contg., for
lubricants and functional fluids)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)




RN 75-21-8 HCA

CN Oxirane (9CI) (CA INDEX NAME)




RN 75-56-9 HCA

CN Oxirane, methyl- (9CI) (CA INDEX NAME)



RN 96-09-3 HCA

CN Oxirane, phenyl- (9CI) (CA INDEX NAME)



RN 2050-92-2 HCA

CN 1-Pentanamine, N-pentyl- (9CI) (CA INDEX NAME)



IC ICM C10M141-10

ICS C10M137-04; C10M173-02

ICI C10M141-10, C10M133-52, C10M135-02, C10M135-24, C10M137-04,
 C10M159-16; C10M173-02, C10M133-52, C10M135-02, C10M135-24,
 C10M137-04, C10M159-16; C10N030-06, C10N040-04, C10N060-10

CC 51-8 (Fossil Fuels, Derivatives, and Related Products)

ST **lubricating oil extreme pressure additive; friction**
modifying lubricating grease additive;
functional fluid additive phosphite ester; sulfurized compn
phosphite ester lubricant

IT Alcohols, compounds

(C8-10, reaction products, with ethylhexanol and
 dimethylphosphite, extreme-pressure and/or friction modifying

additives contg., for **lubricants** and functional fluids)

IT **Lubricating grease** additives
 Lubricating oil additives
 (extreme-pressure, and/or friction-modifying, phosphite ester
 and/or sulfurized compns.)

IT **Hydraulic fluids**
 (transmission, extreme-pressure and/or
 friction-modifying additives for, phosphite ester and/or
 sulfurized compns. as)

IT 115-11-7D, Isobutene, sulfurized 28805-52-9D, sulfurized
 38094-72-3D, sulfurized 38094-73-4D, sulfurized
 (extreme-pressure and or friction-modifying additives contg., for
 lubricants and functional fluids)

IT 50-00-0D, Formaldehyde, Mannich reaction products with
 alkyl-substituted phenol, alkylene polyamine, **carbon**
disulfide, and/or polybutenyl succinic anhydride 60-24-2D,
 2-Mercaptoethanol, reaction products with 1-decene 71-36-3D,
 n-Butanol, reaction products with dimethylphosphite and
 2-ethylhexanol 75-15-0D, **Carbon**
disulfide, reaction products with polyisobutetyl succinic
 anhydride or chloride and polyalkylene polyamines 75-21-8D
 , Ethylene oxide, reaction products with tert-dodecyl mercaptan
75-56-9D, Propylene oxide, reaction products with
 (poly)mercaptans 96-09-3D, Styrene oxide, reaction
 products with tert-dodecyl mercaptan 104-76-7D, reaction products
 with dimethylphosphite and alcs. 108-30-5D, Succinic anhydride,
 polyisobutetyl derivs., reaction products with polyalkylene
 polyamines and **carbon disulfide** 108-95-2D,
 Phenol, polybutyl-substituted, reaction products with formaldehyde,
 tetraethylenepentamine, and **carbon disulfide**
 111-40-0D, Diethylenetriamine, reaction products with polyisobutetyl
 and **carbon disulfide** chloride 112-24-3D,
 Triethylene tetramine, reaction products with polysibutylene-
 substituted succinic anhydride and **carbon**
disulfide 112-55-0D, n-Dodecyl mercaptan, reaction
 products with propylene oxide 112-57-2D, Tetraethylenepentamine,
 reaction products with polysibutylene-substituted succinic anhydride
 and **carbon disulfide** 868-85-9D,
 Dimethylphosphite, reaction products with straight- and
 branched-chain alcs. 872-05-9D, 1-Decene, reaction products with
 2-mercaptopethanol 2050-92-2D, Diamylamine, reaction
 products with polyisobutetyl and **carbon disulfide**
 chloride 4067-16-7D, Pentaethylenehexamine, reaction products with
 polyisobutetyl and **carbon disulfide** chloride
 7704-34-9D, Sulfur, reaction products with Mannich condensates
 9003-07-0D, Polypropylene, mixts. with pine oil, sulfurized
 9003-27-4D, chloride 9003-29-6D, mercapto derivs. 25103-58-6D,
 tert-Dodecyl mercaptan, reaction products with epoxides
 25154-52-3D, reaction products with tetraethylenepentamine,
 formaldehyde, polybutenyl succinic anhydride, and **carbon**
disulfide 57425-57-7D, Polyamine H, reaction products with
 polyisobutylene-substituted succinic anhydride and **carbon**

disulfide

(extreme-pressure and/or friction-modifying additives contg., for lubricants and functional fluids)

L38 ANSWER 19 OF 20 HCA COPYRIGHT 2003 ACS on STN

68:31835 Lubricating oil load-carrying additives. Le Suer, William M. (Lubrizol Corp.). Fr. FR 1467073 19670127, 7 pp. (French). CODEN: FRXXAK. PRIORITY: US 19641110.

AB Additives of unknown structure contg. S, O, and N are prep'd. by interaction of an amine with CS₂ and a C₂-20 aliphatic epoxide at 0-75.degree.. E.g., 38 g. CS₂ was added during 20 min. to a mixt. of 37 g. Et₂NH and 127 g. of a mixt. of epoxides contg. 50% 1,2-epoxyhexadecane and 40% 1,2-epoxyoctadecane. The temp. was maintained at 25-45.degree. until the reaction was completed and the mixt. was then heated at 100.degree. for 1 hr. The product was heated at 100.degree. and 30 mm. and then filtered to give a neutral liq. contg. 14.65% wt. S and 3.21% wt. N. An SAE-90 gear oil contg. 3.41% wt. of the product was tested in the Timken Load Test. The resulting oil film ruptured under a load of 13.6 kg. When tested alone, the gear oil withstood only 2.2 kg.

IT 108-18-9 111-92-2

(reaction products with alkylene oxides and carbon disulfide, as lubricating oil wear inhibitor)

RN 108-18-9 HCA

CN 2-Propanamine, N-(1-methylethyl)- (9CI) (CA INDEX NAME)

i-Pr-NH-Pr-i

RN 111-92-2 HCA

CN 1-Butanamine, N-butyl- (9CI) (CA INDEX NAME)


n-Bu-NH-Bu-n

IT 7320-37-8 7390-81-0

(reaction products with carbon disulfide and diethylamine, as lubricating oil wear inhibitor)


RN 7320-37-8 HCA

CN Oxirane, tetradecyl- (9CI) (CA INDEX NAME)



RN 7390-81-0 HCA

CN Oxirane, hexadecyl- (9CI) (CA INDEX NAME)




IC C10M
CC 51 (Petroleum, Petroleum Derivatives, and Related Products)
ST LOAD CARRYING ADDITIVES **LUBRICANT**; AMINE-C DISULFIDE
REACTION; **LUBRICANT** LOAD CARRYING ADDITIVES;
CARBON DISULFIDE-AMINE REACTION; EPOXIDE-AMINE
REACTANT ADDITIVES
IT Amines, compounds
(reaction products with alkylene oxides and **carbon disulfide**, as **lubricating oil wear inhibitor**)
IT Lubricating oil additives
(wear inhibitors, amine reaction products with **carbon disulfide** and alkylene oxides as)
IT Diethylamine
Nitrogen
(reaction products with alkylene oxides and **carbon disulfide**, as **lubricating oil wear inhibitor**)
IT Carbon disulfide
(reaction products with amines and alkylene oxides, as **lubricating oil wear inhibitor**)
IT Ethylene oxide
Propylene oxide
(reaction products with **carbon disulfide** and amines, as **lubricating oil wear inhibitor**)
IT 108-18-9 111-92-2
(reaction products with alkylene oxides and **carbon disulfide**, as **lubricating oil wear inhibitor**)
IT 7320-37-8 7390-81-0
(reaction products with **carbon disulfide** and diethylamine, as **lubricating oil wear inhibitor**)

=> d 154 1-11 cbib abs hitstr hitind

L54 ANSWER 1 OF 11 HCA COPYRIGHT 2003 ACS on STN

139:152089 Alkylated aryl amines, alkylated phenothiazine, and sulfurized olefins or fatty oils for **lubricating** oils with improved **antioxidant**-deposit control properties. Esche, Carl K., Jr.; Gatto, Vincent J.; Lam, William Y. (Ethyl Corporation, USA). U.S. US 6599865 B1 20030729, 11 pp. (English). CODEN: USXXAM. APPLICATION: US 2002-194517 20020712.

GI



AB Crankcase lubricating oil


antioxidants-deposit inhibitors contain, in addn. to the base oil, 0.05-2.5 wt.% of an alkylated diarylamine, 150-2500 ppm S (as the sulfurized olefin or sulfurized fatty oil, or an ashless dialkyldithiocarbamate), and 0.05-2.5 wt.% of an alkylated phenothiazine of general structure I, in which R1 is linear or branched C4-24-alkyl, aryl, heteroalkyl, or alkylaryl, and R2 = H or linear or branched C4-24-alkyl, aryl, heteroalkyl, or alkylaryl. Suitable sulfurized olefins and fatty oils include .alpha.-olefins and isomerized .alpha.-olefins, branched olefins and cycloalkenes, corn oil, canola oil, cottonseed oil, grapeseed oil, olive oil, palm oil, peanut oil, coconut oil. rape oil, sesame seed oil, soybean oil, sunflower oil, tallow, and fish oil. Acceptable base oils include paraffin oils, naphthenic oils, arom. oils, and synthetic oils. The **lubricating** oil can also contain 250-900 ppm P and addnl. additives.

IT 137319-56-3

(**antioxidant**-deposit inhibitors; alkylated aryl amines, alkylated phenothiazine, and sulfurized olefins or fatty oils for **lubricating** oils with improved **antioxidant**-deposit control properties)

RN 137319-56-3 HCA

CN Carbamodithioic acid, dibutyl-, 2-hydroxypropyl ester (9CI) (CA INDEX NAME)



IC ICM C10M141-06

NCL 508254000; 508322000; 508331000
CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
ST **crankcase lubricating oil**
antioxidant deposit inhibitor; sulfurized olefin
crankcase lubricating oil; alkylated
arylamine phenothiazine **lubricating oil**
antioxidant
IT **Lubricating** oil additives
(**antioxidant**-deposit inhibitors; alkylated aryl amines,
alkylated phenothiazine, and sulfurized olefins or fatty oils for
lubricating oils with improved **antioxidant**
-deposit control properties)
IT Amines, uses
(aralkyl, **antioxidant**-deposit inhibitors; alkylated
aryl amines, alkylated phenothiazine, and sulfurized olefins or
fatty oils for **lubricating** oils with improved
antioxidant-deposit control properties)
IT **Lubricating** oils
(base oils; alkylated aryl amines, alkylated phenothiazine, and
sulfurized olefins or fatty oils for **lubricating** oils
with improved **antioxidant**-deposit control properties)
IT Aromatic oils (hydrocarbons)
Naphthenic oils
Paraffin oils
(base oils; alkylated aryl amines, alkylated phenothiazine, and
sulfurized olefins or fatty oils for **lubricating** oils
with improved **antioxidant**-deposit control properties)
IT Alkenes, uses
(branched, sulfurized, **antioxidant**-deposit inhibitors;
alkylated aryl amines, alkylated phenothiazine, and sulfurized
olefins or fatty oils for **lubricating** oils with
improved **antioxidant**-deposit control properties)
IT **Lubricating** oils
(**crankcase**; alkylated aryl amines, alkylated
phenothiazine, and sulfurized olefins or fatty oils for
lubricating oils with improved **antioxidant**
-deposit control properties)
IT Fats and Glyceridic oils, uses
(fish, sulfurized, **antioxidant**-deposit inhibitors;
alkylated aryl amines, alkylated phenothiazine, and sulfurized
olefins or fatty oils for **lubricating** oils with
improved **antioxidant**-deposit control properties)
IT Fats and Glyceridic oils, uses
(grape seed, sulfurized, **antioxidant**-deposit
inhibitors; alkylated aryl amines, alkylated phenothiazine, and
sulfurized olefins or fatty oils for **lubricating** oils
with improved **antioxidant**-deposit control properties)
IT Fats and Glyceridic oils, uses
(sesame, sulfurized, **antioxidant**-deposit inhibitors;
alkylated aryl amines, alkylated phenothiazine, and sulfurized
olefins or fatty oils for **lubricating** oils with
improved **antioxidant**-deposit control properties)

IT Canola oil
 Coconut oil
 Corn oil
 Cottonseed oil
 Cycloalkenes
 Glycerides, uses
 Olive oil
 Palm oil
 Peanut oil
 Rape oil
 Tallow
 (.sulfurized, **antioxidant**-deposit inhibitors; alkylated aryl amines, alkylated phenothiazine, and sulfurized olefins or fatty oils for **lubricating** oils with improved **antioxidant**-deposit control properties)

IT Alkenes, uses
 (.alpha.-, sulfurized, **antioxidant**-deposit inhibitors; alkylated aryl amines, alkylated phenothiazine, and sulfurized olefins or fatty oils for **lubricating** oils with improved **antioxidant**-deposit control properties)

IT 86-25-9, Diphenyl amine, octyl- 90-30-2 92-84-2D, Phenothiazine, alkyl derivs. 101-18-8D, 3-Hydroxydiphenylamine, alkyl derivs. 101-54-2, N-Phenyl-1,4-phenylenediamine 122-39-4D, Diphenyl amine, alkyl derivs. 122-39-4D, Diphenyl amine, styrenated 135-88-6, Phenyl-.beta.-naphthylamine 498-66-8D, Norbornene, dithiocarbamate derivs. 534-85-0, N-Phenyl-1,2-phenylenediamine 594-07-0D, Dithiocarbamic acid, alkyl derivs. 25619-54-9 26519-70-0 27177-41-9 32750-89-3 34731-32-3D, Ethylenebis(dithiocarbamate), alkyl derivs. 36878-20-3 42300-90-3, 10H-Phenothiazine, dinonyl-50723-15-4, 10H-Phenothiazine, nonyl- 60029-65-4, 10H-Phenothiazine, dioctyl- 109447-79-2 125947-19-5
137319-56-3 167115-42-6 200053-44-7 200053-45-8
 272774-38-6 465499-93-8 568585-02-4D, alkyl derivs.
 568589-17-3 568589-18-4 568589-19-5 568589-20-8 568589-21-9
 568589-22-0 568589-23-1 568589-24-2 568589-25-3 568589-26-4
 568589-27-5
 (.antioxidant-deposit inhibitors; alkylated aryl amines, alkylated phenothiazine, and sulfurized olefins or fatty oils for **lubricating** oils with improved **antioxidant**-deposit control properties)

L54 ANSWER 2 OF 11 HCA COPYRIGHT 2003 ACS on STN

138:355993 Alkylthio- and hydroxy-substituted dithiocarbamates as

antiwear-antioxidants for lubricating oils and hydraulic fluids. Gatto,

Vincent James (Ethyl Corporation, USA). Eur. Pat. Appl. EP 1306370

A1 20030502, 20 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK. (English). CODEN: EPXXDW.

APPLICATION: EP 2002-257421 20021025. PRIORITY: US 2001-62161 20011026.

AB Lubricating oil antioxidant-antiwear

additives are alkylthio- and hydroxy-substituted dithiocarbamates of general formula R₂-S-CH₂CH(OH)CH₂-S(=O)-NRR₁ [R and R₁ = H or alkyl; R₂ = alkyl, R₃OC(=O)-CH₂-, or R₃-OC(=O)CH₂CH₂- (R₃ = alkyl or -C(=S)-NRR₁)]. Preferably, R₁ = C₃-8-alkyl, and R₂ = C₄-12-alkyl. The compds. are prep'd. by reaction of CS₂ with an alkyl glycidyl thioether (with formula R₂-S-CH₂-C₂H₃O) in the presence of an amine, HNRR₁. The alkyl glycidyl thioether is, in turn, synthesized by reaction of a mercaptan (R₂-SH) and epichlorohydrin.

Lubricating oils or functional fluids contg. these additives are **crankcase engine oils**, **diesel engines**, railroad locomotives, natural gas-fueled engines, **hydraulic fluids**, automatic transmission fluids, and **antirust and antioxidant** oils.


IT 519033-11-5P 519033-12-6P 519045-60-4P

519045-62-6P 519045-64-8P

(alkylthio- and hydroxy-substituted dithiocarbamates as antiwear-antioxidants for lubricating oils and hydraulic fluids)


RN 519033-11-5 HCA

CN Propanoic acid, 3-[[3-[(dibutylamino)thioxomethyl]thio]-2-hydroxypropyl]thio]-, 2-ethylhexyl ester (9CI) (CA INDEX NAME)




RN 519033-12-6 HCA

CN Carbamodithioic acid, dibutyl-, 3-(dodecylthio)-2-hydroxypropyl ester (9CI) (CA INDEX NAME)




RN 519045-60-4 HCA

CN Carbamodithioic acid, dibutyl-, 3-(tert-dodecylthio)-2-hydroxypropyl ester (9CI) (CA INDEX NAME)




RN 519045-62-6 HCA

CN Carbamodithioic acid, bis(2-ethylhexyl)-, 3-(tert-dodecylthio)-2-hydroxypropyl ester (9CI) (CA INDEX NAME)



RN 519045-64-8 HCA
 CN Carbamodithioic acid, (2-ethylhexyl)-, 3-(tert-dodecylthio)-2-hydroxypropyl ester (9CI) (CA INDEX NAME)



- IC ICM C07C333-20
 ICS C10M135-18; C10M135-22; C10N030-10
 CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 Section cross-reference(s): 23
 ST dithiocarbamate lubricating oil antiwear antioxidant; hydraulic fluid antiwear antioxidant; transmission fluid antiwear antioxidant
 IT Lubricating oil additives
 (antioxidants-antiwear; alkylthio- and hydroxy-substituted dithiocarbamates as antiwear-antioxidants for lubricating oils and hydraulic fluids)
 IT Hydraulic fluids
 Slushing compositions
 (antiwear-antioxidant additives for; alkylthio- and hydroxy-substituted dithiocarbamates as antiwear-antioxidants for lubricating oils and hydraulic fluids)
 IT Amines, reactions
 (condensation reaction of; in synthesis of alkylthio- and hydroxy-substituted dithiocarbamates as antiwear-antioxidants for lubricating oils and hydraulic fluids)
 IT Hydraulic fluids
 (transmission, automatic, antiwear-antioxidant additives for; alkylthio- and hydroxy-substituted dithiocarbamates as antiwear-antioxidants for lubricating oils and hydraulic fluids)
 IT 20256-76-2D, reaction products with amines and carbon disulfide
 29765-12-6D, reaction products with amines and carbon disulfide

45378-62-9D, Methyl glycidyl thioether, reaction products with amines and carbon disulfide 45975-83-5D, reaction products with amines and carbon disulfide 53414-23-6D, reaction products with amines and carbon disulfide 73479-00-2D, reaction products with amines and carbon disulfide 99818-05-0D, reaction products with amines and carbon disulfide 101842-92-6D, tert-Nonyl glycidyl thioether, reaction products with amines and carbon disulfide 101842-93-7D, Oxirane, [(tert-dodecylthio)methyl]-, reaction products with amines and carbon disulfide 343268-24-6D, reaction products with amines and carbon disulfide 519033-10-4D, reaction products with amines and carbon disulfide

(alkylthio- and hydroxy-substituted dithiocarbamates as antiwear-antioxidants for lubricating oils and hydraulic fluids)

IT 519033-08-0DP, S,N,N-trialkyl derivs. 519033-09-1DP, N,N,N'.N'-tetraalkyl derivs. 519033-11-5P
519033-12-6P 519045-60-4P 519045-62-6P
519045-64-8P

(alkylthio- and hydroxy-substituted dithiocarbamates as antiwear-antioxidants for lubricating oils and hydraulic fluids)

IT 75-15-0, Carbon disulfide, reactions (condensation reaction of; in synthesis of alkylthio- and hydroxy-substituted dithiocarbamates as antiwear-antioxidants for lubricating oils and hydraulic fluids)

IT 45357-98-0DP, Oxiranemethanethiol, S-alkyl thioethers (synthesis and condensation reaction of; in synthesis of alkylthio- and hydroxy-substituted dithiocarbamates as antiwear-antioxidants for lubricating oils and hydraulic fluids)


L54 ANSWER 3 OF 11 HCA COPYRIGHT 2003 ACS on STN
137:127291 1-Alkylthiopropanol-2-derivatives as multifunctional additives to lubricating oils. Latyuk, V. I.; Kelarev, V. I.; Korenev, K. D. (Ross. Gos. Univ. Nefti i Gaza im. I. M. Gubkina, Moscow, Russia). Neftekhimiya, 42(2), 145-149 (Russian) 2002.

CODEN: NEFTAH. ISSN: 0028-2421. Publisher: Nauka.
AB N-, Cl-, and P-contg. derivs. of 1-alkylthio-3-R'-propanol-2 were prep'd. using C2-C5 mercaptan fraction from purifn. of wide hydrocarbon fractions of Orenburg gas condensates as main components. The additives in base oil M-11 showed good antiwear, antiscuff, and anticorrosion properties.


IT 444190-12-9P 444190-13-0P 444190-14-1P
444190-15-2P 444196-76-3P 444196-77-4P
444196-78-5P

(1-alkylthiopropanol-2-derivs. as multifunctional additives to lubricating oils)


RN 444190-12-9 HCA
CN Carbamodithioic acid, diethyl-, 3-(ethylthio)-2-hydroxypropyl ester (9CI) (CA INDEX NAME)




RN 444190-13-0 HCA
 CN Carbamodithioic acid, diethyl-, 3-(butylthio)-2-hydroxypropyl ester
 (9CI) (CA INDEX NAME)




RN 444190-14-1 HCA
 CN Carbamodithioic acid, diethyl-, 2-hydroxy-3-(propylthio)propyl ester
 (9CI) (CA INDEX NAME)




RN 444190-15-2 HCA
 CN Carbamodithioic acid, diethyl-, 2-hydroxy-3-(pentylthio)propyl ester
 (9CI) (CA INDEX NAME)



RN 444196-76-3 HCA
 CN Carbamodithioic acid, diethyl-, 2-hydroxy-3-[(1-methylethyl)thio]propyl ester (9CI) (CA INDEX NAME)




RN 444196-77-4 HCA
 CN Carbamodithioic acid, diethyl-, 2-hydroxy-3-[(2-methylpropyl)thio]propyl ester (9CI) (CA INDEX NAME)




RN 444196-78-5 HCA
 CN Carbamodithioic acid, diethyl-, 2-hydroxy-3-[(3-

methylbutyl)thio]propyl ester (9CI) (CA INDEX NAME)



- CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 ST lubricating oil additive multifunctional
 IT Lubricating oil additives
 (multifunctional; 1-alkylthiopropanol-2-derivs. as
 multifunctional additives to lubricating oils)
 IT 14359-99-0P 18915-87-2P 26404-98-8P 51735-17-2P 51735-18-3P
 51735-19-4P 54974-67-3P 58446-08-5P 70602-90-3P 444190-06-1P
 444190-07-2P 444190-08-3P 444190-09-4P 444190-10-7P
 444190-11-8P 444190-12-9P 444190-13-0P
 444190-14-1P 444190-15-2P 444190-16-3P
 444190-17-4P 444190-18-5P 444190-19-6P 444190-20-9P
 444190-21-0P 444190-22-1P 444190-23-2P 444196-71-8P
 444196-72-9P 444196-73-0P 444196-74-1P 444196-75-2P
 444196-76-3P 444196-77-4P 444196-78-5P
 444196-79-6P 444196-80-9P 444196-81-0P 444196-82-1P
 444196-83-2P 444196-84-3P
 (1-alkylthiopropanol-2-derivs. as multifunctional additives to
 lubricating oils)
 IT 1068-47-9DP, S-alkyl derivs.
 (1-alkylthiopropanol-2-derivs. as multifunctional additives to
 lubricating oils)
 IT 6478-04-2P 23451-67-4P 51735-15-0P 51735-16-1P 55131-65-2P
 69803-88-9P 444190-01-6P 444190-02-7P 444190-03-8P
 444190-05-0P 444196-66-1P 444196-67-2P 444196-68-3P
 444196-69-4P 444196-70-7P
 (lubricating oil additives)
 L54 ANSWER 4 OF 11 HCA COPYRIGHT 2003 ACS on STN
 135:152551 Synthesis and investigation of some derivatives of
 diethyldithiocarbamic acid .beta.-hydroxyethyl ester as
 lubricating oil additives. Alekperov, R. K.; Gasanov, V.
 S.; Mustafaev, Sh. A.; Dzhafarov, I. A.; Kostyanovskii, R. G.;
 Astanova, A. D. (Azerb. Pedagog. Univ. im. N. Tusi, Azerbaijan).
 Azerbaijzhanskii Khimicheskii Zhurnal (3), 29-33 (Russian) 2000.
 CODEN: AZKZAU. ISSN: 0005-2531. OTHER SOURCES: CASREACT
 135:152551. Publisher: Elm.
 AB Et2NCS2CH2CH2OCH2OR (R = alkyl), Et2NCS2CH2CH2OCH2NR1R2 (NR1R2 =
 NEt2, NBu2, morpholino, piperidino), and Et2NCS2CH2CH2OCXNC6H4R3 (X
 = O, R3 = H, 2-Me, 3-Me; X = S, R3 = H) were prep'd. by reactions of
 Et2NCS2CH2CH2OH with ROCH2Cl, R1R2NH + HCHO, and R3C6H4NCX, resp.
 The products were tested as anticorrosion additives for
 DS-11 oil and anti-wear additives for TB-20 oil.
 IT 5347-18-2
 (2-hydroxyethyl diethyldithiocarbamate reaction products as
 lubricating oil additives)

RN 5347-18-2 HCA
 CN Carbamodithioic acid, diethyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)



CC 23-17 (Aliphatic Compounds)

Section cross-reference(s): 51

ST hydroxyethyl diethyldithiocarbamate reaction product prep oil additive; **lubricating** oil additive hydroxyethyl diethyldithiocarbamate reaction product

IT **Lubricating** oil additives

(2-hydroxyethyl diethyldithiocarbamate reaction products)

IT 352427-45-3P 352427-47-5P 352427-50-0P 352427-51-1P
 352427-53-3P 352427-55-5P 352427-56-6P 352427-57-7P
 352427-58-8P

(2-hydroxyethyl diethyldithiocarbamate reaction products as **lubricating** oil additives)

IT 50-00-0, Formaldehyde, reactions 103-71-9, Phenyl isocyanate, reactions 103-72-0, Phenyl isothiocyanate 107-30-2, Chloromethyl methyl ether 109-89-7, Diethylamine, reactions 110-89-4, Piperidine, reactions 110-91-8, Morpholine, reactions 111-92-2, Dibutylamine 614-68-6, o-Tolyl isocyanate 621-29-4, m-Tolyl isocyanate 2351-69-1, Butyl chloromethyl ether 3188-13-4, Chloromethyl ethyl ether 3587-57-3, Chloromethyl propyl ether 5347-18-2 19416-65-0, Chloromethyl pentyl ether 34180-11-5, Chloromethyl isobutyl ether

(2-hydroxyethyl diethyldithiocarbamate reaction products as **lubricating** oil additives)

IT 352427-46-4P 352427-48-6P 352427-49-7P 352427-52-2P
 352427-54-4P

(2-hydroxyethyl diethyldithiocarbamate reaction products as **lubricating** oil additives)

L54 ANSWER 5 OF 11 HCA COPYRIGHT 2003 ACS on STN

130:254641 The friction and wear behaviors of S-[2-S-(2-hydroxylpropyl)benthiazole]dioctyldithiocarbamic acid ester as additive in liquid paraffin. Zhang, Junyan; Liu, Weimin; Xue, Qunji (Lanzhou Institute of Chemical Physics, Laboratory of Solid Lubrication, Chinese Academy of Sciences, Lanzhou, 730000, Peop. Rep. China). Wear, 224(1), 50-55 (English) 1999. CODEN: WEARAH. ISSN: 0043-1648. Publisher: Elsevier Science S.A..

AB There has been a growing concern for the use of mineral oils because of the worldwide interest in environmental issues. This has promoted the use of ashless additives as environmental friendly **lubricants**. A potential ashless additive, S-[2-S-(2-hydroxylpropyl)benthiazole]dioctyldithiocarbamic acid ester, was prep'd. in this work. The friction and wear behaviors of the synthesized compd. as an additive in liq. paraffin were


evaluated with a four-ball wear tester. The elemental compn. and chem. nature of the **antiwear** films generated on steel counterface were investigated with electron probe microanal. (EPMA) and XPS. It was found that the synthesized additive had excellent **antiwear** performance. The additive reacted with counterface metal and generated a surface protective film consisting of FeS, org. sulfur compd., FeSO₄, and absorbed compd. contg. N.

IT 221469-25-6

(lubricating oil antiwear additives)

RN 221469-25-6 HCA

CN Carbamodithioic acid, dioctyl-, 3-(2-benzothiazolylthio)-2-hydroxypropyl ester (9CI) (CA INDEX NAME)



CC 51-8 (Fossil Fuels, Derivatives, and Related Products)

ST lubricating oil antiwear additive

IT Lubricating oil additives

(antiwear; friction and wear behaviors of

S-[2-S-(2-hydroxylpropyl)benthiazole]dioctyldithiocarbamic acid ester as additive in liq. paraffin)


IT 221469-25-6

(lubricating oil antiwear additives)

L54 ANSWER 6 OF 11 HCA COPYRIGHT 2003 ACS on STN

125:333865 Dithiocarbamoyl diols and borate esters thereof for use in **lubricant** compositions. Chiu, I-ching (Pennzoil Products Company, USA). U.S. US 5560853 A 19961001, 8 pp., Cont. of U.S. Ser. No. 574,714, abandoned. (English). CODEN: USXXAM.
APPLICATION: US 1992-851265 19920313. PRIORITY: US 1990-574714 19900830.

GI




AB A borate ester having the formula I or $[(\text{R}^1\text{R}^2)\text{Y}(\text{C}:X)\text{X}(\text{CR}^3\text{R}^4)_n\text{CHR}^5\text{CR}^6\text{R}^7\text{O}]_3\text{B}$, wherein Y is N, S or O; X is O or S; R₁ and R₂ are, independent of one another, selected from the group consisting of H, C₁-40 hydrocarbon residues and C₃-50 cycloalkyl, aryl and aralkyl, each of which may further contain N, O or S; R₃, R₄, R₅, R₆ and R₇ are independent of one another, selected from the group consisting of H and C₁-8 hydrocarbon residues, and n = 0-4. An **antiwear/antioxidant/antifriction/antirust** additive comprises the borate ester of the invention when added to a **lubricating oil**.

IT 183503-84-6P
(intermediate; in prepn. of dithiocarbamoyl diol borate esters for use in **lubricant** compns.)

RN 183503-84-6 HCA


CN Carbamodithioic acid, bis(2-ethylhexyl)-, 2,3-dihydroxypropyl ester (9CI) (CA INDEX NAME)



IT 183503-88-0
(intermediate; in prepn. of dithiocarbamoyl diol borate esters for use in **lubricant** compns.)

RN 183503-88-0 HCA

CN Carbamodithioic acid, bis(2-ethylhexyl)-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)



IC ICM C10M139-00
ICS C10M135-18

NCL 508143000

CC 51-8 (Fossil Fuels, Derivatives, and Related Products)

ST dithiocarbamoyl diol borate ester **lubricating** oil;
lubricant dithiocarbamoyl diol borate multifunctional additive

IT Lubricating oil additives

(antifriction-antioxidants-antiwear

-rust inhibitors; prepn. of dithiocarbamoyl diol borate esters as multifunctional additives for engine oils)

IT 75-15-0, Carbon disulfide, reactions 96-24-2, 3-Chloro-1,2-propanediol 106-20-7, Bis(2-ethylhexyl)amine 106-89-8, reactions 112-90-3, Oleyl amine 556-52-5, Oxiranemethanol 1120-48-5,

The use of Diocetylamine

(in prepn. of dithiocarbamoyl diol borate esters for use in lubricant compns.)

IT 183503-84-6P

(intermediate; in prepn. of dithiocarbamoyl diol borate esters
for use in **lubricant** compns.)

IT 183503-88-0

(intermediate; in prepn. of dithiocarbamoyl diol borate esters
for use in **lubricant** compns.)

IT 183503-85-7P

(multifunctional additive; prepn. of dithiocarbamoyl diol borate esters for use in **lubricant** compns.)

IT 7440-50-8DP, Copper, complexes with 3-Bis(2-

ethylhexyl)dithiocarbamoyl-1,2-propanediol borate ester

183503-85-7DP, copper complexes 183503-86-8P 183503-87-9P

183503-89-1P

(prepns. of dithiocarbamoyl diol borate esters for use in lubricant compns.)

L54 ANSWER 7 OF 11 HCA COPYRIGHT 2003 ACS on STN

115:236138 Multifunctional lubricant additives. Farng,


Lienpao; Horodovsky, Andrew G. (Mobil Oil Corp., USA); U.S. US

5019284 A 19910528, 7 pp. (English). CODEN: USXXAM. APPLICATION:
US 1989-381882 19890719.


AB Ashless hydrogen phosphonate dihydrocarbyl dithiocarbamates, e.g., reaction products of S-2-hydroxypropyl N,N-di-Me dithiocarbamate and di-Me hydrogen phosphonate, are effective **antioxidant-antiwear** additives for lubricants.

IT 22410-69-1D, reaction products with di-Me hydrogen phosphonate 137319-56-3D, reaction products with di-Me hydrogen phosphonate
 (antioxidant-antiwear additives, for lubricants)

RN 22410-69-1 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxypropyl ester (9CI) (CA INDEX NAME)




RN 137319-56-3 HCA
 CN Carbamodithioic acid, dibutyl-, 2-hydroxypropyl ester (9CI) (CA INDEX NAME)



IC ICM C10M137-04
 ICS C10M135-18
 NCL 252046700
 CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
 ST lubricant antioxidant antiwear additive dithiocarbamate
 IT Lubricating grease additives
 Lubricating oil additives
 (antioxidants-antiwear, hydrogen phosphonate dihydrocarbyl dithiocarbamates, prep. of)
 IT 868-85-9D, Dimethyl hydrogen phosphonate, reaction products with hydroxypropyl dialkyl dithiocarbamates 22410-69-1D, reaction products with di-Me hydrogen phosphonate 137319-56-3D, reaction products with di-Me hydrogen phosphonate
 (antioxidant-antiwear additives, for lubricants)

L54 ANSWER 8 OF 11 HCA COPYRIGHT 2003 ACS on STN
 113:6265 Model studies related to the cofactor of oxomolybdoenzymes.
 Part 3. Larsen, Lesley; Rowe, David J.; Garner, C. David; Joule, John A. (Chem. Dep., Manchester Univ., Manchester, M13 9PL, UK). Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1972-1999) (12), 2317-27 (English) 1989.
 CODEN: JCPRB4. ISSN: 0300-922X. OTHER SOURCES: CASREACT 113:6265.



AB 2-(D-arabino-Tetrahydroxybutyl)quinoxaline reacted selectively with Me₂CO to give the diol acetal which was converted into mono- and dimesylates and -tosylates, and, via the Et ortho ester into the alkene acetal. Both thiocyanogen and Br added to the alkene; all attempted conversions of the former adduct into a 1,2-dithiol failed; attempts to displace halogen from the latter with S nucleophiles led in most cases simply to elimination of halogen. However, dimethyldithiocarbamate effected HBr elimination and thus formation of the bromoalkene acetal. On further reaction of this with Br, a tribromo adduct was obtained, methoxide treatment of which gave the dibromoalkene acetal. The epoxide acetals were formed by base treatment of monomesylates, but attempted use of the epoxides for the introduction of S functionality at best caused elimination thence reversion to the alkene acetal, and more often resulted in complex product mixts. Exposure of the dimesylate and ditosylate to sodium N,N-dimethyldithiocarbamate led to the enol mesylate and tosylate. Exposure of the monomesylates and to sodium N,N-dimethyldithiocarbamate, then acid, then H₂S gave, according to exact conditions, the thiole I (Q = quinoxalin-2-yl through out this abstr.) or thiolane, together with the alc. II (R₁ = R₂ = H, R₃ = OH). The alpha.-bromo ketone II (R₁R₂ = O, R₃ = Br) was prep'd. by bromination of the ketone, itself available from reaction of the diol acetal with P₄S₁₀, or better from the enol mesylate via addn. of Br then hydrolysis. Displacements of bromine in the bromo ketone

with S nucleophiles were successful, but the products could not then be converted into thioketones. Treatment of the dibromoalkene with dipotassium trithiocarbonate gave some thiole I, but mainly the thieno[2,3-b]quinoxaline III; similarly, reaction of the thiole I with base followed by MeI and then Ac₂O gave the thieno[2,3-b]quinoxaline IV.


IT 117926-97-3P 117926-98-4P

(prep. and sequential reaction of, with trifluoroacetic acid and hydrogen sulfide)

RN 117926-97-3 HCA

CN Carbamodithioic acid, dimethyl-, 2-(2,2-dimethyl-1,3-dioxolan-4-yl)-2-hydroxy-1-(2-quinoxaliny)ethyl ester, [4R-[4R*(1S*,2R*)]]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 117926-98-4 HCA

CN Carbamodithioic acid, dimethyl-, 1-(2,2-dimethyl-1,3-dioxolan-4-yl)-2-hydroxy-2-(2-quinoxaliny)ethyl ester, [4R-[4R*(1R*,2R*)]]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



CC 28-16 (Heterocyclic Compounds (More Than One Hetero Atom))
Section cross-reference(s): 26

IT 117926-97-3P 117926-98-4P


(prep. and sequential reaction of, with trifluoroacetic acid and

hydrogen sulfide)

IT 73508-07-3P, Molybdoenzyme **molybdenum** cofactor
(synthesis of org. part of, model for)

L54 ANSWER 9 OF 11 HCA COPYRIGHT 2003 ACS on STN
110:23607 Synthesis of 1-(quinoxalin-2-yl)-alkane-1,2-dithiols and
-alkene-1,2-dithiols of relevance to the molybdoenzyme cofactor,
Moco. Larsen, Lesley; Rowe, David J.; Garner, C. David; Joule, John
A. (Chem. Dep., Manchester Univ., Manchester, M13 9PL, UK).
Tetrahedron Letters, 29(12), 1453-6 (English) 1988. CODEN: TELEAY.
ISSN: 0040-4039. OTHER SOURCES: CASREACT 110:23607.

GI




AB Quinoxalines I ($R = H$, $RR = \text{bond}$) were prep'd. as model compds. for the pterin which ligands **Mo** in the oxomolybdenum enzyme cofactor, Moco.

IT 117926-97-3P 117926-98-4P 117926-99-5P
(prep'n. and mesylation of)

RN 117926-97-3 HCA

CN Carbamodithioic acid, dimethyl-, 2-(2,2-dimethyl-1,3-dioxolan-4-yl)-2-hydroxy-1-(2-quinoxalinyl)ethyl ester, [4R-[4R*(1S*,2R*)]]- (9CI)
(CA INDEX NAME)


Absolute stereochemistry.



RN 117926-98-4 HCA


CN Carbamodithioic acid, dimethyl-, 1-(2,2-dimethyl-1,3-dioxolan-4-yl)-2-hydroxy-2-(2-quinoxaliny)ethyl ester, [4R-[4R*(1R*,2R*)]]- (9CI)
(CA INDEX NAME)

Absolute stereochemistry.



RN 117926-99-5 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxy-2-(2-quinoxaliny)ethyl ester (9CI) (CA INDEX NAME)



CC 26-9 (Biomolecules and Their Synthetic Analogs)

IT 117926-93-9P 117926-97-3P 117926-98-4P

117926-99-5P

(prep. and mesylation of)

L54 ANSWER 10 OF 11 HCA COPYRIGHT 2003 ACS on STN

99:87414 Mechanism of the formation of additives to oils of diethyldithiocarbamate type. Korenev, K. D.; Belov, P. S.; Barai, N. S. (Inst. Neftekhim. Gazov. Prom. im. Gubkina, Baku, USSR). Neftekhimiya, 23(3), 409-12 (Russian) 1983. CODEN: NEFTAH. ISSN: 0028-2421.


AB The rate of reaction of Et₂NCS₂Na with ClCH₂CH(OH)CH₂OBu is retarded by complexation between the reactants. Addn. of OH⁻ alleviates the situation and permits Et₂NCS₂CH₂CH(OH)CH₂OBu to be obtained almost quant.IT **85144-46-3P**

(prep. of, effect of hydroxide on)

RN 85144-46-3 HCA

CN Carbamodithioic acid, diethyl-, 3-butoxy-2-hydroxypropyl ester (9CI)

(CA INDEX NAME)



CC 22-4 (Physical Organic Chemistry)

IT Lubricating oil additives

(dialkyldithiocarbamate esters, prepn. of, effect of, complexation and hydroxide addn. on)


IT 85144-46-3P
(prepn. of, effect of hydroxide on)

L54 ANSWER 11 OF 11 HCA COPYRIGHT 2003 ACS on STN

98:142922 Synthesis and properties of nitrogen-, sulfur-, and phosphorus-containing additives made from glycerol monochlorohydrin ethers. Belov, P. S.; Korenev, K. D.; Barai, N. S.; Parfenova, V. A. (Mosk. Inst. Neftekhim. Gazov. Prom., Moscow, USSR). Neftepererabotka i Neftekhimiya (Moscow, Russian Federation) (1), 20-2 (Russian) 1983. CODEN: NNNSAF. ISSN: 0028-1190.


AB ROH (R = Bu, n-C₁₀H₂₁, 4-Me₃CC₆H₄, 4-tert-C₈H₁₇C₆H₄, C₁₄-C₁₈ fatty acid residue) reacted with epichlorohydrin in the presence of AV-17 anion exchanger or zeolite-contg. aluminosilicate ASHNTs-3 to give the corresponding ROCH₂CH(OH)CH₂Cl (I) in >90% yield. I reacted with NaS₂CNEt₂ and with KSP(S)(OR₁)₂ (R₁ = C₆H₄C₁₈H₃₇-sec, C₆H₄CMe₃-4, C₆H₄C₈H₁₇-tert-4) to give 7 corresponding ash-free ROCH₂CHXCH₂SR₂ [X = OH, OAc, O₂CBu; R₂ = CSNET₂, P(S)(OR₁)₂], useful as lubricating-oil additives, in .gtoreq.90% yield.IT 85144-46-3P 85144-47-4P 85144-48-5P
(prepn. of, as lubricating oil additive)

RN 85144-46-3 HCA

CN Carbamodithioic acid, diethyl-, 3-butoxy-2-hydroxypropyl ester (9CI)
(CA INDEX NAME)


RN 85144-47-4 HCA

CN Carbamodithioic acid, diethyl-, 3-(decyloxy)-2-hydroxypropyl ester (9CI) (CA INDEX NAME)



RN 85144-48-5 HCA

CN Carbamodithioic acid, diethyl-, 3-(4-butylphenoxy)-2-hydroxypropyl ester (9CI) (CA INDEX NAME)



CC 23-17 (Aliphatic Compounds)

Section cross-reference(s): 25, 29, 51


ST lubricating oil additive thiocarbamate thiophosphate; glyceryl dithiocarbamate dithiophosphate ether ester

IT Lubricating oil additives
(glyceryl ether and ester dithiocarbamates and dithiophosphates)IT 85144-46-3P 85144-47-4P 85144-48-5P
85144-49-6P 85144-50-9P 85144-51-0DP, fatty acid .alpha.-ester
85155-63-1P
(prepn. of, as lubricating oil additive)

=> d 155 1-32 cbib hitstr

L55 ANSWER 1 OF 32 HCA COPYRIGHT 2003 ACS on STN

134:17651. Synthesis and Antifungal Activity of Novel Bisdithiocarbamate Derivatives of Carbohydrates against Fusarium oxysporum f. sp. lini. Rafin, Catherine; Veignie, Etienne; Sancholle, Michel; Postel, Denis; Len, Christophe; Villa, Pierre; Ronco, Gino (Laboratoire de Mycologie-Phytopathologie-Environnement, Universite du Littoral, Calais, 62228, Fr.). Journal of Agricultural and Food Chemistry, 48(11), 5283-5287 (English) 2000. CODEN: JAFCAU. ISSN: 0021-8561. OTHER SOURCES: CASREACT 134:17651. Publisher: American Chemical Society.

IT 90886-62-7P
(synthesis and antifungal activity of novel bis-dithiocarbamate glycerols against fusarium oxysporum)RN 90886-62-7 HCA
CN Carbamodithioic acid, diethyl-, 2,3-dihydroxypropyl ester (9CI) (CA INDEX NAME)

L55 ANSWER 2 OF 32 HCA COPYRIGHT 2003 ACS on STN


133:237375 Prospects for development of syntheses based on glycerol. Kimsanov, B. Kh; Karimov, M. B.; Rasulov, S. A.; Rakhmankulov, D. L.; Dmitriev, Yu. K. (Tadzhikskii Gos. Nats. Univ., Dushanbe, 734025, Tajikistan). Bashkirskii Khimicheskii Zhurnal, 7(1), 8-15

(Russian) 2000. CODEN: BKZHFU. ISSN: 0869-8406. Publisher:
Izdatel'stvo "Reaktiv".

IT 85144-46-3P 294209-83-9P 294209-84-0P
294209-85-1P 294209-86-2P 294209-87-3P
(glycerol deriv. prepn.)


RN 85144-46-3 HCA

CN Carbamodithioic acid, diethyl-, 3-butoxy-2-hydroxypropyl ester (9CI)
(CA INDEX NAME)




RN 294209-83-9 HCA

CN Carbamodithioic acid, diethyl-, 3-ethoxy-2-hydroxypropyl ester (9CI)
(CA INDEX NAME)




RN 294209-84-0 HCA

CN Carbamodithioic acid, diethyl-, 2-hydroxy-3-(1-methylethoxy)propyl ester (9CI) (CA INDEX NAME)




RN 294209-85-1 HCA

CN Carbamodithioic acid, diethyl-, 2-hydroxy-3-(pentyloxy)propyl ester (9CI) (CA INDEX NAME)



RN 294209-86-2 HCA


CN Carbamodithioic acid, diethyl-, 3-(hexyloxy)-2-hydroxypropyl ester (9CI) (CA INDEX NAME)



RN 294209-87-3 HCA

CN Carbamodithioic acid, diethyl-, 3-(heptyloxy)-2-hydroxypropyl ester


(9CI) (CA INDEX NAME)



L55 ANSWER 3 OF 32 HCA COPYRIGHT 2003 ACS on STN
 133:105230 Synthesis of dithio-, thio- and carbamoyl ester derivatives of monosaccharides and itols. Len, Christophe; Postel, Denis; Ronco, Gino; Villa, Pierre (Laboratoire de Chimie Organique et Cinétique, Université de Picardie-Jules Verne 33, Amiens, 80039, Fr.). Phosphorus, Sulfur and Silicon and the Related Elements, 133, 41-59 (English) 1998. CODEN: PSSLEC. ISSN: 1042-6507. Publisher: Gordon & Breach Science Publishers.


IT 90886-62-7P
 (synthesis of dithio-, thio-, and carbamoyl ester derivs. of monosaccharides and itols as fungicides)

RN 90886-62-7 HCA
 CN Carbamodithioic acid, diethyl-, 2,3-dihydroxypropyl ester (9CI) (CA INDEX NAME)



IT 282721-93-1P
 (synthesis of dithio-, thio-, and carbamoyl ester derivs. of monosaccharides and itols as fungicides)

RN 282721-93-1 HCA
 CN Carbamodithioic acid, ethyl-, 2,3-dihydroxypropyl ester (9CI) (CA INDEX NAME)




L55 ANSWER 4 OF 32 HCA COPYRIGHT 2003 ACS on STN
 126:27971 Synthesis of carbamic esters derivatives of itols: Antifungal activity against various crop diseases. Len, Christophe; Postel, Denis; Ronco, Gino; Villa, Pierre; Goubert, Christel; Jeufraut, Eric; Mathon, Bernard; Simon, Hervé (Laboratoire de Chimie Organique et Cinétique, Université de Picardie-Jules Verne, Amiens, 80039, Fr.). Journal of Agricultural and Food Chemistry, 45(1), 3-6 (English) 1997. CODEN: JAFCAU. ISSN: 0021-8561. Publisher: American Chemical Society.

IT 90886-62-7P
 (intermediate in prepn. of itol carbamic esters deriv.)

fungicides)

RN 90886-62-7 HCA

CN Carbamodithioic acid, diethyl-, 2,3-dihydroxypropyl ester (9CI) (CA INDEX NAME)



L55 ANSWER 5 OF 32 HCA COPYRIGHT 2003 ACS on STN

125:99946 Chemical sensitization of silver halide emulsions.

Grzeskowiak, Nicholas E.; Hobson, Rachel J.; Mott, Andrew W.

(Minnesota Mining and Mfg. Co., USA). Eur. Pat. Appl. EP 713132 A1

19960522, 20 pp. DESIGNATED STATES: R: DE, FR, GB, IT. (English).

CODEN: EPXXDW. APPLICATION: EP 1995-307621 19951026. PRIORITY: GB

1994-23266 19941118.

IT 179098-56-7

(prepn. and use as chem. sensitizer for silver halide photog. emulsions)


RN 179098-56-7 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxy-2-propenyl ester, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 179098-55-6

CMF C6 H11 N O S2



L55 ANSWER 6 OF 32 HCA COPYRIGHT 2003 ACS on STN

122:92784 Electrophotographic liquid developer with superior

dispersibility, redispersibility, and fixability. Kato, Eiichi

(Fuji Photo Film Co Ltd, Japan). Jpn. Kokai Tokkyo Koho JP 06003869

A2 19940114 Heisei, 69 pp. (Japanese). CODEN: JKXXAF.


APPLICATION: JP 1992-187328 19920623.

IT 27849-33-8 90886-62-7


(initiator, for prepn. of dispersion stabilizing resin)

RN 27849-33-8 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)




RN 90886-62-7 HCA
 CN Carbamodithioic acid, diethyl-, 2,3-dihydroxypropyl ester (9CI) (CA
 INDEX NAME)



L55 ANSWER 7 OF 32 HCA COPYRIGHT 2003 ACS on STN
 122:45549 A comparative study of the chromatography of hydroxylated dialkyldithiocarbamates as models for drug metabolites. Evans, M. B.; Smith, M. S. (Division of Chemical Sciences, Univ. of Hertfordshire, Hatfield, Hertfordshire, AL10 9AB, UK). Chromatographia, 39(9/10), 569-76 (English) 1994. CODEN: CHRGB7. ISSN: 0009-5893. Publisher: Vieweg.

IT 160177-05-9
 (comparative study of chromatog. of hydroxylated dialkyldithiocarbamates as models for drug metabolites)


RN 160177-05-9 HCA
 CN Carbamodithioic acid, dipropyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)




L55 ANSWER 8 OF 32 HCA COPYRIGHT 2003 ACS on STN
 121:311855 electrophotographic liquid developer. Kato, Eiichi (Fuji Photo Film Co Ltd, Japan). Jpn. Kokai Tokkyo Koho JP 06019219 A2 19940128 Heisei, 66 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1992-195898 19920701.

IT 27849-33-8 90886-62-7
 (polymn. initiator, for prepn. of latexes for electrophotog. liq. developers)

RN 27849-33-8 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)




RN 90886-62-7 HCA
 CN Carbamodithioic acid, diethyl-, 2,3-dihydroxypropyl ester (9CI) (CA
 INDEX NAME)




L55 ANSWER 9 OF 32 HCA COPYRIGHT 2003 ACS on STN
 119:213949 Electrophotographic liquid developer. Kato, Eiichi (Fuji Photo Film Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 04313763 A2 19921105 Heisei, 39 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1991-105158 19910411.

IT 27849-33-8 90886-62-7
 (polymn. initiator, dispersion-stabilizing resin prepn. using)
 RN 27849-33-8 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)




RN 90886-62-7 HCA
 CN Carbamodithioic acid, diethyl-, 2,3-dihydroxypropyl ester (9CI) (CA INDEX NAME)



L55 ANSWER 10 OF 32 HCA COPYRIGHT 2003 ACS on STN
 114:82424 Preparation of glycerol dithiocarbamates and analogs as antivirals. Postel, Denis Ghislain; Ronco, Gino Lino; Villa, Pierre Joseph; Ville, Guy Andre; Plan, Robert (Institut Merieux S. A., Fr.). Fr. Demande FR 2638457 A1 19900504, 34 pp. (French). CODEN: FRXXBL. APPLICATION: FR 1988-14276 19881102.

IT 90886-62-7P
 (prepn. of, as antiviral and immunomodulator)
 RN 90886-62-7 HCA
 CN Carbamodithioic acid, diethyl-, 2,3-dihydroxypropyl ester (9CI) (CA INDEX NAME)




L55 ANSWER 11 OF 32 HCA COPYRIGHT 2003 ACS on STN
 114:33015 Rapid processing of color photographic materials. Goto,

Masatoshi; Morimoto, Kiyoshi; Iwano, Haruhiko (Fuji Photo Film Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 02044355 A2 19900214 Heisei, 45 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1988-195773 19880805.

IT 27849-33-8
(fixing accelerator, photog. bleach soln. contg., for rapid processing)

RN 27849-33-8 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)



L55 ANSWER 12 OF 32 HCA COPYRIGHT 2003 ACS on STN
110:192212 Asymmetric reduction of .alpha.- (dimethylthiocarbamoylthio) carbonyl compounds with bakers' yeast. Tsuboi, Sadao; Kohara, Noriyuki; Utaka, Masanori; Takeda, Akira (Sch. Eng., Okayama Univ., Tsushima, 700, Japan). Bulletin of the Chemical Society of Japan, 61(9), 3205-9 (English) 1988. CODEN: BCSJA8. ISSN: 0009-2673.


OTHER SOURCES: CASREACT 110:192212.

IT 120158-16-9P 120158-18-1P 120158-19-2P
120158-20-5P 120158-21-6P 120158-23-8P
120158-24-9P 120158-26-1P
(prep. of)

RN 120158-16-9 HCA


CN Carbamodithioic acid, dimethyl-, 2-hydroxypropyl ester, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 120158-18-1 HCA
CN Carbamodithioic acid, dimethyl-, 2-hydroxyheptyl ester, (S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 120158-19-2 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxy-1-methylpropyl ester,
[R-(R*,S*)]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 120158-20-5 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxy-1-methylpropyl ester,
[S-(R*,R*)]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 120158-21-6 HCA

CN Carbamodithioic acid, dimethyl-, 1-(hydroxymethyl)butyl ester, (R)-
(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 120158-23-8 HCA

CN Carbamodithioic acid, dimethyl-, 1-(hydroxymethyl)-2-methylpropyl ester, (R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 120158-24-9 HCA

CN Carbamodithioic acid, dimethyl-, 1-(hydroxymethyl)pentyl ester, (R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 120158-26-1 HCA

CN Carbamodithioic acid, dimethyl-, 1-(hydroxymethyl)hexyl ester, (R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



L55 ANSWER 13 OF 32 HCA COPYRIGHT 2003 ACS on STN
 109:14640 Heat developing diffusion-transfer color photographic element
 in presence of silver halide solvents. Hirai, Hiroyuki (Fuji Photo
 Film Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 62283335 A2
 19871209 Showa, 33 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP
 1986-171681 19860723. PRIORITY: JP 1986-41622 19860228.

IT 27849-33-8
 (silver halide solvent, heat developing diffusion-transfer color
 photog. material contg.)


RN 27849-33-8 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)



L55 ANSWER 14 OF 32 HCA COPYRIGHT 2003 ACS on STN
 99:46004 Formation of a photographic image. Hirano, Shigeo; Takagi,
 Yoshihiro (Fuji Photo Film Co., Ltd., Japan). Ger. Offen. DE
 3203661 A1 19820916, 85 pp. (German). CODEN: GWXXBX. APPLICATION:
 DE 1982-3203661 19820203. PRIORITY: JP 1981-14565 19810203; JP
 1981-14566 19810203; JP 1981-14567 19810203.

IT 27849-33-8
 (lith photog. materials contg. acylhydrazine derivs. and, for
 high-contrast neg. images of good dot quality)

RN 27849-33-8 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)



L55 ANSWER 15 OF 32 HCA COPYRIGHT 2003 ACS on STN
 94:30158 Mechanism of the formation of ethylene
 bis(dimethyldithiocarbamate) from tetramethylthiuram monosulfide and

sodium 2-hydroxyethanethiolate. Kitson, Trevor M. (Dep. Chem. Biochem. Biophys., Massey Univ., Palmerston North, N. Z.). Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1972-1999) (8), 1724-5 (English) 1980.
CODEN: JCPRB4. ISSN: 0300-922X.

IT **5347-18-2P**

(prepn. and NMR of)

RN 5347-18-2 HCA

CN Carbamodithioic acid, diethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)



IT **27849-33-8P**

(prepn., NMR, and reaction of, with dimethyldithiocarbamate)

RN 27849-33-8 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)



L55 ANSWER 16 OF 32 HCA COPYRIGHT 2003 ACS on STN

87:67824 Synthesis and biological properties of dithiocarbamic acid derivatives. X. The fungicide effectiveness of several N,N-dimethyldithiocarbamates. Konecny, V.; Halgas, J. (Res. Inst. Agrochem. Technol., Bratislava, Czech.). Acta Facultatis Rerum Naturalium Universitatis Comenianae, Chimia, 25, 37-67 (German) 1977. CODEN: AFRCAQ. ISSN: 0524-2312.

IT **27849-33-8P**

(prepn. and fungicidal activity of)

RN 27849-33-8 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)




L55 ANSWER 17 OF 32 HCA COPYRIGHT 2003 ACS on STN

87:38788 Action of nucleophiles on tetramethylthiuram monosulfide.

Kitson, Trevor M. (Dep. Chem. Biochem Biophys., Massey Univ., Palmerston North, N. Z.). Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1972-1999) (5),


IT 565-6 (English) 1977. CODEN: JCPRB4. ISSN: 0300-922X.
27849-33-8P
 (prepn. of)
 RN 27849-33-8 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)



L55 ANSWER 18 OF 32 HCA COPYRIGHT 2003 ACS on STN
 83:43226 Dithiols. Conversion of aliphatic and alicyclic epoxides into trithiocarbonates. Ali, M. Erfan; Kardouche, Nabil G.; Owen, Leonard N. (Dep. Chem., Imp. Coll., London, UK). Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1972-1999) (8), 748-54 (English) 1975. CODEN: JCPRB4. ISSN: 0300-922X.

IT **56155-65-8P**
 (prepn. of)
 RN 56155-65-8 HCA
 CN Carbamodithioic acid, diethyl-, 2-hydroxy-1-methylpropyl ester, (R*,R*)- (9CI) (CA INDEX NAME)


Relative stereochemistry.




L55 ANSWER 19 OF 32 HCA COPYRIGHT 2003 ACS on STN
 83:11903 Vulcanizing neoprene by using certain 2-hydroxyalkyl N,N-dialkyldithiocarbamates as accelerators. Beadle, Howard C. (Vanderbilt, R. T., Co., Inc.). U.S. US 3867359 19750218, 4 pp. (English). CODEN: USXXAM. APPLICATION: US 1973-416506 19731116.

IT **22410-69-1 27849-33-8 55470-70-7**
55470-71-8 55470-72-9
 (vulcanization accelerators, for nonsulfur-modified neoprene rubber)
 RN 22410-69-1 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxypropyl ester (9CI) (CA INDEX NAME)


(INDEX NAME)




RN 27849-33-8 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)




RN 55470-70-7 HCA
 CN Carbamodithioic acid, dibutyl-, 2-hydroxybutyl ester (9CI) (CA
 INDEX NAME)



RN 55470-71-8 HCA
 CN Carbamodithioic acid, dipropyl-, 2-hydroxypropyl ester (9CI) (CA
 INDEX NAME)




RN 55470-72-9 HCA
 CN Carbamodithioic acid, dibutyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)



L55 ANSWER 20 OF 32 HCA COPYRIGHT 2003 ACS on STN
 77:71256 Synthesis and biological properties of dithiocarbamic acid
 derivatives. IV. Herbicidal activity of some esters of N,
 N-diethyldithiocarbamic acid. Konecny, V.; Priebradny, S.;
 Truchlik, S.; Sutoris, V. (Res. Inst. Agrochm. Technol.,
 Bratislava-Predmestie, Czech.). Acta Facultatis Rerum Naturalium
 Universitatis Comenianae, Chimia, Volume Date 1970, No. 14, 47-57
 (German) 1971. CODEN: AFRCAQ. ISSN: 0524-2312.

IT **5347-18-2**
 (herbicides)


RN 5347-18-2 HCA
 CN Carbamodithioic acid, diethyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)



L55 ANSWER 21 OF 32 HCA COPYRIGHT 2003 ACS on STN
 76:149827 Synthesis and biological properties of dithiocarbamic acid derivatives. IX. Fungicide activity of some esters of dithiocarbamic acids. Konecny, V.; Truchlik, S.; Sutoris, V. (Res. Inst. Agric.-Chem. Technol., Bratislava, Czech.). Acta Facultatis Rerum Naturalium Universitatis Comenianae, Chimia, No. 15, 61-9 (German) 1971. CODEN: AFRCAQ. ISSN: 0524-2312.

IT **27849-33-8**
 (fungicides)


RN 27849-33-8 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)




L55 ANSWER 22 OF 32 HCA COPYRIGHT 2003 ACS on STN
 74:63952 Dithiocarbamates. Konecny, Vaclav Czech. CS 134162 19691115,
 3 pp. (Czech). CODEN: CZXXA9. APPLICATION: CS 19680202.

IT **5347-18-2P 27849-33-8P**
 (prepn. of)

RN 5347-18-2 HCA
 CN Carbamodithioic acid, diethyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)



RN 27849-33-8 HCA
 CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA
 INDEX NAME)




L55 ANSWER 23 OF 32 HCA COPYRIGHT 2003 ACS on STN
 73:109727 Acyl isocyanates and their derivatives. VI. Synthesis of N-acyl-O-.beta.- (halo-, xanthyl-, or dithiocarbamyl)ethylcarbamates and their conversions into N-acyloxazolidin-2-ones. Nuridzhanyan, K. A.; Bulanova, N. P.; Pivovarov, G. A. (Vses. Nauch.-Issled. Inst. Khim. Sredstv. Zashch. Rast., Moscow, USSR). Zhurnal Organicheskoi Khimii, 6(8), 1593-600 (Russian) 1970. CODEN: ZORKAE. ISSN: 0514-7492.

IT 5347-18-2P

(prepn. of)

RN 5347-18-2 HCA

CN Carbamodithioic acid, diethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)




L55 ANSWER 24 OF 32 HCA COPYRIGHT 2003 ACS on STN
 72:42181 Synthesis and biological properties of dithiocarbamic acid derivatives. I. Insecticidal, acaricidal, acaricidal-ovicidal, insecticidal-systematic, and nematicidal activity of some dimethyldithiocarbamic acid esters. Furdik, Mikulas; Konecny, V.; Saly, A.; Truchlik, S. (Komensky Univ., Bratislava, Czech.). Acta Facultatis Rerum Naturalium Universitatis Comenianae, Chimia, No. 13, 45-52 (German) 1968. CODEN: AFRCAQ. ISSN: 0524-2312.

IT 27849-33-8

(insecticides)

RN 27849-33-8 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)



L55 ANSWER 25 OF 32 HCA COPYRIGHT 2003 ACS on STN
 72:42034 Synthesis and biological properties of dithiocarbamic acid derivatives. II. Herbicidal activity of some dimethyldithiocarbamic acid esters. Furdik, Mikulas; Konecny, V.; Priebradny, S.; Truchlik, S. (Komensky Univ., Bratislava, Czech.).


Acta Facultatis Rerum Naturalium Universitatis Comenianae, Chimia,
No. 13, 53-64 (German) 1968. CODEN: AFRCAQ. ISSN: 0524-2312.

IT 27849-33-8

(herbicidal activity of)

RN 27849-33-8 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxyethyl ester (9CI) (CA
INDEX NAME)



L55 ANSWER 26 OF 32 HCA COPYRIGHT 2003 ACS on STN


72:11536 Syntheses and herbicidal activities of dithiocarbamates. I.
Benzyl esters of N-substituted dithiocarbamic acids and related
compounds. Wakamori, Shigeki; Yoshida, Yoshio; Ishii, Yoshio (Res.
Lab., Toa Agr. Chem. Co., Ltd., Odawara, Japan). Agricultural and
Biological Chemistry, 33(10), 1367-76 (English) 1969. CODEN:
ABCHA6. ISSN: 0002-1369.

IT 28248-92-2

(herbicidal activity of)

RN 28248-92-2 HCA

CN Carbamic acid, diisopropylidithio-, 2-hydroxyethyl ester (8CI) (CA
INDEX NAME)



L55 ANSWER 27 OF 32 HCA COPYRIGHT 2003 ACS on STN


71:2470 Pesticidal activity of some esters of N,N'-diethyl
dithiocarbamic acids. Konecny, Vaclav; Saly, Anton; Truchlik,
Stefan; Furdik, Mikulas (Vysk. Ustav Agrochem. Technol., Bratislava,
Czech.). Agrochemia (Bratislava), 7(1), 3-11 (Slovak) 1967. CODEN:
AGROB2. ISSN: 0002-1830.

IT 5347-18-2

(pesticidal activity of)

RN 5347-18-2 HCA

CN Carbamodithioic acid, diethyl-, 2-hydroxyethyl ester (9CI) (CA
INDEX NAME)




L55 ANSWER 28 OF 32 HCA COPYRIGHT 2003 ACS on STN

70:37247 2-Hydroxyalkyldithiocarbamates from epoxides and aminium dithiocarbamates. Lies, Thomas A. (American Cyanamid Co.). U.S. US 3407222 19681022, 4 pp. (English). CODEN: USXXAM. APPLICATION: US 1965-482291 19650824.

IT 22410-68-0P 22410-69-1P 22410-70-4P
(prepn. of)


RN 22410-68-0 HCA

CN Carbamic acid, isopropyldithio-, 2-hydroxypropyl ester (8CI) (CA INDEX NAME)




RN 22410-69-1 HCA

CN Carbamodithioic acid, dimethyl-, 2-hydroxypropyl ester (9CI) (CA INDEX NAME)



RN 22410-70-4 HCA

CN Carbamic acid, dimethyldithio-, 2-hydroxydodecyl ester (8CI) (CA INDEX NAME)




L55 ANSWER 29 OF 32 HCA COPYRIGHT 2003 ACS on STN

61:81641 Original Reference No. 61:14194b-d Additive for electrolytic refining. (DEHYDAG Deutsche Hydrierwerke G.m.b.H.). BE 635004 19631114, 17 pp. (Unavailable). PRIORITY: DE 19620720.

IT 90886-62-7, Carbamic acid, diethyldithio-, 2,3-dihydroxypropyl ester (metal electrolytic refining additive)

RN 90886-62-7 HCA

CN Carbamodithioic acid, diethyl-, 2,3-dihydroxypropyl ester (9CI) (CA INDEX NAME)




L55 ANSWER 30 OF 32 HCA COPYRIGHT 2003 ACS on STN

57:31617 Original Reference No. 57:6357d-i,6358a-b Fungitoxicity of carbamic and thiocarbamic acid esters. Rich, Saul; Horsfall, James G. Conn. Agr. Expt. Sta., New Haven, Bull., No. 639, 1-95 (Unavailable) 1961.

IT 5347-18-2, Carbamic acid, diethyldithio-, 2-hydroxyethyl ester
(as fungicide)

RN 5347-18-2 HCA

CN Carbamodithioic acid, diethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)




L55 ANSWER 31 OF 32 HCA COPYRIGHT 2003 ACS on STN

53:93323 Original Reference No. 53:16767i,16768a Bright plating. Gundel, Wolfgang; Strauss, Wennemar; Haas, Hermann (DEHYDAG, Deutsche Hydrierwerke G. m. b. H.). US 2892760 19590630 (Unavailable). APPLICATION: US

IT 90886-62-7, Carbamic acid, diethyldithio-, 2,3-dihydroxypropyl ester
(as brightening agent in electroplating)

RN 90886-62-7 HCA

CN Carbamodithioic acid, diethyl-, 2,3-dihydroxypropyl ester (9CI) (CA INDEX NAME)



L55 ANSWER 32 OF 32 HCA COPYRIGHT 2003 ACS on STN


52:117693 Original Reference No. 52:20856i,20857a-b New organic phosphorus compounds as insecticides. III. Mixed glycol esters.

Szabo, K.; Matolcsy, Gy. (Research Inst. Plant Protection, Budapest). Acta Chimica Academiae Scientiarum Hungaricae, 15, 201-9 (English) 1958. CODEN: ACASA2. ISSN: 0001-5407.

IT 5347-18-2, Carbamic acid, diethyldithio-, 2-hydroxyethyl ester
(prepn. of)

RN 5347-18-2 HCA

CN Carbamodithioic acid, diethyl-, 2-hydroxyethyl ester (9CI) (CA INDEX NAME)



Howard 10/067,978 Claims 2, 38-49 and related

Page 37